

TENDER DOCUMENT

for

Engagement of an Agency for the Implementation of Vocational Labs Set-up in Government Schools Across States on Rate Contract Basis

NIT No. EdCIL/EIS&EPS/2025-26/Voc/01 Dated: 23/01/2026



EdCIL (India) Limited
Corporate Office:
A Govt. of India, Mini Ratna Category-I CPSE
EdCIL House, Plot No. 18A, Sector 16A,
Noida-201301 (U.P.) India

Registered Office:
Amba Deep Building,
7th Floor, 14 K.G Marg,
New Delhi-110001

DISCLAIMER

The information contained in this Request for Proposal document (the "RFP") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of the EdCIL (India) Limited or any of its employees or advisors, is provided to Bidder(s) on the terms and conditions set out in this RFP and such other terms and conditions subject to which such information is provided.

This RFP is not an Agreement and is neither an offer nor invitation by EdCIL to the prospective Bidders or any other person. The purpose of this RFP is to provide interested parties with information that may be useful to them in making their financial offers (BIDs) pursuant to this RFP. This RFP includes statements, which reflect various assumptions and assessments arrived at by EdCIL in relation to the Project. Such assumptions, assessments and statements do not purport to contain all the information that each Bidder may require. This RFP may not be appropriate for all persons, and it is not possible for the EdCIL, its employees or advisors to consider the investment objectives, financial situation and particular needs of each party who reads or uses this RFP. The assumptions, assessments, statements and information contained in the Bidding Documents may not be complete, accurate, adequate or correct. Each Bidder should, therefore, conduct its own investigations and analysis and should check the accuracy, adequacy, correctness, reliability and completeness of the assumptions, assessments, statements and information contained in this RFP and obtain independent advice from appropriate sources.

Information provided in this RFP to the Bidder(s) is on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The EdCIL accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein.

EdCIL, its employees and advisors make no representation or warranty and shall have no liability to any person, including any Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFP or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFP and any assessment, assumption, statement or information contained therein or deemed to form part of this RFP or arising in any way for participation in this BID Stage.

EdCIL also accepts no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any Bidder upon the statements contained in this RFP. EdCIL may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this RFP. The issue of this RFP does not imply that EdCIL is bound to select a Bidder or to appoint the Selected Bidder, as the case may be, for the Project and EdCIL reserves the right to reject all or any of the Bidders or BIDs without assigning any reason whatsoever.

The Bidder shall bear all its costs associated with or relating to the preparation and submission of its BID including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by EdCIL, site visits, investigations, studies or any other costs incurred in connection with or relating to its BID. All such costs and expenses will remain with the Bidder and EdCIL shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a Bidder in preparation or submission of the BID, regardless of the conduct or outcome of the Bidding Process.

Table of Contents

SECTION-1	4
NOTICE INVITING TENDER.....	4
SECTION- 2	6
OFFLINE AND ONLINE BID SUBMISSION DOCUMENTS	6
SECTION-3	7
TERM OF REFERENCE & DEFINITIONS.....	7
SECTION-4	8
INSTRUCTIONS FOR E-TENDERING	8
SECTION-5	11
INSTRUCTIONS TO BIDDERS	11
SECTION-6	23
SCOPE OF WORK	23
SECTION-7	126
FORMS AND TEMPLATE FOR BID RESPONSE.....	126
FORM1: LETTER OF BID SUBMISSION	127
FORM2: DECLARATION SHEET.....	128
FORM3: LETTER OF UNDERTAKING	129
FORM 4: UNDERTAKING FOR BLACKLISTING.....	130
FORM 5: BIDDER'S AVERAGE ANNUAL TURN OVER	131
FORM 6: BIDDER'S NET WORTH CERTIFICATE.....	132
FORM 7: DETAILS OF RELEVANT PROJECTS COMPLETED BY BIDDER.....	133
FORM 8: POWER OF ATTORNEY FOR AUTHORISED SIGNATORY	134
FORM9: BANK GUARANTEE FORMAT	136
FORM10: FORMAT OF CONTRACT AGREEMENT	139
FORM11: LIST OF AUTHORIZED BANKS FOR BG	141
FORM 12: MANUFACTURER AUTHORIZATION FORM	142
FORM 13: DELIVERY CUM HANDING OVER CERTIFICATE	143
FORM 14: FINANCIAL BID COVERING LETTER	145
FORM 15: PRICE BID FORMAT	147

SECTION-1

EdCIL (INDIA) LTD
 (A GOVT. OF INDIA MINI RATNA ENTERPRISE)
 SECTOR 16A, NOIDA

NOTICE INVITING TENDER (e-Tendering mode)

NIT No.: EdCIL/EIS&EPS/2025-26/Voc/01

Dated: 23/01/2026

1. EdCIL (India) Limited intends to invite bids for “**Open Two packet e-tender for Engagement of an Agency for the Implementation of Vocational Labs Set-up Initiatives in Government Schools Across States on Rate Contract Basis**”.
2. The purpose of this tender document is to provide interested parties with the relevant information/invite regarding the RFP which may be useful in submitting their bids. The applicants are advised to study this tender document carefully before submitting their bids & Financial Quote.
3. The intended experienced agencies/firms are invited to submit online bids. The prospective bidders are required to submit their bids with most competitive techno-commercial offer. The tender document is available on EdCIL website (www.edcil.co.in) and E-Tender Wizard (<http://www.tenderwizard.com>) and CPPP portal.
4. The broad details are highlighted below:

Name of work	Open Two packet e-tender for Engagement of an Agency for the Implementation of Vocational Labs Set-up Initiatives in Government Schools Across States on Rate Contract Basis
Earnest Money Deposit	Rs. 46,50,000/- (Rs. Forty Six Lakhs Fifty Thousand Only) in form of Demand Draft in favour of ‘EdCIL (India) Limited’, payable at Noida; OR Direct Bank Transfer as per Cl. 5.3 <i>Bidders registered with MSME are exempted from submission of EMD.</i>
Performance Bank Guarantee (PBG)	The successful bidder shall provide a Performance Bank Guarantee of 3% of the value of each Contract/s to the EdCIL . The PBG shall be returned after 90 days of successful completion and warranty period of project/s.
Tender Type	Open, e-Tender, two packets on Technical and Financial parameters.
Tender Category (Services/works)	Goods Supply
Date of Issue/Publishing	23/01/2026
Document Download/ Sale Start Date	23/01/2026

Pre-Bid Meeting queries through emails only	NA
Document Download/ Sale End Date	03/02/2026 at 11:00 AM
Last Date and Time for receipts of Bids	03/02/2026 at 14:00 PM
Date and Time of Opening of Technical Bids	03/02/2026 at 15:00 PM
No. of Covers	02 (Two packets)
Bid Validity days	180 days, from last date of submission of bid Consortium/Joint Venture is NOT allowed.
Duration of Work	Two years (extendable to 1 more year on annual basis as per project requirement as well as performance of the successful bidder)
Address for Communication	Chief General Manager (EIS & EPS) EdCIL (India) Limited, 18 A, Sector-16A, Noida-U.P.-201 301, Ph. No.: 0120-4310840
Contact No.	0120-4156001,002,4154003
Email Address	cgm.infracivil@edcilm.co.in , eprocure@edcilm.co.in

5. Tender document shall be downloaded from electronic tender portal link available at EdCIL Tender web page and details mentioned elsewhere in the tender document. Aspiring bidders who have not get registered in e-procurement should get themselves register before participating in e-tendering process. Interested bidders are advised to go through instructions provided at "Instructions to Bidders for e-tendering."
6. No manual bids shall be accepted. Bids shall only be submitted in the E-Tendering mode.
7. Consortium/Joint Venture is NOT allowed.
8. EdCIL reserves the right to reject any or all offers without assigning any reason.
9. Bidders are advised to visit the EdCIL Web site for getting themselves updated for information on this tender. Corrigendum and addendum may be issued on the changes required. The Corrigendum/addendum are the part of tender documents and Bidders are supposed to upload the same, duly signed as per the guidelines given in the tender document. Bidders are advised to visit EdCIL e-tender web page regularly to update themselves for any notifications for this tender.

Chief General Manager/ (EIS & EPS)
 EdCIL (India) Limited,
 18 A, Sector-16A, Noida-201 301
 Tel: +91120-4156001/02/03,0120-4154003,
 0120-2970206,07.

SECTION- 2

OFFLINE AND ONLINE BID SUBMISSION DOCUMENTS

2.1 Offline Submissions

The Bidder is requested to submit the hardcopy of the below mentioned documents in a Sealed Envelope and the proposed services in the bid to the under mentioned address before the start of Public Online Tender Opening Event.

To,
The CGM (EIS&EPS)
EdCIL (India) Limited
EdCIL House, Plot No. 18A, Sector 16A,
Noida-201301 (U.P.) India

The envelope shall bear the project name, the tender number and the words 'DO NOT OPEN BEFORE' (due date & time).

- **Original copy of the EMD** in the format as applicable/ in the form of Demand Draft or Scanned copy of NEFT or RTGS payment receipt (UTR number).
- **Original copy of Bidder's Power of Attorney.**

Note: The Bidder should also upload the scanned copies of all the above-mentioned original documents during Online Bid-Submission. Documents submitted in online mode should be uploaded using DSC of person authorized as per Authorization letter/Board Resolution for signing bid documents.

2.2 Online Submissions

The Online bids (complete in all respect) must be uploaded online in **Two Envelopes** as explained below:

Envelope-1: Technical Bid

- **All the Forms**

Envelope-2: Financial bid

Note:

No information related to financial proposal should be provided in the technical proposal. If any information related to financial proposal is included in the technical proposal, the applicant shall be disqualified and its proposal will not be considered.

SECTION-3

TERM OF REFERENCE & DEFINITIONS

Bidder	“Bidder” shall mean the successful agency/ bidder, firm or corporation to whom the Purchase Order is issued.
Authorized Signatory	The bidder’s representative (explicitly, implicitly, or through conduct) with the powers to commit the authorizing organization to a binding agreement. Also called signing officer/ authority having the Power of Attorney from the Competent authority of the respective Bidding firm.
Bid/Tender	“Bid” means the response to this document presented in Two packet, Technical Cum Commercial Bid, which are supplied with necessary documents and forms as given in Annexure, complete in all respect adhering to the instructions and spirit of this document.
Bidder/Tenderer	“Bidder” means any manufacturer/ individual/ proprietor/ partnership firm/ agency/ company/ responding to Request for Proposal and who makes a Bid.
Contract	“The Contract” means the agreement entered into between EdCIL and the selected bidder(s) in terms of clauses mentioned
Day	“Day” means a normal working day with or without extra hours to work on the designated site of the project/ work.
EMD	Earnest Money Deposit
D.D	Demand Draft
EdCIL	EdCIL (India) Limited, Noida (A Govt. of India Enterprise)
TC	Tender Committee
BG	Bank Guarantee
Security Deposit (SD)	Amount of the Order Value deposited by the Bidder and retained till the successful completion of the project (as long as the bidder fulfils the contractual agreement).
Services	“Services” means the services to be delivered by the successful bidder and as required to run the project successfully as per the Contract.
TENDER	“TENDER” means the Request for Proposals
Order	“Order” shall mean the Purchase/ Work Order and its attachments and exhibits.
Consignee	“Consignee” shall mean Authorized Representative of EdCIL (India) Limited / Authorized representative of Client.
GST	Services and Services Tax
EPF	Employee Provident Fund
ESI	Employees State Insurance.
MSME	Micro, Small and Medium Enterprises.
NSIC	National Small Industry Corporation.
GOI	Government of India.

SECTION-4

INSTRUCTIONS FOR E-TENDERING

4.1 Instructions for Online Bid Submission:

1. E-tendering is new technology for conducting public procurement in a transparent and secured manner. As per Government of India's directives, EdCIL (India) Limited has adopted E-tendering.
2. For conducting electronic tendering, EdCIL (India) Limited has decided to use Electronic tender portal link available with detailed information on Tendering process. This portal built using Electronic tender's software is referred to as <http://www.tenderwizard.com/EDCIL>.
3. The bidders are required to submit soft copies of their bids electronically on <http://www.tenderwizard.com/EDCIL> e-tendering website, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the Tender Wizard E-Tendering Portal, prepare their bids in accordance with the requirements and submitting their bids online on the Tender Wizard E-Tendering Portal.
4. The scope of work to be tendered is available in the complete bid documents which can be viewed /downloaded from Tender Wizard E-Tendering Portal of <http://www.tenderwizard.com/EDCIL>. Both Technical Bid and Financial Bid will be submitted concurrently duly digitally signed in the website <http://www.tenderwizard.com/EDCIL>. No claim shall be entertained on account of disruptions of internet service being used by bidders. Bidders are advised to upload their bids well in advance to avoid last minute technical snags.
5. All Corrigendum/Amendment/Corrections, if any, will be published on the website <http://www.tenderwizard.com/EDCIL> as well as on EdCIL's website.
6. It is mandatory for all the applicants to have class-III Digital Signature Certificate (in the name of person who will sign the bid document) from any of the licensed certifying agency (Bidders can see the list of licensed Certifying Agencies from the link www.cca.gov.in) to participate in e-Procurement of EdCIL.
7. It is mandatory for the bidders to get their firm/company registered with e-procurement portal of EdCIL, i.e. www.tenderwizard.com/EDCIL to have userID & password by submitting a non-refundable annual registration charge as follows:

Registration charges for 1 year	Rs.2000/-
---------------------------------	-----------

(exclusive of taxes, levies, etc.) which can be paid online using thee-payment gate way to KEONICS through the portal address mentioned above. The registrations obtained by the prospective bidder shall be valid for one year from the date of its issue and shall be subsequently renewed.

- a. Participant shall safely keep their User ID and password, which will be issued by the service provider i.e. KEONICS Ltd. upon registration, and which is necessary for e-tendering.

- b. Bidders are advised to change the password immediately on receipt of activation mail.
- c. Bidders shall not disclose their User ID as well as password and other material information relating to the e-tendering to any one and safeguard its secrecy.
- 8. Submit your tender well in advance by relevant documents along with copy of EMD of tender submission deadline on Tender Wizard E-Tendering Portal <http://www.tenderwizard.com/EDCIL>, as there could be last minute problems due to internet timeout, breakdown, etc.
- 9. Tenders should be submitted only through Tender Wizard E-Tendering Portal and obtain the Tender Acknowledgement copy as a proof of successful submission.
- 10. Vendors are requested to contact at Tender wizard Helpdesk for any information regarding E-tendering / training.

EdCIL / Tender Wizard E-Tendering Portal Helpdesk
<p>Customer Support: 080-49352000 (Multiple Telephone lines) Emergency Mobile Numbers: 9686115318 / 8800496478 / 8800445981 (Please contact in case of emergency during non-working hours.)</p>
<p>To Tender Wizard harishkumar.kb@etenderwizard.com ambasa@etenderwizard.com arijeet@etenderwizard.com twhelpdesk963@gmail.com sandeep.g@etenderwizard.com & cc to: eprocure@edcil.co.in&cgm.infracivil@edcil.co.in</p>

4.2 Preparation Of Bids

- a. Bidder should take into account any corrigendum/addendum published on the portal before submitting their bids.
- b. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents-including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- c. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/ schedule and generally, they can be in PDF format.
- d. Bid documents may be scanned with 100dpi with black and white option.

4.3 Submission Of Bids

- a. Bidder should login to the site well in advance for bid submission and complete all formalities of registration (at least two days in advance of the closing date)so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be sole responsible for any delay in uploading of bid within the stipulated time.

- b. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- c. Bidder has to pay EMD as applicable through demand draft/BG as per tender condition in favour of "EdCIL (India) Ltd" payable at Noida and enter details of the instruments. Original copies of demand draft/BG for EMD are required to be submitted.
- d. A standard Financial Bid form has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the financial bid format is found to be modified by the bidder, the bid will be rejected.
- e. The server time will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- f. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.

4.4 Assistance To Bidders

Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority. For any other tender related queries bidders are requested to contact on below given numbers/email.

EdCIL / Tender Wizard E-Tendering Portal Helpdesk
Customer Support: 080-49352000 (Multiple Telephone lines) Emergency Mobile Numbers: 9686115318 / 8800496478 / 8800445981 (Please contact in case of emergency during non-working hours.)
To Tender Wizard harishkumar.kb@etenderwizard.com ambasa@etenderwizard.com arijeet@etenderwizard.com twhelpdesk963@gmail.com sandeep.g@etenderwizard.com & cc to: eprocure@edcilm.co.in & cgm.infracivil@edcilm.co.in

4.5 Minimum Requirements at Bidder's End

- a. Computer System having configuration with minimum Windows 7 or above, and Broadband connectivity.
- b. Digital Certificate(s)

SECTION-5

INSTRUCTIONS TO BIDDERS

5.1 Due date

The bid has to be submitted ONLINE before the due date & time as mentioned in the NIT or any notification issued subsequently.

5.2 Preparation of Bids

The offer/ bid shall be submitted in Two Packet system (i.e.) Technical and Financial bid. All the bid documents must be signed (by the authorised signatory and possessing the power of attorney in his/her favour) and stamped. The technical bid shall consist of all technical details along with commercial terms and conditions. Financial bid shall indicate item wise rate for the items mentioned in the technical bid in the given PDF format. **No information related to Financial Proposal should be provided in the technical proposal. If any information related to financial proposal is included in the technical proposal the applicant shall be disqualified, and his proposal will not be considered.**

5.3 Earnest Money Deposit (EMD)

The bidder must submit the EMD of **Rs. 46,50,000/- (Rupees Forty Six Lakhs Fifty Thousand only)** in form of **Demand Draft/ Direct Bank Transfer** as mentioned below:

- **In case of Demand Draft**, The Bidder should submit EMD through Demand Draft drawn in favour of "EdCIL (India) Limited" payable at Noida from any Scheduled Commercial Bank as per Form-11.
- In case of EMD through Direct Bank Transfer, NEFT/RTGS to the bank details for the transfer of funds is as below:

Bank Name - BANK-SBI-DELHI 36830596465
A/c No. - 36830596465
Branch & IFS Code - New Delhi & SBIN0000691

The scanned copy of NEFT or RTGS payment receipt (UTR number) to be submitted with the technical bid.

Note:

- The Bid submitted without EMD would be considered as UNRESPONSIVE and shall not be considered for evaluation.
- Bidders registered with MSME and having valid registration certificate issued by NSIC/MSME are exempted for submission of EMD in this RFP. However, the bidder is required to submit the valid registration certificate along with the online bid submission.

- **The EMD/Bid Security may be forfeited if:**
 - i. If the Bidder withdraws his bid during the period of bid validity specified by the Bidder on the Bid form; or
 - ii. Fails or refuses to execute the Contract; or
 - iii. The successful bidder fails to submit performance bank guarantee (PBG) within the prescribed time, the EMD shall be adjusted against the interest amount on delay of submission of PBG.
- **Refund of EMD:**
 - i. The EMD will be returned to unsuccessful bidder only after the bidding process is finalized.
 - ii. In case of successful bidder, the EMD shall be refunded after submission of **Performance Bank Guarantee (PBG)** from a Nationalized Bank operating in India.

5.4 Power of Attorney

The bidder is required to submit the Power of Attorney in the prescribed format at Form-8 in favour of the person authorized to sign the bid.

5.5 Acceptance/ Rejection of bids

EdCIL reserves the right to reject any or all offers without assigning any reason. EdCIL based on the requirement without assigning any reason to the Bidder/s may split work/Scope/Bid offer in stages or in parts according to the need of work or for ease of execution of work. EdCIL reserves right to take decision according to requirement and no claim on whatsoever ground shall be entertained from the bidder/s. Final decision of EdCIL shall be binding on the bidder.

5.6 Eligibility Criteria:

Sl.	Basic Requirement	Technical Eligibility Criteria	Supporting Document to be submitted along with the technical bid
1	Legal Entity	The bidder must be a Company (Ltd. Or Pvt. Ltd.)/Proprietary /Partnership Firms/LLP registered with Statutory Authorities in India for the last 03 (three) years from the date of NIT. Consortium/Joint Venture is NOT allowed.	a. Certificate of Registration / Incorporation under the respective Acts/Authorities in India. b. The respective Memorandum of Association / Partnership Deed.
2	Original Equipment Manufacturer/ Authorised Dealers	Only Original Equipment Manufacturer OR Authorized dealer/ agency of Original Equipment Manufacturer (OEM) / having experience in manufacturing/ supply of vocational education	In case of OEM, valid Proof of the agency as OEM (Self Manufacturer Authorization) is required to be submitted.

		material/equipments in school education are eligible to apply.	In case of Authorized dealer/ agency of OEM, Latest Manufacture Authorization letter-MAF (in the format of Form-12) from OEM for supplies mentioned in this tender where MAF has been requested.
3	Tax Registration	The bidder should have a registered number of i. GST ii. PAN number	a. GST Registration Certificate b. PAN Card.
4	Annual Turnover	The average annual turnover of the bidder firm should be minimum Rs.25 Crores (Rs. Twenty Five Crore only) during the last three financial years (2022-23, 2023-24, 2024-25) .	CA Certificate with CA's Registration Number/ Seal
5	Net Worth Certificate	The Net worth of the bidder should be Positive during last 3 years;	CA Certificate for last three years 2022-23 to 2024-25 with CA's Registration Number/ Seal
6	Government Projects	The bidder firm should have supplied vocational educational material of Rs. 20 Crore under school education in a single order in any of the last 3 Financial years (2022-23, 2023-24 and 2024-25) to any Central/ State / Autonomous/ Public Sector organization.	Work Order along with Completion Certificate issued by the Govt. Client.
7	Blacklisting	<p>The bidder firm should not have been blacklisted/ debarred by any Central Government/ State Government/ PSU/ Government Bodies/ Autonomous Bodies/ Private Sector in last 3 years from the date of NIT.</p> <p>Further, the bidder should not be blacklisted/debarred on the bid submission date.</p> <p>Further, the bidder under legal dispute raised by any of the Govt. department or under enquiry setup by any of the Govt. department against the bidder, on the date of bid submission are liable to be disqualified.</p>	<p>Letter of undertaking in the prescribed format as given at Form-4.</p> <p>False certification and / or non-disclosure will lead to forfeiture of the EMD and disqualification from the evaluation process and blacklisting. In case the work is awarded, EdCIL reserves the right to foreclose the contract with the successful bidder and may go for legal action with all liabilities on the part of bidder.</p>

Note: The bidder's firm who are fulfilling the given Eligibility Criteria will only be eligible for further evaluation process. Documents must be provided in support of the Eligibility Criteria, otherwise bids will be summarily rejected.

5.6.1 Evaluation of Technical Proposal

Bidders are advised to submit the technical bid online with supporting documents. The Evaluation Committee of EdCIL shall evaluate the Technical Proposals as per eligibility criteria and only the technically qualified bidder/s shall be considered for Financial Bid Evaluation.

5.7 Award of Work

The work shall be awarded to the lowest bidder i.e. L-1 bidder after evaluation and recommendation from the Tender Committee.

EdCIL reserves its right to distribute the scope of work in the ratio of 60:40 between L-1 and L- 2 bidders, provided the L-2 bidder shall convey his consent to reduce his rate to the L-1 bidder rate without any condition / changes in the terms and conditions of Tender Document. The same is under the discretion of EdCIL's authority and the bidders do not have any right on the said clause.

Notwithstanding anything stated above, the Consignee/ EdCIL reserves the right to assess bidder's capability and capacity to perform the contract should circumstances warrant such an assessment in the overall interest of the work by EdCIL/Client.

5.8 Performance Security

The successful bidder engaged for the said project should be required to deposit Performance Bank Guarantee equivalent to **3% of contract value/Work Order (separate for each work order)** to EdCIL within 15 (Fifteen) days from the date of receipt of Purchase Order.

The Performance Bank Guarantee should be issued by a Scheduled Commercial Banks Form-11 in favour of "**EdCIL (India) Ltd. Noida**". This guarantee shall be valid for a period of **180 days beyond the project Completion period**. This Performance Bank Guarantee should be retained throughout the currency of the contract and should be extended by the bidder from time to time, as required by EDCIL.

5.9 Force Majeure:

The bidder/s should not be liable for forfeiture of its security, liquidated damages or termination for default, if and to the extent that, it's delay in or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

For purposes of this Clause, "Force Majeure" means an event beyond the control of the Bidder and not involving the Bidder's fault or negligence and not foreseeable. Such events shall include, but are not limited to, acts of the Consignee either in its sovereign or contractual capacity, wars or revolutions, fires, freight embargoes, quarantine restrictions, Act of God like floods, epidemics etc.

If a Force Majeure situation arises, the Bidder should promptly notify the Consignee in writing of such conditions and the cause thereof. Unless otherwise directed by the Consignee in writing, the Bidder shall continue to perform its obligations under the Contract

as far as is reasonably practical, and should seek all reasonable alternative means not prevented by the Force Majeure event.

5.10 Notices: For the purpose of all notices, the following should be the address :

**The Project Manager,
(Name of the Project)**

EdCIL (India) Limited,
18 A, Sector-16A,
Noida-201 301
Tel: 91-120-2512001 to 2512006

5.11 Arbitration: The dispute resolution mechanism to be applied pursuant should be as follows:

- a) In case of Dispute or difference arising between the EdCIL and bidder/agency relating to any matter arising out of or connected with this agreement, such disputes or difference should be settled in accordance with the Indian Arbitration & Conciliation Act, 1996, the rules there under and any statutory modifications or re-enactments thereof should apply to the arbitration proceedings.
- b) The dispute should be referred to the Competent Authority, EdCIL and if he/she is unable or unwilling to act, to the sole arbitration of some other person appointed by him willing to act as such Arbitrator. The award of the arbitrator so appointed should be final, conclusive and binding on all parties to this order.
- c) Either party's performance under this agreement is subject to acts of God, war, epidemics, government regulation, strikes, or any other occurrence of event(s) or emergency beyond the party's control (except for rains), making it impossible, illegal, or commercially impracticable for either party to perform its obligations under this agreement, in whole or in part.
 - The place/seat of the arbitration shall be New Delhi, India.
 - The Tribunal shall consist of one arbitrator.
 - The law governing the arbitration agreement shall be Indian Law.
 - The language of the arbitration shall be English.
 - The governing law of the Contract shall be Indian Law.
 - Arbitration cost to be borne by the Supplier.

5.12 Governing Language

The contract should be written in English language. English language version of the Contract should govern its interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, should be written in the same language.

5.13 Applicable Law

The Contract should be interpreted in accordance with the laws of the Union of India and all disputes should be subject to place of jurisdiction.

5.14 Termination for Default

The Consignee should, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Bidder, terminate the Contract in whole or part:

- I. If the Bidder fails to deliver any or all of the Services within the period(s) specified in the order, or within any extension thereof granted by the Consignee; or
- II. If the Bidder fails to perform any other obligation(s) under the Contract.
- III. For the purpose of this Clause:
 - **“Corrupt practice”** means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
 - **“Fraudulent practice”** means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid rates at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition;”
 - In the event the Consignee terminates the Contract in whole or in part, the Consignee should procure, upon such terms and in such manner, as it deems appropriate, Services or Services similar to those undelivered, and the Bidder should be liable to the Consignee for any excess costs for such similar Services or Services. However, the Bidder should continue the selection of the Contract to the extent not terminated.

5.15 Disputes and Jurisdiction: Any legal disputes arising out of any breach of contract pertaining to this tender should be settled in the court of competent jurisdiction located within New Delhi.

5.16 Rates in Figures and Words:

Rates Quoted by the Bidder in tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However, if a discrepancy is found, the rates which correspond with the amount worked out by the contractor shall unless otherwise proved be taken as correct. If the amount of an item is not worked out by the contractor or it does not correspond with the rates written either in figures or in words then the rates quoted by the contractor in words shall be taken as correct. Where the rates quoted by the bidder in figures and in words tally but the amount is not worked out correctly, the rates quoted by the Bidder will unless otherwise proved be taken as correct and not the amount. In event no rate has been quoted for any item(s), leaving space both in figure(s), word(s) and amount blank, it will be presumed that the Bidder has included the cost of this/these item(s) in other items and rate for such item(s) will be considered as zero and work will be required to be executed accordingly.

In the case of any tender where unit rate of any item/items appear unrealistic, such tender / item(s) will be considered as unbalanced and in case the tender is unable to provide satisfactory explanation such a tender/ item(s) is liable to be disqualified and rejected.

5.17 Acknowledgement: It is hereby acknowledged that bidders have gone through all the conditions mentioned above and bidders agree to abide by them.

5.18 Risk Purchase Clause:

In the event of failure of supply of the items/ goods within the stipulated delivery schedule, the consignee has all the right to purchase the items/ goods from the other source on the total risk of the supplier under risk purchase clause. The decision of EdCIL shall be final and binding to the successful bidder. In case of risk coverage, PBG or any bill value due if any on date shall be recovered for completing the supply and installations. No claim on whatsoever grounds shall be entertained by EdCIL. In special circumstances, urgency or in accordance to the situation and in the interest of School Education, EdCIL reserves its right to foreclose the contract with no liability on either side.

5.19 Packing Instructions: Each package will be marked on three sides with proper paint/ indelible ink, the following:

- i. Item Nomenclature
- ii. Order/Contract No.
- iii. Country of Origin of Goods
- iv. Supplier's Name and Address
- v. Consignee details
- vi. Packing list reference number
- vii. All packing should be strong enough to withstand rough handling during loading, unloading and transporting. Fragile articles should be packed with special precaution and should bear the marking like Fragile, handle with care, This side up etc. All delicate surfaces of items/goods should be carefully protected and painted with protective paint/ compound and wrapped to prevent rusting and damage.
- viii. Attachments and spare parts and all small pieces should be packed with adequate protections and wherever possible should be sent along with the major items. Each item should be tagged so as to identify it with the main item and part number and reference number should be indicated.
- ix. All protection and threaded fittings should be suitably protected and covers should block the openings.

5.20 Unloading and Unpacking:

Unless specified otherwise in the purchase order, Unloading and storage of the same at the designated place should be undertaken by the supplier. The Unpacking of the materials should also be arranged by Supplier.

5.21 Delivery Documents:

Till the consignee takes over/ receives the items/ goods, the supplier should be responsible for transportation and to keep the same in safe custody and the charges (if any) to be borne by the supplier. The supplier should mail the following documents to the consignee:

- i. Copies of the Supplier invoice showing contract number, goods' description, quantity unit rate, total amount;
- ii. Acknowledgment of receipt of goods from the consignee(s) by the transporter;
- iii. Manufacturer's/ Supplier's warranty certificate, wherever applicable;

The above documents should be received by the Consignee before arrival of the Goods (except where the Goods have been delivered directly to the Consignee with all documents) and, if not received, the Supplier will be responsible for any consequent expenses.

5.22 Delayed Delivery: If the Delivery is not made within the due date for any reason under the control of the successful bidder, the EdCIL reserves the right to *impose Liquidated damages (LD) @ 0.5% plus GST per week* for undelivered portion of BOQ items subject to a maximum deduction of 10% of the contract value/ rate. The LD shall be applied only on the portion of items not delivered within the stipulated time period for reasons under the control of the supplier. Applicable GST on LD amount would also be charged additional. In case of any unforeseen delay or delay beyond control of the supplier, the supplier may request for extension of the time within stipulated time. EdCIL at its discretion may grant the extension to the supplier subject to approval of client. Once the maximum is reached, EdCIL has the right to terminate/ foreclose the contract without any liability to cancellation charges and encash the submitted performance guarantee/s submitted by successful bidder.

5.23 Inspection and Tests:

- i. EdCIL reserves the right to inspect (**Pre-Delivery Inspection**) the goods and equipment before shipment at supplier's plant/ warehouse to check whether the goods/ equipment are in conformity with the technical specifications as mentioned in tender BOQ.
- ii. The acceptance test (if required) will be conducted by the Consignee, their consultant or other such person nominated by the Consignee at its option after the item is delivered/ installed at consignee's site in the presence of supplier's representatives. The acceptance will involve trouble free operation and ascertaining conformity with the ordered specifications and quality. There should not be any additional charges for carrying out acceptance test. No malfunction, partial or complete failure of any part of the item is expected to occur. The Supplier should maintain necessary log in respect of the result of the test to establish to the entire satisfaction of the Consignee, the successful completion of the test specified.
- iii. In the event of the ordered item failing to pass the acceptance test, a period not exceeding one week will be given to rectify the defects and to clear the acceptance test, failing which the Consignee reserve the right to get the item replaced by the Supplier at no extra cost to the Consignee.
- iv. Successful conduct and conclusion of the acceptance test for the installed goods and item should also be the responsibility and at the cost of the Supplier.

5.24 Rates:

- i. The rate should be quoted as per Form-15 without any change in the format, and the cost is inclusive of all packing and delivery charges. The offer/bid should be exclusive of taxes and duties, which will be paid as applicable. However, the percentage of taxes and duties should be clearly indicated. The inter se merit position of the bids however shall be decided based on the composite rate of the product including taxes, transportation, Freight insurance, and theft insurance, Warranty with all other incidental expenses indicated.
- ii. The rates must be quoted in the Performa given in Financial Bid failing which the Bid would be treated as unresponsive. Any discount or any other offers affecting the package rate must be mentioned in Financial Bid only. Discount or any other offers affecting the Package rate mentioned at any other place of the bid other than Financial Bid will not be considered.
- iii. Installation/commission/ labour/ machine / lead lifts/ nothing extra shall be paid beyond the offered rates.
- iv. The rates shall be competitive and covering large scale of volume of schools in state/s across the nation. The total volume anticipated per annum is around Rs. 90 Crores, depending on the client's requirement for their schools.

5.25 Right to Use Defective Goods

- i. If after delivery, acceptance, and installation and within the guarantee and warranty period, the operation or use of the goods proves to be unsatisfactory, the Consignee should have the right to continue to operate or use such goods until rectifications of defects, errors or omissions by repair or by partial or complete replacement is made without interfering with the Consignee's operation.
- ii. Replacement of Goods broken, damaged or short: In the event of any material or part thereof found broken or damaged or received short during transit or during installation or Commissioning or testing at site, before commissioning in service the suppliers should replace the same free of cost. The successful bidder is supposed to cover all material to be supplied to the consignee under insurance for transit, theft, damage, etc. However, the CLIENT/ EdCIL reserves right to recover amount equivalent to the cost of such damaged / broken / short supplied materials and will repay when actual replacement is given.
- iii. Substitution and Wrong Supplies: Unauthorized substitution or materials delivered in error of wrong description or quality or supplied in excess quantity or rejected goods should be returned to the supplier at their own cost and risk.

5.26 Supplier Integrity

The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the Contract using state of the art methods and economic principles and exercising all means available to achieve the performance specified in the contract.

5.27 Training and demonstration

The Supplier is required to provide training to the designated Consignee's technical and end user personnel to enable them to effectively operate the total item (if applicable).

The supplier is required to undertake the demonstration of the items within 15 days of the arrival of materials at Client.

5.28 Insurance

- I. The Supplier should make all arrangements towards safe and complete delivery at Client. Such responsibility on part of the supplier will include taking necessary transit insurance and erection policy, freight, octroi, state level permits etc. as applicable on the items of this tender.
- II. It is the total responsibility of supplier to complete all formalities to transit of goods from the place of dispatch to Client.
- III. The transportation of goods through unregistered common carrier is illegal. The bidder should ensure to comply the carriage by latest Road Act and any other relevant.
- IV. The supplier will keep EdCIL informed about various stages of deliveries & installation.

5.29 Incidental Services: The incidental services also include:

- I. Furnishing of 01 set of detailed operations & maintenance manual, if applicable.
- II. Arranging the shifting/moving of the item to their location of final installation within Client at the cost of Supplier through their Indian representatives.

5.30 Warranty:

- I. Comprehensive Warranty should be for a minimum period of **one (01) year** from date of delivery/successful installation & commissioning of Goods at the Client, whichever is applicable. The Supplier should, in addition, comply with the performance and/or consumption guarantees specified under the contract. If for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier should at its discretion make such changes, modifications, and/or additions to the Goods or any part thereof as shall be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests.
- II. The warranty should be comprehensive on site with responsibility of the agency to ensure attending the warranty queries/issues received from Client. Supplier should give written information (about the Engineers/ technical representative name and cell numbers) before handing over of the Goods to the Consignee and to the end client's nominated representative/s to attend the issues related to the warranty of the goods supplied under the contract.
- III. The Consignee/Client should promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier should immediately within 07 days arrange to repair or replace the defective goods or parts

thereof free of cost at the ultimate destination. The Supplier should take over the replaced parts/goods at the time of their replacement. No claim whatsoever should lie on the Consignee for the replaced parts/goods thereafter. The period for correction of defects in the warranty period is 07 days. If the supplier having been notified fails to remedy the defects within 07 days, the consignee should proceed to take such remedial action as should be necessary, at the supplier's risk and expenses and without prejudice to any other rights, which the consignee should have against the supplier under the contract.

5.31 Site Preparation:

- I.** The supplier should visit the Schools and see the site where the items is to be installed and should offer his technical advice and render assistance, if any, required to the Institute in the preparation of the site for installation / delivery. Also, the supplier should discuss with the Client representative for other pre-installation requirements at site before of the materials.
- II.** The supplier should inform to the Consignee/Client about the site preparation, if any, needed for the installation/delivery of items, immediately after the receipt of the Purchase Order. The supplier must provide complete details regarding space and all the other infrastructural requirements needed for the items, which the Institute should arrange before the arrival of the items to ensure its timely installation and smooth operation thereafter.
- III.** Client may provide electricity for installation of items. However, bidder is advised to make their own arrangement/ DG set to avoid any delay in execution.

5.32 Spare Parts (If applicable)

The Supplier should be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- I.** Such spare parts as the Consignee/Client should elect to purchase from the Supplier, providing that this selection should not relieve the Supplier of any warranty obligations under the Contract; and
- II.** In the event of termination of production of the spare parts: Advance notification to the Consignee/Client of the pending termination, in sufficient time to permit the Consignee to procure needed requirements; and following such termination, furnishing at no cost to the Consignee/Client, the blueprints, drawings and specifications of the spare parts, if requested.
- III.** Supplier should carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods, such as gaskets, plugs, washers, belts etc. Other spare parts and components should be supplied as promptly as possible but, in any case, within six months of placement of order.

5.33 Defective supply of items

- I. If any of the items supplied by the Tenderer is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the consignee/ client will have the right to reject the items or its part. The rates of such items should be refunded by the Bidder with 15% interest if such payments for such items have already been made.
- II. All damaged or unapproved goods should be returned at suppliers cost and risk and the incidental expenses incurred thereon should be recovered from the supplier. Defective part in items, if found before installation and/or during warranty period, should be replaced within 45 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms & conditions, EdCIL INDIA LTD should consider "debarring" the supplier.

5.34 Compliance to Make in India

Compliance to Make In India (Make in India Circular No. P-45021/2/2017-PP(BE-II) of DPIIT dated 16.09.2020) and Land Border sharing OM & Order (Public Procurement No.1) ref. F.No.6/18/2019-PPD dated 23.07.2020 and subsequent addendums/ amendments:

- a) The MII Declaration / Certificate (as per Form-14) to be provided by Statutory Auditor or Cost Auditor of the Company (in case of companies) or from a practicing Cost Accountant or practicing Chartered Accountant (in respect of suppliers other than companies).
- b) Only "Class-I local supplier" having minimum 50% local content and "Class-II local supplier" having minimum 20% local content for the overall solution, shall be eligible to bid in this procurement.
- c) The bidder has to submit the consolidated MII (local content) % for the complete solution being offered as per Annexure-XII.
- d) MII Purchase Preference shall be provided as per the provision of the said MII order.
- e) The Bidder and offered product should also comply with the provision of Land Border sharing OM & Order (Public Procurement No.1) ref. F.No.6/18/2019- PPD dated 23.07.2020 and subsequent addendums/ amendments
- f) Consortium/ JV of companies/ firms is not allowed.

SECTION-6

SCOPE OF WORK

Samagra Shiksha is the Government of India's flagship program for achievement of Universalization of Elementary and Secondary Education in a time bound manner. As per the program and NEP 2020, the **Vocational Education** is one of the important scheme for implementation in the Govt. Schools specially for secondary education. The Govt. in their scheme has given more emphasis for educating students in the vocational sectors as per the requirement to hand hold students who are specifically requiring training in the said field. The said program shall enhance the students over all capabilities and strength in the domain and some of the importance of the said programme is briefed hereunder:

- Provision of quality education and enhancing learning outcomes of students;
- Bridging Social and Gender Gaps in School Education;
- Ensuring equity and inclusion at all levels of school education;
- Ensuring minimum standards in schooling provisions;
- Promoting vocationalization of education;
- Supporting States in implementation of Right of Children to Free and Compulsory Education (RTE) Act, 2009
- Strengthening and up-gradation of State Councils for Educational Research and Training (SCERTs) and District Institutes for Education and Training (DIET) as nodal agencies for teacher training.
- Aligned with the recommendations of the National Education Policy 2020

The goal of this work is to **equip Government Senior Secondary Schools across states** with vocational training labs, which will be furnished with the necessary **tools and equipment**. These labs will enable students to gain hands-on practical experience in various vocational trades under the guidance of expert trainers. The tools and equipment provided must adhere to the **specifications mentioned in Section 1 of the bid** and should be of **high quality** to ensure effective training.

1. Vocational Lab Setup and Equipment Procurement

- **Vocational Labs:** The vocational training labs will be set up in designated Government Senior Secondary Schools across the state. These labs will serve as a practical learning environment where students can engage with industry-relevant tools and equipment to acquire vocational skills.
- **Procurement of Tools and Equipment:** The vendor will be responsible for procuring and supplying all necessary tools and equipment for the vocational labs as specified in the bid. All tools and equipment should be of good quality, durable, and compliant with industry standards, providing students with the resources they need to gain hands-on skills in their chosen fields.

2. Sectors Covered:

Some of the vocational programs which are being proposed in the Govt. Schemes are being taken up by EdCIL through this tender for engaging reputed agencies to set up vocational labs across states. Some of the vocational labs intended for execution are detailed hereunder.

- a. Agriculture
- b. Apparel Made-ups & Home Furnishings
- c. Automotive
- d. Beauty and Wellness
- e. Electronics and Hardware
- f. Food Processing
- g. Plumbing
- h. Retail
- i. Tourism & Hospitality
- j. Information Technology (IT)
- k. Multi Media/Media and Entertainment
- l. Banking, Finance & Insurance services

Expected Outcomes:

- i. **Enhanced Skill Development:** Students will have access to industry-standard tools and equipment that enable them to develop practical skills relevant to their field of study.
- ii. **Improved Employability:** By gaining hands-on experience with the right tools, students will be better equipped to enter the job market with the skills needed for employment or self-employment.
- iii. **Quality Vocational Education:** The provision of high-quality tools will ensure that students receive the best possible training in their chosen trade, supporting the long-term growth of the vocational education system.

The details of the Items / Equipment to be supplied along with their specifications is detailed hereunder:

SECTOR 1- AGRICULTURE				
Sr. No.	Name of Equipment	Specification	Quantity	Unit type
1	Electric dehorner	Material: Stainless steel Automation Grade: Automatic Capacity: 50 HZ	2	Nos.
2	Tagging set	Dimensions: Female (30mm Dia x 6.5mm), Male (28mm Dia) Weight: 6 gm ± 2 (Female), 2 gm (Male) Material: Polyurethane (TPU) Encasement	100	Nos.

		Packaging: 100 Pcs Male in Polybag, 100 Pcs Female in Polybag		
3	Tattooing set	Dimensions: 24 x 6. 5 x 2. 4Cm or 9. 44 x 2. 56 x 0. 94 Inch Item Weight: 350 Grams Set of 0-9 digits, Set of A-Z digits	2	Nos.
4	Branding numbers	Material: Metal Handle Material: Wooden Total Length: 18 inches Grade: Surgical Grade Product Number Shape: 0 to 9 Letter Size: Height (75 to 85 mm), Width (5 to 6 mm)	1	Set
5	Drenching bottles	Material: Aluminium Size: 250 ml Automation Grade: Manual Finishing: Aluminium Product Type: General Veterinary Equipment Weight: 250 gm (Approx.)	2	Nos.
6	Mouth gags	Material: Stainless steel Handle: wooden handle Full Length: 38cm Overall Width: 24cm Item weight: Approx. 150g	2	Nos.
7	Muzzle	Material: Nylon Rope Thickness of Rope: 2MM Size: Adjustable (fits most livestock) Closure Type: Buckle or Velcro	3	Nos.
8	Hoof trimmer	Size: Approx. 9 inches Dimensions: Approx. 24.61 x 7.8 x 1.9 cm Material: Stainless Steel Weight: Approx. 159 grams Handle Type: Ergonomic non-slip grip	2	Nos.
9	Ropes	Material: Nylon Length: 5meter Thickness: 4mm	5	Nos.
10	Metal chains	Material: Metal Grade: High Quality Grade 80 Steel Size: Approx 12 mm x 36 mm Breaking Load: Approx. 181 kN Lifting Capacity: Approx 4.6 Ton	2	Nos.
11	Bull nose ring	Material: Steel Dimensions: 7.62x20.32x7.62 cm Item Weight: Approx. 80g	2	Nos.

12	Bull nose punch	Material: Stainless steel Size: 10 inch	2	Nos.
13	Bull leader	Material: Stainless Steel with rubber grip handles Size: 10 inches (standard) Weight: Approx. 300 grams	2	Nos.
14	Animal awakener	Material: Plastic Size: Approx. 12 Inch Grade: Manual Weight: Approx. 200 gm	2	Nos.
15	Artificial insemination (AI)cylinder with liquid nitrogen and semen straw	Material: Aluminium Packaging Size: 25L Molecular Formula: N2 Molecular Weight: 28.01g/mol Density: 0.807 g/mol Temperature Range: -238 degrees C to absolute zero Form: Liquid	1	Nos.
16	AI gun with ring lock	Material: Stainless steel Product Dimensions: 45x1x1 cm Item weight: 295 grams	1	Nos.
17	Hose pipe + Connector	Material: PVC & Abrasion Resistant Product Size: 1 Inch Length: 50 Meter	1	Nos.
18	Grooming brush	Material: High-quality plastic Bristle Type: Soft, flexible bristles for gentle grooming Size: Standard size for livestock grooming (approx. 18 x 8 cm) Weight: Approx. 120 grams	2	Nos.
19	Milking bucket	Material: Stainless Steel Capacity: 25 liters Product Dimensions: Approx. 50L*40W*20h cm	1	Nos.
20	Milk can	Material: Stainless Steel Capacity: 2.5 Liters Product Dimensions: Approx. Width 11.5 cm, Height 20cm Weight: Approx 700 grams.	1	Nos.
21	Milk strainer	Material: Stainless Steel 304 Sieving Diameter: 125 mm (5 inches) ± 5 mm Overall Diameter: 325 mm (13 inches) ± 10 mm Weight: Approx. 800 g ± 20 g	1	Nos.
22	Broom	Handle Material: Wood Bristle Type: Unflagged Bristle	2	Nos.

		Dimension: Approx. 70 x 12 x 6 Centimeters Brush Size: 11 Inch Item Weight: Approx. 2 kg Included Components: Broom Head, Broom Stick		
23	Disinfectants	Liquid Disinfectant Type: Sodium Hypochlorite Volume: 1 L pH: 11-12	1 Liter	Set
		Non-toxic Disinfectant Type: Quaternary Ammonium Compounds Volume: 1 L pH: 7-8 Weight: Approx. 1.2 kg	1 Liter	
		Powder Disinfectant Type: Calcium Hypochlorite Volume: 1 kg Weight: Approx. 1 kg	1 Kg	
24	Thermometer	Measuring Range: -50°C-+300°C., -58°F-+572°F. Temperature Accuracy: +-1°C/F Power Saving Mode: 10 Minutes auto power off function Power Supply - 1.5 V (AG 13 X 1 Key features)	1	Nos.
25	Trocars and cannula	Trocars: Material: Stainless Steel Type: CFT (Cannula with Trocar) Angle: 0 degrees Size: 7 mm (approx.) Length: 12 cm (approx.) Weight: 60 grams (approx.)	1	1 Sets
		Canula: Material: Stainless Steel Type: CFT (Cannula with Trocar) Size: 7 mm (approx.) Length: 12 cm (approx.) Weight: 50 grams (approx.) Description: Tube-like device used with the trocar for fluid drainage or injection.	1	
26	Apron	Material: Cotton or Durable Fabric Color: White / Light Blue / Grey Size: Standard Size (Adjustable straps) Dimensions: Approx. 70 x 90 cm Features: Water-resistant or easy to clean	5	Nos.

		Front pockets for convenience Adjustable neck strap and waist ties Weight: Approx. 200 grams		
27	Examination Gloves	Material: Nitrile Size: Standard Type: Disposable Gloves Use: For examination	100	1 Box
28	CMT reagent and CMT Paddle for detection of mastitis Test Kit	Cmt Liquid: 2Nos Cmt paddle: 1 Nos lotion Pump: 1 Nos Size: 1 Bottle 500 ML Dimension: Approx. L 15 CM, B 10 CM, H 10 CM	2	Nos.
29	Ph strips	Ph- Measure full range: 0-14 Length: 16.4 Feet / 5 Meters Item Weight: 20 g Package Dimensions: Approx. 28.2 x 20.1 x 2.1 cm; 20 g	2	2 Box
30	Iodine	Iodine Solution 1% W/V (125 ML)	2	Nos.
31	Test Tube for Milk Sampling	Material: Polystyrene (PS) Type: RIA (Radioimmunoassay) Dimensions: 12 x 75 mm (approx.)	300	Nos.
32	Digging tools (Fawda / Khurpi)	Material: Wooden Handle, Aluminium Shovel Head Width: 12 cm (approx.) Length: 25cm (approx.) Weight: 0.5kg (approx.)	2	Nos.
33	Test Tube Rack	Material: Polypropylene 3 Tier test tube stand with approx. 50 holes Tube Diameter: 13mm Tube Height: 75 mm Item Weight: Approx. 140 g	1	Nos.
34	Strip cup	Material: Corrosion Resistance Stainless Steel with Vertical Handles Capacity: 500 ml (approx.) Height: 4" (approx.)	2	Nos.
35	Lacto Meter	Glass Body & Meter Used for measuring the amount of water in the milk	2	Nos.
36	Rotation Drum	Material: Steel Capacity: 25 liters Type: Medium size, with handle	1	Nos.
37	Models Related To Breeds Of Cow And Buffalo	Material: Plastic Dimensions (approx.): Approx. 30 cm (L) x 10 cm (W) x 20 cm (H)		1 Set

		<p>These dimensions provide a general size for each model, making them suitable for educational and display purposes.</p> <p>At least of 5 Breeds: for example,</p> <table border="1"> <tr><td>1. Gir Cow</td><td>1 Pieces</td></tr> <tr><td>2. Sahiwal Cow</td><td>1 Pieces</td></tr> <tr><td>3. Kankrej Cow</td><td>1 Pieces</td></tr> <tr><td>4. Murrah Buffalo</td><td>1 Pieces</td></tr> <tr><td>5. Banni Buffalo</td><td>1 Pieces</td></tr> </table>	1. Gir Cow	1 Pieces	2. Sahiwal Cow	1 Pieces	3. Kankrej Cow	1 Pieces	4. Murrah Buffalo	1 Pieces	5. Banni Buffalo	1 Pieces		
1. Gir Cow	1 Pieces													
2. Sahiwal Cow	1 Pieces													
3. Kankrej Cow	1 Pieces													
4. Murrah Buffalo	1 Pieces													
5. Banni Buffalo	1 Pieces													
38	Models Related To Animal Teeth	<p>Material: Plastic</p> <p>Dimensions (approx.): 15 cm (L) x 10 cm (W) x 10 cm (H)</p> <p>Features:</p> <p>Species: Includes models for common livestock animals such as cows, buffaloes, goats, and sheep.</p> <p>Details: Models feature detailed representations of the teeth structure for educational purposes.</p> <p>These models are intended for use in veterinary education and livestock management training.</p> <table border="1"> <tr><td>Cows</td><td>1 model</td></tr> <tr><td>Buffaloes</td><td>1 model</td></tr> <tr><td>Goats</td><td>1 model</td></tr> <tr><td>Sheep</td><td>1 model</td></tr> </table>	Cows	1 model	Buffaloes	1 model	Goats	1 model	Sheep	1 model		1 Set		
Cows	1 model													
Buffaloes	1 model													
Goats	1 model													
Sheep	1 model													
39	Charts Related to Animal Feed	<p>Dimensions: Approx. 3 feet x 2 feet</p> <p>Material: Laminated paper or canvas</p> <p>Border: Wooden frame or border for durability and easy hanging</p> <p>Content: High-quality, detailed images and information on various types of animal feed</p>	2	Nos.										
40	Teat Siphon	<p>Material: Stainless Steel</p> <p>Function: Used to take milk samples directly from the teat canal</p> <p>Size: Approx. 114 mm</p> <p>Finish: Fine, Smooth</p>	2	Nos.										
41	Charts/Pictures Related To Health Hazards	<p>Dimensions: Approx. 3 feet x 2 feet</p> <p>Material: Laminated paper or canvas</p> <p>Border: Wooden frame or border</p> <p>Content:</p> <p>Types of Hazards</p> <p>Sources</p> <p>Prevention Measures</p> <p>Statistics</p>	2	Nos.										
42		<p>Dimensions: Approx. 3 feet x 2 feet</p> <p>Material: Laminated paper or canvas</p>	2	Nos.										

	Charts/Pictures Related To Milk Machine	Border: Wooden frame or border Content: Machine Design Key Components Operation Flow Specifications		
43	Charts/Pictures Related To Milking Methods	Dimensions: Approx. 3 feet x 2 feet Material: Laminated paper or canvas Border: Wooden frame or border Content: Milking Methods Equipment Process Steps Best Practices	2	Nos.
44	Charts/Pictures Related To Clean Milk Production	Dimensions: Approx. 3 feet x 2 feet Material: Laminated paper or canvas Border: Wooden frame or border Content: Process Flow Hygiene Practices Equipment Quality Control	2	Nos.
45	Charts/Pictures Related To Dairy Records	Dimensions: Approx. 3 feet x 2 feet Material: Laminated paper or canvas Border: Wooden frame or border Content: Record Formats Key Data Points Data Analysis Best Practices	2	Nos.
46	Charts/Pictures Related To Safety Measure	Dimensions: Approx. 3 feet x 2 feet Material: Laminated paper or canvas Border: Wooden frame or border Content: Safety Procedures Protective Equipment Emergency Protocols Prevention Tips	2	Nos.
47	Charts/Pictures related to vaccination Schedule to animals	Dimensions: Approx. 3 feet x 2 feet Material: Laminated paper or canvas Border: Wooden frame or border Content: Vaccination Calendar Animal Types Vaccines Dosage & Frequency	2	Nos.

48	First Aid Kit	Transparent Plastic Kit box with First Aid Logo	1 pc	1 Set
		Capacity: 3 Liters		
		Size LWH: Approx: 23x14x14		
		Opening: Lid Type		
		Material: Plastic		
		Plaster 19 X 72 Mm	5 pc	
		Plaster 25 X 72 Mm	3 pc	
		Antiseptic Wipes	2 pc	
		Sterile Gauze Swab 10 Cm	1 pc	
		Sterile Gauze Swab 7.5cm	1 pc	
		Sterile Adhesive Plaster 6x10cm	1 pc	
		Elastic Gauze Bandage 6x1m	1 pc	
		Sterile Wound Dressing No 1	1 pc	
		Clinical Thermometer (IS 3055 Part 1 / Part 2: 2004)	1 pc	
		Antiseptic Cream 10g	1 pc	
		Tincture Iodine 20ml	1 pc	
		Microporous Tape 1.25x5mt	1 pc	
		Sterile Gauze Swab 7.5cm	1 pc	
		Gauze Bandage 7.5x3mt	1 pc	
		Face Mask with Ear Loop IS:16289:2014	1 pc	
		Gloves	2 pc	
		Scissor	1 pc	
		Absorbent Cotton 15gms	1 pc	
		Burn Cream	1 pc	
		Antiseptic Liquid 50 MI	1 pc	
		Drug License	Yes	

SECTOR 2- APPAREL MADE-UPS & HOME FURNISHINGS

Sr No.	Name of the Equipment	Specification of Equipment	Quantity	Unit Type
1	Wooden Tailor Scale L Curve	Material: Wood Type: 24-inch Tailor Square Angle Ruler 90° Degree Features: Scales are etched onto both sides of the blade for long life.	2	Nos.
2		Size: 60 Cm	2	Nos.

	Tailor Scale Hip Curve	Material: Wood Mix Shape: Rectangle Colors: Yellow Uses: Tailoring, Cloth Designing etc. WEIGHT0: Approx. 0.85 kg DIMENSIONS: Approx. 60 x 3.5 x 0.5 cm		
3	Tailor Scale Yard Stick	Wooden Fabric 36-inch Yardstick Material: Wood Size: 1 yd, Item Dimensions LxWxH: 100 x 1.2 x 0.3 Centimeters Item Height: 3 Millimeters Item Width: 12 Millimeters	2	Nos.
4	Tailor Scale French Curve	Fashion Designing Scale/ Designer curve Material- Hard Plastic Scale With marking: 0 to 41 cm Item Dimensions LxWxH: 15 x 5 x 0.5 Centimeters Sewing Material/ Tailoring Material: Used in Drawing Armholes and Neckline	2	Nos.
5	Wooden cutting Table	Wooden top with sun mica and iron bottom made to order (L 8'x W 4'x H 2.5') Edge Finish: Rounded edges for safety.	1	Nos.
6	Sewing Gauge	Item Weight: 9.07 g Item Dimensions LxWxH: 20.3 x 7.6 x 1.3 Centimeters	2	Nos.
7	Tracing Wheel	Excel blades 5/16 inch and marking might include pleats, darts. Button hole, notches line for appliques	5	Nos.
8	Fabric Scissor	Size: 10 inch Material: Cast Iron Handle: Copper Design: Embossed Foldable: No Blade Tip: Sharp Item Dimensions LxWxH: 22.9 x 8.7 x 1.8 Centimeters Weight: 300-400 Grams	10	Nos.
9	Pinking Shears	10" Inches Zig Zag Scissors Size: 10-inch Material: Cast Iron Handle: Oval Shape Blade Type: Zig Zag (Sharp) Item Dimensions LxWxH: 25.4 x 7.62 x 2.54 cm Weight: 250-400 Grams	5	Nos.
10	Hand sewing Machine wooden	Material: Metal Weight: 12-15 Kg	3	Nos.

	base and Steel/ Plastic	Shape: round Mechanism: Manual Dimension: 41.6x28.8x21.8 cm Includes: Sewing machine, wooden base and Steel/ Plastic cover, Instruction manual and Warranty card Warranty: 1-2 years on product BIS No: 1610-2018		
11	Sewing Machine (treadle)	Sewing Machine Top with treadle table attachment for home purposes and commercial purposes. Indian full rotary shuttle 1800 stitches per minute (SPM) Body: Round Pressure Adjustment: Screw Type Hook mechanism: Rotary Hook type Maximum stitch length: 4.2 mm Weight: 12-15 Kg Material: Metal Warranty: 1-2 Years BIS No: 1610-2018	5	Nos.
12	Single needle UBT (Industrial Machines)	Colour: White, Red, Black (any) Hook Set Full Rotary Stitch Length Max: 5mm Needle Bar Stroke: 37.2 mm Stitch Type: SNLS-301 Lubrication Type: Automatic Depth: 5.4 kg Pressure Foot Height: 5.5/13 mm Height: 70 cm Width: 42 cm Weight: 33 cm	1	Nos.
13	Steam Iron	Steam Iron Special Feature: Scratch Resistant / Non sticky Wattage: 1250-1500 Watts Water tank capacity: 200 ML Item Dimensions LxWxH: Approx. 11.5 x 26.1 x 13.6 Centimeters Power Input: 240V Frequency: 50 Hz Power cord length: 1.8m Base Material: Aluminium Weight-700 grams to 1.5 Kg Warranty: 2 Years IS 302: Part 2: SEC 3	1	Nos.
14	Press Board	Style: Adjustable / Folding	1	Nos.

		Board Material: Metal Stand Material: Steel Tube Dimension LxWxH: Approx. 126L x 39W x 83H Centimeters Colour: Any Cover Material: Cotton with Felt Underlay Height Adjustment: Approx. 4 to 7 Levels		
15	Display Board (4X4 Ft) and with board	Wooden frame 1x 1.5 feet, soft notice board 18x24	2	Nos.
16	Hanger stand	Iron stand 6 hanging frame, 4 rails each frame, Size: Approx. 75-126x64x170 cm material Power coated steel + plastic + color hanging frames in different combinations	2	Nos.
17	Mirror	Dimension: 3"x5" Weight: 4-5 Kg	2	Nos.
18	Screw driver set (6 Pieces)	Sewing Machine Screw Driver 6 Pieces set Head Style: 3 Flat (different sizes) & 3 Star (different sizes) Dimensions: 2 (15 cm x 5.90 inch) 2 (11 cm x 4.33 inch) 2 (8.5 cm x 3.34 inch) Material: Alloy Steel & Plastic	2	Set
19	Screw Driver Set (Star Type & Flat Type)	Material: high-grade Silicon - Manganese steel Hardness on tip: 55 to 58 HRC Type: Magnetized tip to lift small screws etc. Size: 3to18 inches With Flat and Star type and Insulated	2	Set
20	Long Nose Pliers	Material: Chrome vanadium steel Drop forged & heat treated, brushed finish, precision machined jaws and Plastic dipped handles Dimensions: 4.5: Inches Weight: Approx. 150-220 Gram	2	Nos.
21	Combination Pliers	High leverage combination pliers. Made of Chrome vanadium steel, drop forged & heat treated with induction hardened cutting edges and serrated jaws. Brushed finish, precision machined jaws with plastic dipped handles. Dimension: 7 inch / 180 mm and 8 inch / 200-210 mm Weight: Approx. 180 Gram IS: 3650: 1981	2	Nos.

22	Overlock Machine	One needle 3 thread overedge also available in 2 threads. Thread stands build iv pressure foot lift up to 5mm, stitch length up to 3.2mm, stitch width 3-4mm, dcx1#11,14,16,18, Top with treadle	1	Nos.
23	Pattern Notcher	Dimensions: 19 cm x 8.5 cm Quality metal product for long-lasting performance, Spring action handle like a paper punch. Weight: 150-200 Grams	2	Nos.
24	Pattern Master	Material: Plastic, Acrylic Colour: Transparent Dimension: Length: 43 cm, Thickness: 3 mm.	2	Nos.
25	Paper Cutting Scissors	Material: Metal with Plastic Handle Blade Material: Titanium Size: 8.5 Inch Style: Sharp, Multipurpose Weight: 120 Grams	3	Nos.
26	Metal Scale - 1 meter (100 cm)	Material: Alloy Steel Graduation Range: 0-100 Centimeters Item Weight: Approx. 250 Grams Product Dimensions: Approx. 100 L x 6 W cm	2	Nos.
27	Embroidery threads (Good Brands)	Material: Silk, Rayon, Cotton Colour: Multicolor Item Weight: 400 Grams Approx. Item Dimensions LxWxH: 20 x 10 x 4 Centimeters Pack of 25 or more Includes 25 skeins, two each of 12 Colours. Each skein is 8 yards long	2	Set
28	Writing Board with white board marker and duster	W 2 Feet x H 3 Feet White board, 4 color White board marker in a pack of 10 each color, 01 Duster	1	Set
29	Measuring Tape	Plastic tape, 150cm 60-inch pvc soft tailor measure tape IS 1269 -1997 Part 1	10	Nos.
30	Brown Sheet	Hitech packers brown paper roll Size: 40 Inch Length: 10 Mtr, GSM: 100 GSM Type: Paper Roll	2	Roll
31	Yellow Carbon Paper	Kores 210mmx330mm bundle A4 Set of 50 Carbon papers	2	Set

32	Seam Rippers	Metal material, length 10cm, width 15cm, height 5cm, weight 300 gms	5	Nos.
33	Thread Clipper	Material: Metal Size: Approx. L 10.5 x W 2 Centimeters Weight: Approx. 70 to 100 grams	5	Nos.
34	Hand Needles, Machine needle (All Size)	Db x 1, organ needles Size 90/14, HAx1-15x1-30 steel needles 16/100	3	Set
35	Sewing Thread (All Colors)	Polyester Blend Sewing Thread, 135m each spool, Set of 100 Pieces	2	Box
36	Bobbin And Bobbin Case (According To Machine Type)	Heavy quality bobbin case used in all home and industrial machines made by metal Set of 10	1	Set
37	Machine Oil	Premium quality fog machine oil (1/2 Liter)	2	Set
38	Oil Keeps	Plastic bottle Size: 100 ML Pack of 2	5	Pack
39	Embroidery frames	Wooden frame with screw adjustment Size 10 Inch Pack of 10	2	Pack
40	Fabric marking Chalk (Tailor Chalk)	Tailor Chalks of Different Colors Set of 10	3	Set
41	First Aid Kit	Transparent Plastic Kit box with First Aid Logo Capacity: 3 Liters Size LWH: Approx: 23x14x14 Opening: Lid Type Material: Plastic	1 pc	1 Set
		Plaster 19 X 72 Mm	5 pc	
		Plaster 25 X 72 Mm	3 pc	
		Antiseptic Wipes	2 pc	
		Sterile Gauze Swab 10 Cm	1 pc	
		Sterile Gauze Swab 7.5cm	1 pc	
		Sterile Adhesive Plaster 6x10cm	1 pc	
		Elastic Gauze Bandage 6x1m	1 pc	
		Sterile Wound Dressing No 1	1 pc	
		Clinical Thermometer (IS 3055 Part 1/Part2:2004)	1 pc	
		Antiseptic Cream 10g	1 pc	
		Tincture Iodine 20ml	1 pc	
		Microporous Tape 1.25x5mt	1 pc	
		Sterile Gauze Swab 7.5cm	1 pc	
		Gauze Bandage 7.5x3mt	1 pc	
		Face Mask with Ear Loop	1 pc	

	IS: 16289:2014		
	Gloves	2 pc	
	Scissor	1 pc	
	Absorbent Cotton 15gms	1 pc	
	Burn Cream	1 pc	
	Antiseptic Liquid 50 MI	1 pc	
	Drug License	Yes	

SECTOR 3- AUTOMATIVE

Sl. No.	Tool name	Specification	Quantity	Unit Type
1	Vernier Caliper Digital	Generic Name Test and Measure Products Range: 0-200 MM Number of Memory Sticks: 1 Item Weight: 400 g Product Dimensions5 x 3 x 30 cm; Weight: 400 Grams Batteries: 1 LR44 batteries, included Measuring Range (mm): 0-200 mm Resolution (mm): 0.01 mm Included ComponentsCaliper, Manual, Battery	1	Nos.
2	External Micrometer (digital) Range	Type of Product: Digital Outside Micrometer Range (mm): 0-25 mm Resolution (mm): 0.001 mm Range (Inch): 0-1 Inch Resolution (Inch): 0.00005 Inch Power Supply: Battery LR44 Display: LCD Overall Length: 34.5 mm	1	Nos.
3	External Micrometer Range (Manual)	Item Weight: 500 g Package Dimensions: 23 x 11.5 x 5 cm Range: 25mm- 50mm Reading: 0.01 mm	1	Nos.
4	Dial Gauge (Metric System) with	Type - Dial Gauge Accuracy - 0.02 mm	1	Nos.

	magnetic stand plunger type	Repeatability - ± 0.01 mm Reading - 0.01 mm Item Dimensions LxWxH: 8 x 8 x 7 Centimeters Item Weight: Approx. 204 g Range: 0-25 mm Graduation: 0.001mm		
5	Telescopic Gauge set of 6	Item Weight: 320 g Product Dimensions: 20.32 x 20.32 x 2.03 cm; 320 Grams Item Height: 0.8 Inches Item Width: 8 Inches Range: 0.313-6inch Specifications: Set consists of 6 telescoping gauges; .313-5inch, .50-.75inch, .75-1.25inch, 1.250-2.125inch, 2.125-3.500inch, 3.5-6.0inch	1	1 Set
6	Bore Gauge	Type of Product: Dial Bore Gauge Range: 50-150 mm Stroke of contact point: 1.6 mm Measuring Force: 5N or less Guide Force: 10N or less Graduation: 0-100-0 Bezel Diameter: 56 mm Item Weight172 g Package Dimensions: Approx. 42 x 19.2 x 7 cm; 172.37 Grams	1	Nos.
7	Feeler Gauge Metric	25 feeler blades in Metric Sizes, 12.7mm (1/2") wide, tapered to 6.35mm (1/4") and 76mm (3") long. Thickness (in millimeters) 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95, 1.00	1	Nos.
8	Straight Edge	Type Of Product: Straight Edge Dimensions: Approx. 400x10x50 mm Length: 400 mm Width: 10 mm Cross section: 25 x 6 mm Accuracy: DIN 874-2 Section: 60°	1	Nos.
9	Divider	Type of Product: Spring Divider Size (mm): Approx. 200 mm Material: Carbon Steel Range (mm): 0-210 mm	1	Nos.
10	Inside Caliper	Material: Stainless Steel	2	Nos.

		Range: Measuring range from 0 to 200 mm. Item Weight: Approx. 290 g Measurement Range-200 mm Slide Lock: Yes		
11	Outside Caliper	Product Type: The In size Outside Spring Caliper 200mm Material: Stainless Steel Range: 0 to 210 mm. Item Weight: 290 g Accuracy: 0.2MM Display Type: Analog	2	Nos.
12	Torque wrench set of 3	Material: Hardened Alloy Steel Head Style: Fixed Square Overall Length: 597 mm Square Drive Size: 1/2 inch Operating Torque: 50-225 NM Standard Type: Classic Item Torque: 225 Newton Meters	1	Nos.
13	Digital Multi Meter	AC Current Accuracy: $\pm(2.0\%+2)$ AC Current Range: 0 to 400mA AC Voltage Accuracy: $\pm(2\%+3)$ AC Voltage Range: 0-1000 V Altitude: Operating 2000 M DC Current Accuracy: $\pm(1.0\%+2)$ DC Current Range: 0 to 400mA DC Voltage Accuracy: $\pm(0.2\%+2)$ DC Voltage Range: 0-1000 V Dimensions: 203x100x50 mm Approx. Operating Temperature: -20°C+ 55°C Relative Humidity: 0-95% Resistance Accuracy: $\pm(1.2\%+2)$ Resistance Range ohm: 0-50 MΩ Storage Temperature: -40°C to + 60°C Type: Digital Weight: 624 grams Approx.	1	Nos.
14	Hydrometer	Measuring range: Specific Gravity 0.990 ~ 1.170 Size: 25cm Volume: 0 to +21% Materials: Glass Specific Gravity Range (Min) (%): 1.05 Specific Gravity Range (Max) (%): 1.1 Division: 0.001 Accuracy: ± 0.001 Length (mm)260 Approx.	2	Nos.
15	Oil Pressure Gauge	Material: Metal	1	Nos.

		Measuring Range: 0-400 Bar / 0-5800 PSI Dial Plate Diameter: 63 mm / 2.48 Inch Connection: G1/4 Thread Item Dimension: LxWxH Approx. 10 x 10 x10 Millimeters Item Weight: Approx. 214.44 Grams		
16	Tire Depth Gauge	Material: Stainless Steel Item Dimensions LxWxH: 9.5 x 9 x 1.5 Centimeters Approx. Item Weight: 0.14 Kilograms Approx. Range: 0-50 mm Least Count: 0.1 mm. Item Height: 1.5 Inches Approx. Item Width: 5 Inches Approx.	1	Nos.
17	Bevel Gauge (12" Blade)	Blade Length (Inch): 12 Protractor Style: Angle Maximum Measurement (Degrees): 360.00 Dial Graduation (Minutes): 5.00 Dial Graduation (Degrees): 1.00 Material: Stainless Steel Dial Range: 0-90-0 Accuracy (Minutes): 5.00; 5.0 min Accuracy (Degrees): 5.0 min	1	Nos.
18	Battery Charger (6 Amp 12 Volt)	Product Dimensions: 14 x 19 x 11.5 cm Approx. Weight: 2.9 Kilograms Approx. Item: 6 Ampere battery charger Compatible: Devices, Bike, Car, Truck, Inverter 12v Battery Charger Output Voltage: 12V DC Charging Capacity: 3 to 230 Ah for 12V DC lead Acid & SMF Battery Indicators: 1. Power On 2. Battery Charge On 3. Charging Cut Off 4. No Load 5. Reverse Battery 1+2 years extended = 3 Years total Replacement Warranty Must have: Reverse Polarity protection, Short Circuit protection. Overcharge Protection. Overheat Protection. Spark Protection, No current in clamps if the charger is not connected	1	Nos.
19	Tire pressure Gauge (Hand Held, Digital, 0-300 PSI)	Material: Rubber, Plastic, Steel Item Dimensions LxWxH: 20 x 10 x 3 Centimeters Approx. Item Weight: 80 Grams Approx. Pressure measuring range: 1-300PSI.	1	Nos.

		Suitable: bicycles, cars, trucks, motorcycles, and utility vehicles.		
20	Hydraulic Jack (Trolley Type)	Style: Hydraulic Trolley Jack Vehicle Service Type: Car Material: Alloy Steel Load Capacity: 2 tons Maximum Lifting Height: 460 Millimeters Capacity: 2 tons, weight: 21. 75 Kg, Height when open (inches): 15. 5", Height when closing (inches): 6" Durable wheels; Trolley jack with handle Item Weight: 22 Kilograms Approx. Item Dimensions LxWxH: 79 x 22 x 21 Centimeters Approx. Minimum Height: 400 Millimeters	1	Nos.
21	Bolts Gr 8, Gr 5, Gr 2	Alloy Steel fasteners Material: Alloy Steel Zinc Coated Galvanized to Resist corrosion Size: 8, 10, 12, 14, 17 mm (all Sizes)	1 Kg	Box
22	Nuts	Alloy Steel Nuts Material: Alloy Steel Zinc Coated Galvanized to Resist corrosion	20 Piece	Box
23	Studs	Alloy Steel Studs Material: Alloy Steel Zinc Coated Galvanized to Resist corrosion Size: Standard Types: Class 1 Class 2 Class 3 Class 4	40 Piece	box
24	Screws	Alloy Steel Screws Material: Alloy Steel Zinc Coated Galvanized to Resist corrosion Size: Standard Type: 1. Wood Screw 2. Machine Screws 3. Self-Tapping Screws 4. Drywall Screw 5. Hex Head Screw 10 of each type	50 Pieces	2 Sets

25	Washers (Different Types)	Standard Size	50 Pieces	box
26	Roll-pins/Spring-pins	Material: Alloy Steel Zinc Coated Galvanized to Resist corrosion Size: Standard	20 Piece	Box
27	C - Clips	Made of high-quality alloy steel, providing good resistance to corrosion and high temperature. Set Includes 15 Most-used Sizes (Metric):4mm,5mm,6mm,7mm,8mm,10mm,12mm,14mm,16mm,18mm,20mm, 22mm,24mm,26mm,28mm.	150 Piece	Box
28	Double / Open Ended Spanner set	Generally Conforming to IS 2028-2004 Made from high-grade steel, Forged and accurately machined. Appropriate surface protection for rust prevention. Size: 6 x 7 mm: 1 Piece 8 x 9 mm: 1 Piece 10 x 11 mm: 1 Piece 12 x 13 mm: 1 Piece 14 x 15 mm: 1 Piece 16 x 17 mm: 1 Piece 18 x 19 mm: 1 Piece 20 x 22 mm: 1 Piece	3	Set
29	Ring Spanner Set	Generally Conforming to IS 2029-1998 Made from high-grade steel, Forged and accurately machined. Appropriate surface protection for rust prevention. Size: 6 x 7 mm: 1 Piece 8 x 9 mm: 1 Piece 10 x 11 mm: 1 Piece 12 x 13 mm: 1 Piece 14 x 15 mm: 1 Piece 16 x 17 mm: 1 Piece 18 x 19 mm: 1 Piece 20 x 22 mm: 1 Piece	3	Set
30	Socket Spanner set with	Forged from high-grade chrome vanadium cr-v steel, heated treated and plated with corrosion-resistant satin chrome. Sizes: 20 sockets: 10 mm onwards: 1 Piece	1	Set
			1	

		T- Handle: 12": 1 Piece Extension Rod: 4": 1 Piece Extension Rod: 8": 1 Piece Ratchet Handle :1 2": 1 Piece Rotating Union: Universal Joint: 1 Piece	1 1 1 1 1	
31	Side Cutting Plier 8 Inch	Material: Alloy Steel Handle Material: Alloy Steel with Plastic Coating Item Weight: 185 Grams Approx. Length: 200 mm Handle Material: Plastic Insulation tested up to 2800 V DC or 4000 V AC Rust Resistant & Corrosion Resistant	2	Nos.
32	Combination Pliers	High leverage combination pliers. Made of Chrome vanadium steel, drop forged & heat treated with induction hardened cutting edges and serrated jaws. Brushed finish, precision machined jaws with plastic dipped handles. Dimension: 7 inch / 180 mm and 8 inch / 200-210 mm Weight: Approx. 180 Gram IS: 3650: 1981	2	Nos.
33	Round Nose Plier 8 Inch	Material, Chrome vanadium steel. Drop forged & heat treated, Brushed finish with precision machined jaws and Plastic-dipped handles Dimensions: 4.5: Inches Weight Approx. 150-220 Gram	2	Nos.
34	Flat Nose Plier 8 Inch	Material, Chrome vanadium steel. Drop forged & heat treated, Brushed finish with precision machined jaws and Plastic-dipped handles Dimensions: 4.5: Inches Weight Approx. 150-220 Gram	2	Nos.
35	Ball Peen Hammer with Handle	Alloy Steel Seasoned wooden handle Hardened and Tempered Item Dimensions LxWxH25 x 6 x 3 Centimeters weight: 500- 700gms	2	Nos.
36	Cross Peen Hammer with Handle	Head Material: Carbon Steel Handle Material: Wood Handle Item Dimensions LxWxH: 33 x 10 x 2 Centimeters Approx. weight: 550-750 Grams Approx.	2	Nos.

37	Screw Driver	Material: high-grade Silicon - Manganese steel Hardness on tip: 55 to 58 HRC Type: Magnetized tip to lift small screws etc. Size: Straight Tip 8" inches Long	4	Nos.
38	Screw Driver Set	Set of One Flat & One Studded 12" Inch Screw drivers Material: Chrome Vanadium Steel Item Dimensions LxWxH: 30.5 x 5.1 x 2.3 Centimeters Weight: 292 Grams Approx.	4	4 Sets
39	Sharp pointed tweezers Set	Professional Stainless-Steel Tweezers – Set of 6 – Six PCS Includes: 1st-PC - 10 fine tip, straight (110mm) 2nd-PC -11: fine tip, straight (140mm) 3rd-PC-12: fine tip, straight (135mm) 4th-PC -13: rounded spade tip, straight (115mm) 5th-PC -14: super-fine tip, straight (110mm) 6th-PC-15: fine tip, angled (120mm)	1	1 Set
40	Hacksaw Frame fixed	Approx. Dimensions: Material: Stainless Steel & Plastic Size: 12 inch Weight: 450 g Handle Material: Aluminium Die Casted Cutting Angle: 90° Dimension: Approx. 20x20x5 cm Shape: Oval Blade Length: 254 Millimeters	2	Nos.
41	Hacksaw blades	Blade Material: High-Speed Steel, Alloy Steel Surface Recommendation: Stainless Steel Product Dimensions: 30L x 1.3W x 0.1H Centimeters Length: 300mm (12"), width: 12.5mm (1/2"), height: 0.63mm (0.025)	10	Nos.
42	Cold Chisel Flat	Cold Chisel Set Material: High Grade Forged steel Overall: 25x 200MM & 6mm Dimensions LxWxH: 20x10x10 CM Weight: Approx. 265 Grams	2	Nos.
43	Allen Key set	Allen Key Set (Pack of 10) - Hex Item Dimensions LxWxH: 14 x 8 x 2 Centimeters Item Weight: 270 Grams Head Style: Hex	2	2 Set

		4mm-14mm		
44	Oil Can	Liquid Volume: 500 Milliliters Item Weight: 200-250 Grams Nozel in Steel and Chrome Plated. Capacity: 1/2 Pint Oil Can = 500 ml. Wesco Type Fixed Spout.	2	Nos.
45	File flat bastard	Flat Bastard Machinist Steel File, File Cut: Bastard Cut, File Shape: Flat, File Type: Machinist, Length: 150 mm, Material: Super Hard Carbon Steel with Wooden Handle Size: 300 mm	2	Nos.
46	File Square Rough	File Cut: Bastard Cut File Shape: Square File Type: Machinist Length: 300 mm Material: Alloy Steel	2	Nos.
47	File flat smooth 2nd cut	Size: 10"/250mm Weight: 250 Grams Type: 2nd Cut Material: Alloy Steel Style: Flat Files Length: 250 mm Outer Diameter: 250 mm Diameter: 250	2	Nos.
48	File Rasp Cut	Type: Rasp File Shape: Flat Material: Steel Length (mm): 300 mm Thickness Millimeter: 6.1 Width: 29.8 mm Cut Type: Bastard	1	Nos.
49	Emery Paper/Cloth	Grit: 80, 120, 150 Backing Type: Cloth Grit Type: Coarse Convenient and Easy to Identify, grit mentioned on the back Total 3 Meters: (1 Meter Each Grit) 80, 120, 150	3 (1meter of Each Type)	Meter
50	Drain Pan	Material: Metal / Heavy Grade Steel Package Dimensions: 40 x 32 x 10 cm Approx. Capacity: 5-10 Liters	2	Nos.
51	Tool Trolley	2 Drawer Tool Trolley with Cabinet Can be folded and transported on a vehicle. Centralized Lock that keeps things secure	1	Nos.

		<p>2 drawers with ball bearing slides, for two-way opening.</p> <p>Type of Product: Tool trolley</p> <p>Weight: 19-25 kg</p> <p>Material: CRC Sheet</p> <p>Dimensions: 629 L x W 397 x H 720 mm Approx.</p> <p>Wheel Size: 3-5 inch</p> <p>Surface Treatment: Powder Coating</p> <p>Wheel: PP Wheel</p> <p>Cabinet Size: 630 L x 370 W x 455 H mm Approx.</p> <p>Second Drawer Size: 530 L x 345 W x 80 H mm Approx.</p> <p>First Drawer size: 530 L x 345 W x 60 H mm Approx.</p> <p>Door Thickness: 0.5mm</p> <p>Steel Thickness: 0.7 mm</p>		
52	Bench Vice	<p>MATERIAL: SG Iron Casting and Unbreakable.</p> <p>Dimensions: Approx.:</p> <p>JAW WIDTH: 125 MM,</p> <p>JAW OPENING: 50 MM,</p> <p>DISTANCE BETWEEN CLAMPING SLOTS: 50 MM,</p> <p>SLOT LENGTH: 74 MM,</p> <p>Length: 30 cm</p> <p>Weight: 3.5 kg</p>	2	Nos.
53	Hand Grinder	<p>Material Type: Metal & Plastic</p> <p>Dimensions: Approx. 39L x 10W x 47H Centimeters</p> <p>Max. Wheel Diameter: 125mm</p> <p>Hole Diameter of Wheel :22mm</p> <p>Rated Speed :11000(r/min)</p> <p>Spindle Lock: Yes</p> <p>Cord Length: 3 m</p> <p>Item Weight: 4100 gm (Approx.)</p>	1	Nos.
54	Greece Gun (Medium Size)	<p>Material: Aluminium</p> <p>Grit Material: Aluminum, Rubber, Steel</p> <p>Item Dimensions LxWxH: 37 x 12 x 6 Centimeters</p> <p>Item Weight: 1310 Grams</p> <p>Exterior Finish: Aluminum, Steel</p> <p>Inlet Connection Type: Compression</p> <p>Item Height: 6 Centimeters</p> <p>Item Width: 12 Centimeters</p> <p>Discharge up to: 1 gm/stroke</p> <p>Pressure up to: 6,000 PSI</p>	1	Nos.

55	Mallet Hammer	Head Material: Rubber Head Length: 350 mm Handle Material: Wood, Rubber, Steel Item Dimensions LxWxH: 22 x 9.5 x 6 Centimeters (Approx.) Weight: 500-700 Grams	1	Nos.
56	Center Punch	Material: Steel Color: Grey Package Contents: 1-Piece Centre Punch Generally conforming to is 7177 - 1999 Length: 100 mm Size: 8 millimeters-5/16 x 115 millimeters-4 1/2 Material: Steel Hardened and tempered for long life and durability	2	Nos.
57	Automotive Puncture Repair kit	For Tubeless and Tubed Tire	2	2 Sets
58	Alignment Gauge (Manual)	Product Dimensions: 91.44 x 5.08 x 15.24 cm Weight: 1.5-2.5 Kilograms For Toe in/Toe out	1	Nos.
59	White Board	2' x 3' White board, 4 color White board marker in a pack of 10 each color, 01 Duster	1	Nos.
60	Gloves	Nylon anti-cut reusable safety hand glove	4	Pair
61	Goggles	Colour: Clear Material: Polycarbonate Frame Type: Full Rim Frame Material: Polycarbonate (PC) Item Dimensions LxWxH: Approx. 45 x 145 x 40 Millimeters Weight: Approx. 20 Gm	5	Pair
62	Ear plugs	Reusable corded ear plugs beneficial for giving total protection to ears from high pitch noise and sound Pack of 30	1	Set
63	Spark plugs	Spark plug sockets 67 mm drive size 16/21 mm	1	Nos.
64	Radiator	Aluminium car radiator- horse power-500HP, power 220V and frequency-50 to 60 Hz	1	Nos.
65	Wiper blades	12" Silicon wiper blade Material: Natural and Synthetic Rubber Length: 12 inches Length (mm): 304.8 mm	2	Nos.
66	Brake pads	Hi-speed rubber brake pads for providing lesser stopping time	1	Nos.

67	First Aid Kit	Transparent Plastic Kit box with First Aid Logo		
		Capacity: 3 liters	1 pc	
		Size LWH: Approx: 23x14x14		
		Opening: Lid Type		
		Material: Plastic		
		Plaster 19 X 72 Mm	5 pc	
		Plaster 25 X 72 Mm	3 pc	
		Antiseptic Wipes	2 pc	
		Sterile Gauze Swab 10 Cm	1 pc	
		Sterile Gauze Swab 7.5cm	1 pc	
		Sterile Adhesive Plaster 6x10cm	1 pc	
		Elastic Gauze Bandage 6x1m	1 pc	
		Sterile Wound Dressing No 1	1 pc	
		Clinical Thermometer (IS 3055 Part1/Part2:2004)	1 pc	1 Set
		Antiseptic Cream 10g	1 pc	
		Tincture Iodine 20ml	1 pc	
		Microporous Tape 1.25x5mt	1 pc	
		Sterile Gauze Swab 7.5cm	1 pc	
		Gauze Bandage 7.5x3mt	1 pc	
		Face Mask with Ear Loop IS: 16289:2014	1 pc	
		Gloves	2 pc	
		Scissor	1 pc	
		Absorbent Cotton 15gms	1 pc	
		Burn Cream	1 pc	
		Antiseptic Liquid 50 MI	1 pc	
		Drug License	Yes	
70	Display Charts & learning manuals		Specific ation	Quant ity
	Display Charts & Learning Manuals	Four-Wheeler Vehicle Chassis Chart	Durable, laminate d 3x4 feet charts	2
		Two Stroke Engine		
		Four Stroke Engine		
		Four-Wheeler Cooling System Chart		2
		Four-Wheeler Lubrication System Chart		2
		Four-Wheeler Suspension System Chart		2
		Four-Wheeler Brake System Chart		2
		Four-Wheeler Electric System Chart	images, labeled components, color-coded diagrams, and legible fonts.	2

			Content includes accurate diagrams of systems like chassis, cooling, lubrication, suspension, brakes, and electrical. Charts are reinforced for mounting and packaged in protective tubes for safe storage.	

SECTOR 4- BEAUTY & WELLNESS TOOLS & EQUIPMENT LIST

Sr No.	Name of the Equipment	Specification of Equipment	Quantity	Unit Type
1	Hydraulic Chair with Footrest	Material: Stainless steel frame, rexin seat Features: Adjustable height (18-24 inches), 135° reclining backrest, 360° swivel, foldable footrest, padded removable armrests, fire-retardant upholstery, anti-tip wide base Max Load: 150-200 kg Size: Approx. 1200 x 950 x 2100 mm	2	Nos.

		Weight: Approx. 35 kg Warranty: 1-2 years		
2	Hair Dresses Chair/Stool	<p>Material: Sturdy plastic or metal with cushioned seat</p> <p>Features: Adjustable height (hydraulic/pneumatic), 360-degree swivel, ergonomic design, stable base with non-slip rubber feet</p> <p>Height Adjustment: Approx. 40 cm to 60 cm</p> <p>Size: Approx. 40 cm x 40 cm x 60 cm</p> <p>Weight: Approx. 5-8 kg</p>	2	Nos.
3	Body massage Table	<p>Material: PU leather cover, 6 cm high-density foam padding</p> <p>Features: Adjustable height (61-85 cm), foldable, portable, oil and water-resistant, removable facial cradle, arm supports, non-slip feet, carry handle</p> <p>Frame: Reinforced aluminum</p> <p>Max Load: 250 kg</p> <p>Size: 182 cm x 70 cm x 61-85 cm</p> <p>Weight: 15-18 kg</p>	1	Nos.
4	Shampoo Unit (Station)	<p>Material: High-quality plastic and metal, water-resistant</p> <p>Features: Reclining shampoo bowl, built-in faucet with adjustable temperature, cushioned seat with adjustable height, sturdy base, drainage system, non-slip rubber feet</p> <p>Size: Approx. 100 cm x 50 cm x 90 cm</p> <p>Weight: Approx. 15-25 kg</p>	1	Nos.
5	Large Stool	<p>Material: Sturdy metal frame, wooden seat</p> <p>Features: Stable base, non-slip rubber feet, footrest, ergonomic design, wide seat</p> <p>Size: Approx. 45 cm x 45 cm x 75 cm (height)</p> <p>Seat Diameter: Approx. 35 cm</p> <p>Weight: Approx. 3-5 kg</p>	2	Nos.
6	Small Stools	<p>Material: Durable plastic</p> <p>Features: Stable base, non-slip surface, lightweight, compact design</p> <p>Size: Approx. 30 cm x 30 cm x 30 cm</p> <p>Weight: Approx. 1-2 kg</p>	2	Nos.
7	Working and facial Trolleys	Material: Durable metal with robust construction	2	Nos.

		Features: Multiple shelves, top shelf with raised edges, smooth-rolling wheels with locking mechanisms, handle for easy pushing, easy to clean Size: Approx. 60 cm x 40 cm x 90 cm Weight: 5-10 kg		
8	Galvanic Machine	Material: Durable plastic or metal Features: Adjustable intensity levels, multiple treatment modes, LCD display, various electrodes, compact and portable design Power Consumption: 220-240V, 50-60Hz, 15-30W Size: Approx. 20 cm x 15 cm x 10 cm Weight: Approx. 1-2 kg	1	Nos.
9	Exfoliation Machine	Material: ABS plastic body Heads: Soft silicone or microcrystalline interchangeable heads Type: With 5 types of Brush Heads Settings: Multi-speed Dimension: Approx. 20cm x 8cm x 7cm Weight: Approx. 40 grams Battery operated	1	Nos.
10	Sterilizer	Product Dimensions: Approx. 60.96 x 27.94 x 25.4 cm; Item Height: Approx. 10 Inches Item Width: Approx. 11 Inches Voltage: 220 Volts Wattage: 120 Watts Power Source: AV Approx weight: 460 g	1	Nos.
11	Infrared Stand	Material: Durable, heat-resistant metal and plastic Features: Adjustable lamp head with reflector Multiple heat settings Height-adjustable stand Sturdy, weighted base Easy-to-use control knob Power Consumption: 110V – 220V/60Hz, 50W to 275W Size: Approx. 40 cm x 30 cm x 150 cm (adjustable height) Weight: Approx. 3-5 kg	1	Nos.
12	Modular Mirrors	Material: High-quality, durable glass Features: Sleek, frameless design Modular for customizable arrangement	3	Nos.

		<p>Wall-mounting kit included</p> <p>Anti-fog coating</p> <p>Shatter-resistant</p> <p>Size: Approx. 60 cm x 60 cm per panel (arrange as needed)</p> <p>Weight: Approx. 2-4 kg per panel</p>		
13	Hand Mirrors	<p>Material: High-quality glass with durable plastic or lightweight metal frame</p> <p>Features:</p> <p>Clear, distortion-free reflection</p> <p>Easy-to-grip handle</p> <p>Breakage-resistant frame</p> <p>Easy to clean</p> <p>Mirror Size:</p> <p>Round: 5-7 inches in diameter</p> <p>Rectangular: 4x6 to 6x8 inches</p> <p>Weight: Approx. 150-250 grams</p>	4	Nos.
14	Magnifying Glass	<p>Material: Optical-grade glass with durable plastic frame</p> <p>Features:</p> <p>Magnification: 3x to 5x</p> <p>Scratch-resistant lens</p> <p>Ergonomic, non-slip handle</p> <p>Lightweight for comfortable use</p> <p>Lens Diameter: 75-100 mm</p> <p>Weight: Approx. 100-150 grams</p>	2	Nos.
15	Curling Iron (Curling Tong)	<p>Material: Heat-resistant with ceramic or tourmaline-coated barrel</p> <p>Features:</p> <p>Adjustable temperature up to 200°C</p> <p>Fast heat-up time</p> <p>Cool tip</p> <p>Swivel cord</p> <p>Automatic shut-off</p> <p>Compact and lightweight</p> <p>Size: Approx. 14.5 x 2.2 x 0.1 Centimeters</p> <p>Item Weight: Approx. 650 Grams</p>	1	Nos.
16	Straightening Iron	<p>Material: Durable, heat-resistant materials with ceramic or titanium-coated plates</p> <p>Features:</p> <p>Adjustable temperature up to 230°C</p> <p>Automatic shut-off</p> <p>Ergonomic and lightweight design</p> <p>Voltage: (100-240) V AC</p> <p>Cord Size: Approx. 1.8 m</p> <p>Size: Approx. 3.4 x 2 x 34 cm</p> <p>Weight: Approx. 350 gm</p>	2	Nos.

17	Hair Connector	<p>Material: Durable, heat-resistant plastic</p> <p>Features:</p> <ul style="list-style-type: none"> Universal design Secure locking mechanism Ergonomic handle Compatible with 100-240V Compact for easy storage Size: Approx. 25.4 x 10.16 x 10.16 cm Weight: Approx. 350 gm 	1	Nos.
18	Hair Dryer	<p>Made of durable, heat-resistant plastic, the hair dryer features multiple heat and speed settings for versatile styling. It includes a concentrator nozzle for focused airflow and a diffuser attachment for volume and curl enhancement. The dryer should have a cool shot button to set styles and an ergonomic, lightweight design for comfortable handling. It should also have a removable filter for easy cleaning.</p> <p>Wattage: 1600 Watt</p> <p>Size: Approx. 9 x 30.5 x 21.5 cm;</p> <p>Weight: Approx. 400 gm</p> <p>Warranty: 1-2 year</p>	2	Nos.
19	Hair Steamer	<p>Made of durable, heat-resistant plastic, the hair steamer features an adjustable steam nozzle and a water tank with a capacity of approximately 500-700 ml. It includes a timer function with adjustable settings, and an automatic shut-off feature when the water tank is empty. The steamer should have a height-adjustable stand and a swivel base for easy maneuverability.</p> <p>Material: ABS plastic Material</p> <p>Power Source: AC/DC</p> <p>Size: Approx. 24 x 20 x 18 cm</p> <p>Weight: 4-5 kg</p> <p>Warranty: 1-2 year</p>	2	Nos.
20	Cutting Scissors	<p>Blade Material: Stainless Steel</p> <p>Product Dimensions: 16L x 6W Centimeters Blade Length: Approx. 5.5-6.5 inches</p> <p>Weight: Approx. 50-70 grams</p>	2	Nos.
21	Small Scissors	<p>Material: Stainless steel</p> <p>Features:</p> <ul style="list-style-type: none"> Sharp, precision blades Ergonomic handles Rust-resistant 	2	Nos.

		Easy to clean Size: Approx. 11.3 x 3 x 3 cm Weight: Approx. 20 gm		
22	Roller Brush set 5 in 1	Material: Heat-resistant ceramic and nylon bristles Features: Five interchangeable brush heads Anti-static technology Ergonomic handle Suitable for wet and dry hair Includes heat-resistant storage pouch Weight: Approx. 300-500 grams (complete set) Brush Head Sizes: 1 Inch: 1 Piece 1.5 Inch: 1 Piece 2 Inch: 1 Piece 2.5 Inch: 1 Piece 3 Inch: 1 Piece		1 Sets
23	Hair Brush	Material: Durable, lightweight plastic with cushioned base and flexible nylon or boar bristles Features: Ergonomic handle with non-slip grip Rounded bristle tips for scalp protection Suitable for all hair types Designed for detangling and styling Brush Type: Paddle, round, or vented Size: Approx. 8-10 inches in length Weight: Approx. 100-150 grams	3	Nos.
24	Tinting Brush with Comb	Material: Plastic or plastic with stainless steel Features: Brush for dye application Comb for sectioning and detangling Ergonomic handle Soft yet firm bristles Comb with fine and wide teeth Size: Approx. 20 cm x 3 cm Weight: Approx. 30-50 grams	3	Nos.
25	Large Tooth Comb	Material: Plastic Features: Wide teeth for detangling Durable construction Minimizes breakage and prevents static Size: Approx. 25.4 x 2.54 x 7.62 cm Weight: Approx. 20 grams	3	Nos.

26	All Propose Comb	<p>Material: Plastic</p> <p>Components: Includes 5 combs with varying tooth sizes</p> <p>Features:</p> <p>Fine-tooth combs for detailed styling</p> <p>Wide-tooth combs for detangling</p> <p>Lightweight and easy to clean</p> <p>Size: Approx. 20 cm x 3 cm per comb</p> <p>Weight: Approx. 100-150 grams (total set)</p>	2	Sets
27	Rat Tail Comb	<p>Material: Plastic</p> <p>Features: Fine-tooth for precise styling, long pointed tail for sectioning hair, durable construction</p> <p>Size: Approx. 20cm x 2cm</p> <p>Weight: Approx. 20-30 grams</p>	3	Nos.
28	Cutting Sheets	<p>Material: Durable plastic or silicone</p> <p>Features:</p> <p>Non-slip surface</p> <p>Easy to clean</p> <p>Protects surfaces from damage</p> <p>Size: Approx. 30 cm x 40 cm</p> <p>Weight: Approx. 200-300 grams</p>	4	Nos.
29	Spray Bottle	<p>Material: Plastic</p> <p>Features:</p> <p>Adjustable nozzle (fine mist or stream settings)</p> <p>Clear measurement scale</p> <p>Easy to refill and clean</p> <p>Lightweight</p> <p>Size: Approx. 500 ml capacity</p> <p>Weight: Approx. 100-150 grams</p>	3	Nos.
30	Jumbo Rollers set	<p>Made of high-quality plastic or foam, the jumbo rollers set should include various sizes for different styling needs. The rollers should have a secure grip to hold hair in place and be lightweight for easy use. The set should also come with clips or fasteners to keep the rollers in place during use.</p> <p>Size: Approx. 7cm-10cm diameter</p> <p>Weight: Approx. 200-300 grams (for a set of 6-12 rollers)</p>	2	2 Sets
31	Facial Steamer	<p>Material: Durable, heat-resistant plastic</p> <p>Features:</p> <p>Adjustable steam nozzle</p> <p>Approx. 50 -1 00 ml water tank</p> <p>Timer function</p> <p>Adjustable steam intensity</p>	1	Nos.

		Automatic shut-off when tank is empty Swivel base Compact and portable design Size: Approx. 18 x 27 x 19 Centimeters Capacity: 50 - 100 Milliliters Weight: Approx 650 g		
32	All in one Eyelash Brush/Comb	Material: Durable plastic or metal Features: Brush for applying mascara Comb for separating lashes Soft bristles and fine teeth for precise grooming Size: Approx. 15 cm x 2 cm Weight: Approx. 20-30 grams	2	2 Sets
33	Barber Brush	Made of durable plastic or wood with natural or synthetic bristles. Designed for effective grooming and cleaning. Size: Approx. 15cm x 5cm Weight: Approx. 50-70 grams	2	Nos.
34	Bleach Brush	Made of durable plastic, the bleach brush features synthetic bristles for even application of bleach. Should include a comfortable handle for easy use. Size: Approx. 15cm x 5cm Weight: Approx. 30-50 grams	2	Nos.
35	Complete Make Up Brushes Set	Material: Plastic or metal handles, synthetic or natural bristles Components: Typically includes 10-15 brushes (e.g., foundation brush, blush brush, eyeshadow brushes, blending brush) Features: Soft bristles Ergonomic handles for comfortable use Easy to clean Size: Approx. 15 cm-20 cm per brush Weight: Approx. 200-300 grams (total set) Type of Brushes: Foundation Brush: Approx. 16 cm Blush Brush: Approx. 17 cm Powder Brush: Approx. 18 cm Eyeshadow Brush (Small): Approx. 15 cm Eyeshadow Brush (Medium): Approx. 16 cm Eyeshadow Brush (Large): Approx. 17 cm Blending Brush: Approx. 18 cm Concealer Brush: Approx. 16 cm Angled Brush: Approx. 17 cm	1 Piece 1 Piece 1 Piece 1 Piece 1 Piece 1 Piece 1 Piece 1 Piece 1 Piece 1 Piece	1 Sets

		Lip Brush: Approx. 15 cm	1 Piece	
36	Applicator Brush	Bristle Type: Synthetic, soft Brush Size: Approx. 6-7 inches (15-18 cm) in length Weight: Approx. 20-50 grams	2	Nos.
37	Paraffin Heater	Material: Durable, heat-resistant plastic or metal Features: Adjustable temperature control (up to 80°C) Rapid heating technology Clear temperature display Size LxWxH: Approx. L 32cm, W25.5cm, H17.5 Temperature: Approx. Up to 45-65 Degrees Voltage: Approx. AC/110V220v 50/60Hz Inner Pot Diameter: Approx. 105mm Weight: Approx. 2500g	1	Nos.
38	Blackhead Remover	Material: High-quality stainless steel Features: Includes multiple tools for different types of extraction, such as loop extractors, needle tips, and flat tips. Tools are rust-resistant, easy to clean, with ergonomic handles for a comfortable grip. Size: Each tool approximately 12cm x 1cm Weight: Total set weight approximately 100-150 grams Components: At least 4 different tools: Loop Extractor: Approx. 12cm x 1cm Needle Tip: Approx. 12cm x 1cm Flat Tip: Approx. 12cm x 1cm Double-Ended Extractor: Approx. 12cm x 1cm	2 Sets	
39	Tweezers	Material: Stainless steel Features: Precision tips, non-slip grip, durable and easy to clean Components: Pack of 5 tweezers with different tip shapes (e.g., pointed, slanted) Size: Approx. 10cm x 1cm per tweezer Weight: Approx. 100-150 grams (total pack) Pointed Tweezer Tip Shape: Pointed Size: Approx. 10cm x 1cm Slanted Tweezer Tip Shape: Slanted	2 Piece 2 Piece 2 Piece 2 Piece	2 Sets

		Size: Approx. 10cm x 1cm		
		Flat Tweezer Tip Shape: Flat Size: Approx. 10cm x 1cm	2 Piece	
		Oblique Tweezer Tip Shape: Oblique Size: Approx. 10cm x 1cm	2 Piece	
		Precision Tweezer Tip Shape: Precision Size: Approx. 10cm x 1cm	2 Piece	
40	Double Wax Heater	Material: Aluminium alloy body Features: Dual wax containers, adjustable temperature control (50°C - 110°C), rapid heating, LED temperature display, separate on/off switches, overheat protection, non-slip rubber feet, transparent lids, detachable containers, compatible with soft and hard wax, compact and portable design. Thermostat: Yes Type: Automatic Number of Jars: 2 Capacity: Approx. 0.9 kg Material: Steel Shock Proof: Yes	1	Nos.
41	Wax Knife	Material: Stainless steel Features: Flat blade for wax application, sturdy handle, easy to clean Size: Approx. 15cm x 2cm Weight: Approx. 30-50 grams	2	Nos.
42	Wax Stripes	Material: Non-woven fabric Features: Pre-cut, easy to use, suitable for face and body Size: Approx. 7cm x 20cm per stripe Quantity: 12 stripes per pack Weight: Approx. 50-100 grams per pack	2	Sets
43	Cold Wax	Material: Wax formula (typically includes natural ingredients) Features: Ready-to-use, smooth texture, suitable for face and body Size: 500 grams per container	1	1 Box
44	Paraffin wax	Material: Paraffin wax Features: Melts at low temperature, smooth application, suitable for hands and feet Size: 1 kg per block or container Weight: 1 kg	1	1 Kg
45	Spatula	Material: Plastic or silicone	2	Nos.

		Features: Ergonomic, non-slip handle, effective for callus and dead skin removal, easy to clean and sanitize Size: 6-8 inches in length Weight: 50-100 grams		
49	Pedicure Scrub Pack	Features: Exfoliating with natural or synthetic exfoliants and moisturizing agents, removes dead skin cells, leaves feet smooth and refreshed Quantity: 2 packs Size: Approx. 200-250 grams per pack Weight: Approx. 400-500 grams (total for both packs)	2	pack
50	Pumic Stone	Material: Natural pumice or synthetic Features: Rough texture for exfoliation, ideal for smoothing rough skin on heels and elbows, comfortable grip Size: Approx. 10cm x 7cm Weight: Approx. 80-120 grams	3	Nos.
51	Stone Therapy set	Material: Basalt or marble stones Features: Smooth, polished stones; includes heating pad or device for warming stones; instructions for safe use Components: 4 large stones (for back or body) 8 medium stones (for legs or arms) 6 small stones (for hands, feet, or neck) Stone Size: Ranges from 5cm to 10cm in diameter Weight: Approx. 1-2 kg (total set)	18 Stones	1 Set
52	Measuring Spoon sets	Material: Stainless steel Features: Clear measurement markings, durable, dishwasher-safe for easy cleaning Sizes: 1/4 tsp (approx. 9 cm x 2 cm) 1/2 tsp (approx. 10 cm x 2.5 cm) 1 tsp (approx. 11 cm x 3 cm) 1 tbsp (approx. 12 cm x 4 cm)	2 Piece 2 Piece 2 Piece 2 Piece	2 Set
53	Measuring Cup sets	Material: Plastic Features: Clear measurement markings, durable, dishwasher-safe for easy cleaning Weight: Approx. 200-300 grams (for a set of 4 cups) Sizes: 50 ml (approx. 7 cm x 5 cm) 100 ml (approx. 8 cm x 6 cm)	2 Piece 2 Piece	2 Set

		250 ml (approx. 10 cm x 7 cm)	2 Piece	
		500 ml (approx. 12 cm x 9 cm)	2 Piece	
54	Measuring Glass sets	Material: BPA-free plastic Features: Clear, printed measurements in milliliters and ounces; spout for easy pouring; comfortable grip handle; stackable design; resistant to staining and odors Weight: Complete set approx. 200-300 grams Glass Sizes: 100 ml (approx. 7 cm x 5 cm) 200 ml (approx. 8 cm x 6 cm) 500 ml (approx. 12 cm x 8 cm)		2 Set
55	Bowles	Material: Durable plastic Features: Lightweight, stackable for easy storage, easy to clean, microwave-safe, resistant to staining and odors Quantity: Set of 6 bowls Size (per bowl): Approx. 12 cm x 6 cm (diameter x height) Capacity (per bowl): 300-400 ml Weight: Approx. 150-200 grams per bowl; total set approx. 900-1200 grams	2	Nos.
56	Makeup Pallet	Material: High-quality plastic Components: Eyeshadows, blushes, highlighters, lip colors Features: Pigmented, blendable, built-in mirror Size: 6-8 inches x 4-6 inches Weight: 200-300 grams	2	Nos.
57	Translucent Powder (4 Shades)	Purpose: Provides a lightweight, matte finish that sets makeup and controls shine Shades: 4 shades, designed to complement different skin tones Size: Approx. 10-15 grams per container Weight: Approx. 40-60 grams (total for all shades) Finish: Natural look	2	Nos.
58	Lipstick Pallet	Material: High-quality plastic casing with a sleek design Features: Includes a variety of lip colors with high pigmentation; smooth, blendable texture; built-in mirror; secure latch for protection Size: Approx. 6-8 inches (length) x 4-6 inches (width) Weight: 200-300 grams	2	Nos.

		Components: Typically includes multiple lip colors (e.g., 10-12 shades)		
59	Blusher Pallet	<p>Material: High-quality plastic or metal casing</p> <p>Features: Includes 6 shades of blush with high pigmentation; smooth, blendable texture; built-in mirror; secure latch</p> <p>Size: Approx. 6-8 inches (length) x 4-6 inches (width)</p> <p>Weight: 200-300 grams</p> <p>Components: 6 blush shades</p>	2	Nos.
60	Eyeshadow Palette	<p>Material: High-quality plastic casing with durable, protective cover</p> <p>Features: Multiple highly pigmented shades, blendable and long-lasting; suitable for all skin tones; smooth application with minimal fallout; includes a built-in mirror for easy use; secure latch to prevent accidental opening</p> <p>Shade Count: Typically includes 12-24 shades</p> <p>Size: Approx. 6-8 inches (length) x 4-6 inches (width)</p> <p>Weight: Approx. 150-250 grams</p>	2	Nos.
61	Eyebrow Pencil Sharpener	<p>Material: Durable plastic or metal</p> <p>Features: Sharp blade for precise sharpening, built-in container for shavings, easy to clean</p> <p>Size: Approx. 5cm x 4cm x 2cm</p> <p>Compatibility: Suitable for various pencil sizes</p>	5	Nos.
62	Eyebrow Thread	<p>Material: Cotton or cotton-blend</p> <p>Features: High-quality, durable, precision for eyebrow shaping</p> <p>Size: Approx. 100 meters per roll</p> <p>Weight: Approx. 100-150 grams per roll</p>	5	Nos.
63	Perming Cap	<p>Material: Flexible, durable plastic</p> <p>Features: Adjustable band or elastic for a secure fit, comfortable to wear, reusable</p> <p>Size: Universal fit</p> <p>Weight: Approx. 50-70 grams</p> <p>Usage: Designed for secure fit over hair during perming</p>	5	Nos.
64	Shower Cap	<p>Material: Waterproof plastic or silicone (pack of 100)</p> <p>Features: Snug fit to keep hair dry, flexible, reusable, easy to clean</p> <p>Size: Universal fit</p> <p>Item Weight: Approx. 250 g</p>	2	Nos.

		Item Dimensions LxWxH: Approx. 10 x 5 x 2 Centimeters Usage: Designed to protect hair from water during showers		
65	Frosting Cap	Material: Durable plastic or silicone Features: Designed for even application of frosting or highlighting; fits securely over hair Size: Universal fit Weight: Approx. 50-70 grams Usage: Used for applying and processing hair frosting or highlighting treatments	5	Nos.
66	Face Mask	Material: Non-woven fabric Design: Disposable with ear loops Purpose: Single use for hygiene and protection during salon treatments Quantity: 2 boxes, each containing 100 masks (200 masks total) Size: Universal fit Weight: Approx. 300-500 grams (total for both boxes) IS: 16289:2014	2	Box
67	Tissue Box	Material: Cardboard or plastic Features: Easy dispensing, sturdy construction Size: Approx. 25cm x 12cm x 8cm Box of 100	2	Box
68	Hand Sanitizer	Hand sanitizer should contain at least 60% alcohol for effective germ killing. It should be gel-based for easy application and quick drying. The container should be user-friendly with a pump or flip-top cap for convenience. Size: Approx. 500ml per bottle Weight: Approx. 500-600 grams	2	Bottle
69	Massage Cream	Massage cream should be from a reputable brand, formulated with moisturizing and soothing ingredients. It should be designed for smooth application and easy absorption, suitable for various massage techniques. Brand: Any reputable brand Weight: 2 kg	2	Kilogram
70	Massage Gel	Massage gel from a reputable brand, designed for smooth and comfortable application. It should be non-greasy, fast-absorbing, and suitable for various massage techniques. Weight: 2 kg	2	Kilogram

71	Powder Puff	<p>Powder puff made of soft, fluffy fabric for smooth application. Includes a comfortable handle or strap for easy use and even powder distribution.</p> <p>Quantity: Pack of 2</p> <p>Material: Soft fabric (e.g., velour or cotton)</p> <p>Size: Approx. 8cm x 8cm per puff</p> <p>Weight: Approx. 20-30 grams per puff</p>	2	Nos.
72	Nail Brush	<p>Nail brush made of durable plastic with natural or synthetic bristles for effective cleaning of nails. It should have an ergonomic handle for comfortable grip and be easy to clean.</p> <p>Material: Plastic with natural or synthetic bristles</p> <p>Features: Effective for cleaning nails, ergonomic handle, easy to clean</p> <p>Size: Approx. 10cm x 3cm</p> <p>Weight: Approx. 30-50 grams</p>	5	Nos.
73	Nail Cutter	<p>Nail cutter made of stainless steel, designed for precise and clean nail trimming. It should feature a strong, sharp blade and an ergonomic handle for easy use.</p> <p>Material: Stainless steel</p> <p>Features: Sharp blade for precise trimming, ergonomic handle</p> <p>Size: Approx. 6cm x 1.5cm</p> <p>Weight: Approx. 50-70 grams</p>	5	Nos.
74	Juda Pin	<p>Material: Stainless steel or durable metal</p> <p>Design: Straight or curved for secure hold</p> <p>Features: Rust-resistant, strong grip, and smooth edges</p> <p>Size: Approx. 7-10 cm in length</p> <p>Weight: Approx. 10-20 grams per pin</p> <p>Pack of 100</p>	1	Box
75	Bob Pin	<p>Material: Metal (typically coated or galvanized for rust resistance)</p> <p>Design: U-shaped with a crimped or wavy texture for secure grip</p> <p>Features: Flexible and durable, designed to hold hair securely</p> <p>Size: Approx. 5-6 cm in length</p> <p>Weight: Approx. 10-20 grams per pack of 50 pins</p> <p>Pack of 100</p>	1	Box
76	Sectioning Pins	Material: Durable plastic or metal	24	

		Features: Secure grip, rust-resistant (if metal), easy to use Size: Approx. 5-7 cm in length Weight: Approx. 10-20 grams per pin Pack of 24		2 Packs
77	Invisible Pins	Material: Plastic or metal with a transparent finish Features: Discreet appearance, secure grip, rust-resistant (if metal) Size: Approx. 5-6 cm in length Weight: Approx. 5-10 grams per pin Pack of 24	24	2 Packs
78	Stuffing/Donut	Material: Foam or fabric-covered foam Features: Lightweight, durable, and designed for creating buns or updos Size: Approx. 10-15 cm in diameter Weight: Approx. 30-60 grams Color: Typically available in black, brown, or beige to match hair colors Pack of 12	2	2 Packs
79	Cotton	Material: 100% pure cotton Features: Soft, absorbent, hypoallergenic; suitable for various salon and lab applications Size: Approx. 10 cm width x 100 meters length per roll Weight: Approx. 250-300 grams per roll	4	Roll
80	Hand Gloves	Material: Latex Features: Single-use, provides a secure fit and dexterity, suitable for a variety of tasks Quantity: 2 boxes, each containing 100 pairs (200 pairs total) Size: Universal fit Weight: Approx. 300-500 grams per box	2	2 boxes (of 100 each)
81	Towel (Full Size)	Size: 140 cm x 70 cm Color: White GSM: 500	2	Nos.
82	Hand Towel	Size: 30 cm x 30 cm or 40 cm x 40 cm (common sizes) Color: Typically available in various colors, including white GSM: 300-400 GSM	4	Nos.
83	Apron	Color: Multi-color Size: 28 x 33 inches Material: Polyester Design Type: Plain with 2 pockets Features: Easy to wear, very lightweight	4	Nos.

84	Gown	<p>Material: Water-resistant fabric (e.g., polyester or nylon)</p> <p>Color: Various colors</p> <p>Design: Adjustable neck and waist ties; front closure (snap or Velcro)</p> <p>Size: Universal fit</p> <p>Features: Lightweight, easy to clean</p>	4	Nos.
85	Disposable Bed Sheet	<p>Material: Non-woven fabric or plastic</p> <p>Features: Single-use, hygienic, water-resistant</p> <p>Size: Approx. 90cm x 200cm (standard bed size)</p> <p>Weight: Approx. 50-70 grams per sheet</p> <p>Quantity: Pack of 10 sheets</p>	1	Pack
86	Writing Board (with Stand) with white board marker and duster	2' x 3' White board, 4 color White board marker in a pack of 10 each color, 01 Duster	1	Nos.
87	Dustbin	<p>Material: Durable plastic</p> <p>Features: Sturdy construction; secure lid to prevent odor and spills; easy to clean</p> <p>Size: Approx. 50-70 liters</p> <p>Weight: Approx. 1.5-3 kg</p>	1	Nos.
88	First Aid Kit	<p>Transparent Plastic Kit box with First Aid Logo</p> <p>Capacity: 3 liters</p> <p>Size LWH: Approx: 23x14x14</p> <p>Opening: Lid Type</p> <p>Material: Plastic</p> <p>Plaster 19 X 72 Mm</p> <p>Plaster 25 X 72 Mm</p> <p>Antiseptic Wipes</p> <p>Sterile Gauze Swab 10 Cm</p> <p>Sterile Gauze Swab 7.5cm</p> <p>Sterile Adhesive Plaster 6x10cm</p> <p>Elastic Gauze Bandage 6x1m</p> <p>Sterile Wound Dressing No 1</p> <p>Clinical Thermometer (IS 3055 Part 1/PART2: 2004)</p> <p>Antiseptic Cream 10g</p> <p>Tincture Iodine 20ml</p> <p>Microporous Tape 1.25x5mt</p> <p>Gauze Bandage 7.5x3mt</p> <p>Face Mask with Ear Loop IS: 16289:2014</p> <p>Gloves</p> <p>Scissor</p>	1 pc 5 pc 3 pc 2 pc 1 pc 2 pc 1 pc	1 Set

Absorbent Cotton 15gms	1 pc
Burn Cream	1 pc
Antiseptic Liquid 50 MI	1 pc
Drug License	Yes

SECTOR-5 ELECTRONICS & HARDWARE TOOLS & EQUIPMENT LIST

Sr No.	Name of the Equipment	Specification of Equipment	Quantity	Unit Type
1	Screw Driver Set	Material: high-grade Silicon - Manganese steel Hardness on tip: 55 to 58 HRC Type: Magnetized tip to lift small screws etc. Size: 12 inches With Flat and Star type and Insulated handle	5	Nos.
2	Combination Pliers	High-leverage combination pliers. Made of Chrome vanadium steel, drop forged & heat treated with Induction-hardened cutting edges and Serrated jaws. Brushed finish, precision machined jaws with Plastic-dipped handles Dimensions: 7 Inch / 180mm and 8 Inch / 200-210 mm in dimensions Weight: Approx. 180 Gram BIS3650:1981	5	Nos.
3	Diagonal cutting pliers	Diagonal Cutting Pliers with short jaws and beveled cutting edges permit close cutting of wire Overall Length: 6.15" (15.6 cm) Material: Steel Jaw Length: 0.696" (1.8 cm) Jaw Width: 0.75" (1.9 cm) Jaw Thickness: 0.813" (2.1 cm) With Plastic-dipped handles Weight: Approx. 172 g	5	Nos.

4	Long Nose Pliers	Made from high-grade chrome vanadium steel Item Dimensions LxWxH170 x 50 x 9 Centimeters Material: Tool Steel Dimensions: 7.88 in x 2.63 in x 0.5 in (20 cm x 6.67 cm x 1.27 cm) Weight: 145.28 g	5	Nos.
5	Manual Hand Drill	Manual Heavy Duty Hand Drill Machine 1/4-inch With 13PCS WOOD PVC Metal drill Set with wooden handle: 6mm or 1/4inch Item Dimensions: LxWxH 27.9 x 5.1 x 5.1 Centimeters Approx. Material: Tool Steel & Wood Weight: Approx. 400 Grams	2	Nos.
6	Electric Hand drill Machine upto 10mm	Good quality brand Rated power input: 500 W No-load speed: 0-2600 rpm Weight without cable: Approx. 1.5 Kg Drill spindle connecting thread chuck capacity: 3/8" -24 UNF / 1-10 mm Impact is at no-load speed: 0-41600 bpm	2	Nos.
7	Hacksaw Frame with Blade	Approx. Dimensions: Material: Stainless Steel & Plastic Size: 12 inch Weight: Approx. 450 g Handle Material: Aluminium Die Casted Cutting Angle: 90° Dimension: Approx. 20x20x5 cm Shape: Oval Blade Length: 300 Millimeters	2	Nos.
8	Wire stripper	Heavy-duty PVC insulated Wire Stripper with Plastic Handle Size: 15-20cm	5	Nos.
9	Soldering iron (10w/25w)	Temperature Range: 150-450 Degrees C Frequency: 50HZ- 60HZ Automation Grade: Manual Power Source: Electric Handle Material: Bakelite Plastic Pin Head: Pointed Cord Length: Minimum 1.5 Meters Wattage: 25W Voltage: 220V- 230V Tip Material: Heavy Metal Handle: Heat resistant	3	Nos.
10	Adjustable wrench	Material: Cast Iron	3	Nos.

		Dimension: 10" to 12" Adjustable Wrench Size: 10"/250mm to 12"/300mm Jaw Capacity: 1-1/4" to 1-1/2" With Solid Metal Handle		
11	Ball pein hammer	Alloy Steel Seasoned wooden handle Hardened and Tempered Item Dimensions LxWxH25 x 6 x 3 Centimeters weight: 500- 700gms	3	Nos.
12	Line tester	Made from high grade chrome vanadium steel Material: Steel Power Source: Corded Electric Item Weight: 35 Grams Item Dimensions LxWxH: 10 x 175 x 175 Centimeters Volt: 0-500 V Measurement Type: Voltage Tester Product Dimensions: Approx. 10 x 175 x 175 cm; 35 Grams	5	Nos.
13	Double Ended / Open spanner set	Type: Open-ended on both sides. Finish: Nickel-chrome plated for durability and anti-rust protection. Design: Slim, ergonomically designed Weight: Approx. 1-1.5 kg for the complete set. BIS: 2028-2004 Size: 6 x 7 mm: 1 Piece 8 x 9 mm: 1 Piece 10 x 11 mm: 1 Piece 12 x 13 mm: 1 Piece 14 x 15 mm: 1 Piece 16 x 17 mm: 1 Piece 18 x 19 mm: 1 Piece 20 x 22 mm: 1 Piece	1	1 Set
14	Instrument Files Set	1. Flat Bastard Machinist Steel File, File Cut: Bastard Cut, File Shape: Flat, File Type: Machinist, Length: 150 mm, Material: Super Hard Carbon Steel with Wooden Handle 2. Bastard Trainable file, File Cut: Bastard Cut, File Shape: Triangular, Length: 150 mm, Material: Super Hard Carbon Steel with Wooden Handle	2	2 Set

		3. Bastard Half Round File, File Cut: Bastard Cut, File Shape: Half Round, Length: 150 mm, Material: Super Hard Carbon Steel with Wooden Handle		
15	Cold Chisels Flat	Cold Chisel Flat2 Material: High Grade Forged steel Dimensions LxWxH: 20x10x10 CM Weight: Approx. 265 Grams	2	Nos.
16	Hand Vice	Hand Vice Material: High Grade Forged steel Rotating Angle: 360 Tilt Angle: 90 Ideal Surface Size: Hand Dimensions: Length 15 cm Weight: Approx. 0.53 kg	1	Nos.
17	Bench Vice	MATERIAL: SG Iron Casting and Unbreakable. JAW WIDTH: 125 MM, JAW OPENING: 50 MM, DISTANCE BETWEEN CLAMPING SLOTS: 50 MM, SLOT LENGTH: 74 MM, Length: 30 cm Weight: Approx. 3.5 kg	1	Nos.
18	TwEEZER	Material: Low Carbon Austenitic Steel Overall Length: 100 mm Point Type: Very Sharp Anti-Magnetic: Yes	10	Nos.
19	PCB DRILL	Specifications: Motor: Maximum voltage 12V DC, 14,000 RPM, 5.5mm connector with power cable already soldered to motor. Adapter: Power on the LED indicator, AC 220V-to-DC 12V/1Amp, 50/60Hz, 5.5mm output connector, 2-pin AC plug with 1.5mm to 3mm Cable length 1.5 Mtr Item Dimensions LxWxH: Approx. 15 x 10 x 5 Centimeters	2	Nos.
20	Ampere Meter	30A Ampere Meter Range: 0 - 30 A Wattage: 10 Watts Material: Plastic Size: 72 mm Item Weight: Approx. 460 g	1	Nos.
21	Watt Meter	Class: 1.0/ Class 0.5(Optional) Single Phase two wire	1	Nos.

		Supply: 170V – 260Vac, 50Hz Display: One Line Seven Segment display, Size 0.56" Display Parameters: Wattage CT Selection: Programmable through Keypad Dimension: Approx. 95mm(H) x 95mm(W) x 84mm(D)		
22	Volt Meter	Voltage: 0-300 V Accuracy: +/- 2 F.S. D Display Type: Analog Dimension: Approx. 120mm x 80mm x 80mm	1	Nos.
23	Pincer	Drop Forged High Carbon Alloy Steel Induction Hardened Cutting Edges Polished Heads Cushion Grip Handle Length: 250 mm Weight: 500-600 Grams	2	Nos.
24	Magnifying Glass	Material: Brass & Wood Size/Diameter: 5 Inches Lens Diameter: 5 Inches Total Size: 7 Inches Magnification Power: 20 X	2	Nos.
25	Claw Hammer with Handle	Wood Handle with toughening Grip - Comfortable & suitable for long working hours. Material: Forged Fine Grain Carbon Steel Head Hardened. Fully Ground Face & Cheeks. Total Weight with Handle: Approx 715grams, Dimensions: Length: 33cm, Width: 13cm and Diameter: 3cm	2	Nos.
26	De-soldering pump	Operating voltage: 220V/36W Power Source: Corded Electric Wattage: 40 Watts Item Weight: Approx. 149 g Item Dimensions LxWxH: Approx. 28 x 3 x 3 Centimeters	3	Nos.
27	Multi Meter	AC Current Accuracy: ±(2.0%+2) AC Current Range: 0 to 400mA AC Voltage Accuracy: ±(2%+3) AC Voltage Range: 0-1000 V Altitude: Operating 2000 M DC Current Accuracy: ±(1.0%+2) DC Current Range: 0 to 400mA	3	Nos.

		DC Voltage Accuracy: $\pm(0.2\%+2)$ DC Voltage Range: 0-1000 V Dimensions: 203x100x50 mm Approx. Operating Temperature: -20°C+ 55°C Relative Humidity: 0-95% Resistance Accuracy: $\pm(1.2\%+2)$ Resistance Range ohm: 0-50 M Ω Storage Temperature: -40°C to + 60°C Type: Digital Weight: 624 grams Approx. LCD display 3.5 inch		
28	Mixer, Juicer & grinder	Material ABS Plastic Capacity: 1.5 liters, 0.3 liters Functions: Wet Grinding, Dry Grinding, Chutney Grinding, Mincing, Grating, Juicing Number of Jars: 4 Material of Jars: Steel / Plastic Power Consumption (Watts) 750 - 1000 Watts, Voltage (Volts): 230V AC, 50HZ Weight: Approx 4 to 6 Kg.	1	Nos.
29	Radiation leakage tester	Microwave Leakage Detector High Precision Radiation Meter Specifications: Calibration: 2450MHz Measurement Range: 0-9.99mW/cm ² Warning: 5mW/cm ² Accuracy: (+/-)1db Power Supply: 1 * 9V Battery (NOT Included) Item Size: 12 x 10 x 3.6 cm Weight: 150 Grams Approx.	1	Nos.
30	LCD TDS meter	Pocket Size LCD TDS Meter Specifications: Range: 0 - 9990 ppm (mg/L) Resolution: 1 ppm Accuracy: +/- 2% ATC: Built-in sensor for Automatic Temperature Compensation of 1 to 50 degrees Celsius (33 to 122 degrees Fahrenheit) Power source: 2 x 1.5V button cell batteries (included) Battery life: 500-1000 hours of usage Dimensions: 25 x 32 x 155 Millimeters Weight: 50-gm Approx.	2	Nos.
31	Microwave Oven	Capacity: 21 liters	1	Nos.

		Oven Cooking Mode: Grill, Microwave, Convection Burner Type: Ceramic Voltage: 230 Volts Wattage: 800 Watts Fuel Type: Electric Door Orientation: Left Material Cavity: Ceramic Enamel Cavity, Door: Glass, Body: Stainless Steel Item Weight: Approx. 15 kg Item Dimensions LxWxH: Approx 44.4 x 48.9 x 28.2 Centimeters		
32	Water Purifier	Purification capacity: 5-10* Liters per hour * Max Duty Cycle: 80-120 Liters per Day Storage Tank Capacity: 8-10L Membrane: 80 GPD Motor Pump: 100 GPD Minimum Inlet Water Pressure: 0.3 kg/sq. cm Maximum Inlet Water Pressure: 2 kg/sq. cm (if input water pressure is more than 2kg/sq. cm, install PRV before the Unit) Input Voltage : 160-300V AC (50Hz) Operating Voltage: 24V DC Dimensions : Approx. 17 x 38 x 47 Centimeters Mount: Wall Mount Installation Manual/ Automatic: Fully	1	Nos.
33	SAFETY HELMET	Material: High-Density Polyethylene (HDPE) or ABS Plastic Colour: any Features: Impact-resistant Adjustable chin strap Ventilation holes for breathability Adjustable headband Item Weight: Approx. 300 grams Item Dimensions (L x W x H): 28.2 x 22 x 17 cm BIS: 2925-1984	4	Nos.
34	SAFETY SHOES	Sole: PU Style: Low Ankle Toe Cap: Steel Toe Protection: Chemical Resistant, Oil Resistant, 200J Impact Resistant Upper: Barton Grain Leather	4	Pairs

		Weight (Kg):400-600 Grams Per Pair Material: Leather/PU Features: Single density, Dual density, Electrical, Plain leather Colour: Black Collar: Polyurethane (PU) coated (Padded) Tongue: Polyurethane (PU) coated (Padded) Outer Sole: Injected single-density PU Closure: Lace-Ups Suitable For: Electrician Eyelet: Metal Eyelets Anti-Skid: Yes		
35	Fan	Power Source: Corded Electric Product Dimensions: Approx. 18.6D x 13.7W x 69.6H Centimeters Wattage: 52 Watts Number of Blades: 3 Speed: 390 RPM Switch Type: Push Button Item Weight: Approx 3 Kg	1	Nos.
36	Ribbon Cable	Material: PVC Length: 50 Meter Roll Conductor: Copper Temperature: -10 to +50 C Type: Flat	2	Box
37	UPT cat.5 Cables	Ethernet cable category: Cat 5 Connector Gender: Male-to-Male Data Transfer Rate: Approx. 1000 Megabytes Per Second Shape: Round Net Quantity: 50.00 Meters Item Weight: Approx. 1499 Grams Connectivity Technology: RJ45 Gauge: 24.0 Specification Met: UL Outer Material: Polyvinyl Chloride (PVC) Item Height: Approx. 10 Centimeters Item Width: Approx. 12 Centimeters Product Dimensions: 20 x 12 x 10 cm; 1.5 kg Item Weight: 1 kg 500 g	1	Box
38	UPT cat. 3 Cables	Connector Type: RJ45 Cable Type: Ethernet Compatible Devices: Laptop, Personal Computer, Modem, Printer	1	Box

		Compatible Phone Models: Router Connector Gender: Male-to-Male Data Transfer Rate: 1 Gigabits Per Second Shape: Round Item Weight: Approx. 999 Grams Gauge: 24.0 Specification Met: cca Wattage: 60 Watts		
39	Connecting Lead	Connecting lead with 2mm insulated banana plug at both ends. Dimensions: Approx. 43 x 1 x 1 cm Pack of 6	1	Nos.
40	Drill bits	Material: High Speed Steel Finish Type: Black Oxide Shank Type: Straight Cutting Angle String: 135 Degrees Item dimensions L x W x H: 18.6 x 58.2 x 21.5 Centimeters Tool Flute Type: Spiral Surface Recommendation: Metal Number of Pieces in a pack: 10 Dimensions: 18.6 x 58.2 x 21.5 cm; Weight: 160 g	2	Set
41	Soldering Iron Bit	Dimensions: 5.8 x 4.4 x 0.9 cm; (15-25 Watt) Weight: 20 g	2	Nos.
42	Silicon Paste	Material: Metal, Plastic, Rubber Liquid Volume: 0.12 liters Net Quantity: 200 Grams Recommended Uses For Product: Water Pack Weight: 200 Gm	2	Nos.
43	Machine Oil	Automation Grade: Semi-Automatic Grade: LUB 40 Usage/Application: Machine tools Form: Liquid Flash Point: 190 DC Appearance: Transparent Rust Damage Control: Yes Eliminates Friction: Yes Purity: 99.99% Quantity: 1 Liter	2	Nos.
44	Brushes	Material: Plastic wood tin Size: Approx. 1inch(25mm) 2inch(50mm) and 3inch(75mm) Handle Type: Round handle Bristle Type: Nylon	5	1 Set

		Item Weight: Approx. 300 Grams Set of 3 brushes		
45	Wire Brushes	Metal Brush with wooden Handle Bristle Size: Approx. 75 x 20 x 14mm / 3' x 0.8" x 0.55" Total Size: Approx. 200 x 26 x 26mm / 8' x 1" x 1" Net Weight: Approx. 24g	3	Nos.
46	Insulating / Electric Tape	Carrier: PVC film Adhesive: Rubber based Adhesive Adhesive side: Single Side Temperature Range: -40 to 125 degree C Colour: Black, Red, Yellow IS 7809: PART 3: SEC 1	10	Nos.
47	RJ 45	Connector Type: RJ45 Cable Type: Ethernet Compatible Devices: Personal Computer, LAN Switch, Router, smart TVs and All Devices having RJ45 Ethernet Port Colour: Transparent Packet: 2, Pack of 10	2	Nos.
48	Steel Ruler 12 Inch	Stainless Steel & Round Safety Edge - Made of High-quality stainless steel for long time use, the Round Edge design is not sharp Dimensions: Approx. Length 318 mm, Width- 25 mm, Thickness- 1 mm, weight: Approx. 50 grams	2	Nos.
49	Wooden Ruler 12 Inch	Material: Wood Colour: Yellow, Brown Style: Compact Graduation Range: 0-30 Centimeters Item Dimensions LxWxH: Approx. 31 x 3.5 x 0.1 Centimeters Weight: 30 Gm	3	Nos.
50	Safety Googles	Colour: Clear Material: Polycarbonate Frame Type: Full Rim Frame Material: Polycarbonate (PC) Item Dimensions LxWxH: Approx. 45 x 145 x 40 Millimeters Weight: Approx. 20 Gm	4	Nos.
51	Anti-Static Wrist	Dimensions: 2.03 x 8.5 x 13.5 cm Weight: Approx. 50 g	5	Nos.
52	Crimping tools	Handle Material: Polyvinyl Chloride (PVC) Grip Type: Ergonomic Crimping range: 0.25-10mm ² Length: 6 Inch"	2	Nos.

		Product Dimensions: Approx. 22.7 x 9.7 x 7.9 cm Item Weight: Approx. 661.6 Grams		
53	T Square 32 Inch	Material: Steel Item Dimensions LxWxH: Approx. 70 x 6 x 2 Centimeters	2	Nos.
54	Rubber Gloves	Seamless Type: Electrical Rubber Hand Gloves, Soft & Flexible. Validity: 2 Years. Capacity: 33 KV Length: 380 mm IS 13774:2021	4	Pairs
55	Rubber matt	Type of Product: Electrical Insulation Rubber Sheet Features: Shock Resistant, Fire Retardant, Anti-slip etc. Size: 1 x 2 Mtr Colour: Black Material: Synthetic Polymer Thickness: 2.5 mm Insulating Range: 11 kV Application Area: Electrical Substations, Electricity generation plants, Near Control Panels, High Voltage Panels, Power Transformer Rooms, LT & HT Labs etc.	10	Nos.
56	First Aid Kit	Transparent Plastic Kit box with First Aid Logo Capacity: 3 liters Size LWH: Approx: 23x14x14 Opening: Lid Type Material: Plastic	1 pc	Set
		Plaster 19 X 72 Mm	5 pc	
		Plaster 25 X 72 Mm	3 pc	
		Antiseptic Wipes	2 pc	
		Sterile Gauze Swab 10 Cm	1 pc	
		Sterile Gauze Swab 7.5cm	1 pc	
		Sterile Adhesive Plaster 6x10cm	1 pc	
		Elastic Gauze Bandage 6x1m	1 pc	
		Sterile Wound Dressing No 1	1 pc	
		Clinical Thermometer (IS3055 Part1/Part2:2004)	1 pc	
		Antiseptic Cream 10g	1 pc	
		Tincture Iodine 20ml	1 pc	
		Microporous Tape 1.25x5mt	1 pc	
		Gauze Bandage 7.5x3mt	1 pc	
		Face Mask with Ear Loop	1 pc	

	IS: 16289:2014		
	Gloves	2 pc	
	Scissor	1 pc	
	Absorbent Cotton 15gms	1 pc	
	Burn Cream	1 pc	
	Antiseptic Liquid 50 MI	1 pc	
	Drug License	Yes	

SECTOR 6- FOOD PROCESSING TOOLS & EQUIPMENT LIST

Sr No.	Name of the Equipment	Specification of Equipment	Quantity	Unit Type
1	Baking oven Deck Oven (double deck manual)	Type: Automatic Oven Type: Bakery Oven Voltage: 220 V Power Consumption: 2.4 kW/hr Power Source: Electric with Thermostat control	1	Nos.
2	Hand blender cum mixer	With plastic body & stainless-steel blades, 800-watt hand blender with mixer and whisker, interlock, frequency 50-60 Hz, 300 watts	1	Nos.
3	Mixer and grinder 5 liter	With dry and wet grinding jar, should also have kneading and chopping features along with jars, min. 2000 rpm	1	Nos.
4	Baking Pan	Loaf pan/ Pie pan/ cake Pan (electrical 300w each)	2 pieces each	Nos.
5	Planetary mixer 5 liter	Electrical with 20-liter capacity bowl, automatic, power 1 + kilowatt, 50- Hz, 220v	1	Nos.
6	Refrigerator two door: 1 no (240 lt.)	Convertible freezer Upto -32 Degree centigrade temperature and with digital display	1	Nos.
7	LPG Gas Burner	With 3 brass burners, two medium and 1 small, manual ignition and stainless-steel tray, width 70 cm, size 690x360x55 mm	1	Nos.

8	Work Table	Dimensions: 4x10x2.5 Ft. W x L x H Heavy-duty work table for students made of stainless steel	2	Nos.
9	High speed exhausts	High Suction at low noise with aerodynamically designed blades Ideal for duct size of 9.5X 9.5 Inches, 2000 R.P.M. Air Delivery (CMM): 470, 60 Watt	1	Nos.
10	Serrated Bread Knife	Serrated edge Bread Slicer Knife -14 inches Stainless Steel with wooden handle	4	Nos.
11	Knives	Stainless steel blade knives of all sizes with non-slip handle 9 Piece Set	2	1 Set
12	Thermometer	Digital LCD Waterproof Thermometer 2 of them should measure	2	Nos.
13	Timer	Digital Kitchen Magnetic Countdown Stopwatch Timer with Loud Alarm (up to 96 dB) with Back Stand	2	Nos.
14	Bread tin/ mold	Aluminium bread tin with cover, Nonstick carbon base, volume 1000 ml.	3	Nos.
15	Aluminium Cake pan	Aluminium Cake Pan/Mold, Round Shape (12-inch diameter x 3-inch height), FD 3020	4	Nos.
16	Cooling racks	Stainless steel 4 shelves cooling rack for bakery products. Size: 4 shelves, size: 1500 x 550 x 1800 H [mm]	1	Nos.
17	Dough scrapers	Steel dough scrapper Dimensions: 12.5 X 15cm (6 inches) along with plastic dough scrapper also can be used as cake polisher and cutter and smoother	4	Nos.
18	Flour sifter/ sieves	12-inch Brass / stainless steel Frame- Sieve	4	Nos.
19	Apron & head gear	Chef Hat and Kitchen Apron Adult Adjustable White Apron with Hat & Kitchen Pocket, adjustable for Men and Women, (33" L x 26" W), Reusable	5	Nos.
20	Gloves	Unisex quilted heat-resistant baking gloves with filling, protection up to 450° F	5	Pairs
21	Hand towels	Cotton hand towels 60 x 40 cm Pack of 6	2	Set
22	Icing comb	Icing comb with different patterns, Steel / plastic	5	Nos.
23	Measuring cup	Different sizes and measurements as per need	2	Set
24	Measuring jug	Material: made of food grade plastic Capacity: 50 ML, 100 ML, 250 ML, 500 ML and 1 Liter	2	Set

25	Measuring spoon	Measuring Spoons: U-Taste 18/8 Stainless Steel Measuring Spoons Set of 9 Piece: 1/16 tsp, 1/8 tsp, 1/4 tsp, 1/3 tsp, 1/2 tsp, 3/4 tsp, 1 tsp, 1/2 tbsp. & 1 tbsp. Dry and Liquid Ingredients	2	Set
26	Mixing bowl/vessels	Stainless steel mixing bowls sets with lid from small to large size (1Kg to 5 Kg)	1	Set
27	Molds/cutter	Stainless Steel cookie cutter of different shapes (Set of 6)	1	Set
28	Muffin tray	Stainless Steel Non-Stick Cupcake Baking Slot Tray for 12 Muffin Cup	3	Nos.
29	Parchment paper	Parchment Paper 40 Gsm, Dimensions: Length - 28cm, Width - 25cm, Colour - White, Material - Paper Set of 100	2	Box
30	Pallet knife straight and bent	Size - 10 Inch, Straight & Bend pallet knives of Stainless Steel	2	Nos.
31	Piping bag	Disposable Icing Bags Made of a clear poly material, stretch resistant - Dimension: 12 inches long and 8.5 inches wide at the top. Pack of 100	1	Set
32	Plates	Full, half and quarter plate sets made of porcelain / virgin plastic, microwave safe, Break and Chip Resistant Set of 6	1	1 Set
33	Rolling pin	STANDARD SIZE FOR MOST NEEDS: Rolling pin for baking 16 inches	2	Nos.
34	Cake rings	3 pcs of round Cake Rings, Small Cake Ring: Diameter = 10 cm (4 inch), Height = 4.5 cm, Medium Cake Ring: Diameter = 15 cm (6 inch), Height = 4.5 cm, Big Cake Ring: Diameter = 20 cm (8 inch), Height = 4.5 cm, Steel	2	Set
35	Spatula and pastry brush	Silicone Spatula and Pastry Brush Set (medium & Large size) Set of 2	2	Set
36	Spoon (big and small)	Different sizes of spoon (tea spoon, sugar spoon, serving spoon etc.) set of 12	2	Set
37	Storage containers	Different sizes of storage containers made of plastic, large, medium and small Made of food grade plastic	2	Nos.
38	Strainer	Stainless Steel Soup & Juice Strainer & Liquid Filter (large-free size)	2	Nos.
39	Turn table	Cake Turn table -12 inch or 30 cm dais - Steel	1	Nos.
40	Wire whiskers	Stainless steel wire whiskers with wooden handle medium and large	4	Nos.

41	Water storage can	Transparent Plastic Water Dispenser Bottle 20L	1	Nos.
42	Pizza cutter	Stainless Steel Pizza cutter free size	2	Nos.
43	First Aid Kit	Transparent Plastic Kit box with First Aid Logo Capacity: 3 liters Size LWH: Approx: 23x14x14 Opening: Lid Type Material: Plastic	1 pc	Set
		Plaster 19 X 72 Mm	5 pc	
		Plaster 25 X 72 Mm	3 pc	
		Antiseptic Wipes	2 pc	
		Sterile Gauze Swab 10 Cm	1 pc	
		Sterile Gauze Swab 7.5cm	1 pc	
		Sterile Adhesive Plaster 6x10cm	1 pc	
		Elastic Gauze Bandage 6x1m	1 pc	
		Sterile Wound Dressing No 1	1 pc	
		Clinical Thermometer (IS3055 Part1/Part2:2004)	1 pc	
		Antiseptic Cream 10g	1 pc	
		Tincture Iodine 20ml	1 pc	
		Microporous Tape 1.25x5mt	1 pc	
		Gauze Bandage 7.5x3mt	1 pc	
		Face Mask with Ear Loop IS: 16289:2014	1 pc	
		Gloves	2 pc	
		Scissor	1 pc	
		Absorbent Cotton 15gms	1 pc	
		Burn Cream	1 pc	
		Antiseptic Liquid 50 MI	1 pc	
		Drug License	Yes	

SECTOR-7 PLUMBING TOOLS & EQUIPMENT LIST

Sr No.	Name of the Equipment	Specification of Equipment	Quantity	Unit Type
1	Pipe Die 1/2, 3/4, 1 inch	Weight: Approx. 3.44 kg Size: 1 Inch Dimension: 33.5 x 15.8 x 7.8 cm Material: Alloy Steel Package Contains: 1/2, 3/4, 1 inch	1	Set
2	Pipe Wrench 12 Inch	Material: Steel Size (mm): 300 Color: Red; Black etc. IS 4003 Part1	2	Set
3	Pipe Vice 3 inch	Weight: Approx. 7.8 Kg Material: Cast Iron Style: Pipe Type Jaw Material: Drop Forged Pipe Diameter Capacity: 15-115 mm	1	Nos.
4	Hammer Sledge 0.5 Kg	Material: Drop-forged carbon steel head with a wooden or fiber handle for durability and shock absorption. Weight: Approx. 0.5 Kg. Dimensions (LxWxH): Approx. 30 cm x 10 cm x 3 cm. Handle Length: 25 cm. Surface Finish: Polished head with anti-rust coating. Grip: Non-slip ergonomic grip for comfort.	2	Set
5	Hammer Sledge 1 Kg	Material: Drop-forged carbon steel head with a wooden or fiber handle for strength and durability. Weight: Approx. 1 Kg. Dimensions (LxWxH): Approx. 35 cm x 12 cm x 4 cm. Handle Length: 30 cm. Surface Finish: Polished head with rust-resistant coating. Grip: Non-slip ergonomic handle for better control.	2	Nos.
6	Flat Chisel	Material: Forged high-carbon steel, heat-treated for strength and durability. Chisel Type: Flat Chisel. Blade Width (Cutting Edge): 25 mm. Overall Length: 235 mm.	2	Nos.

		Handle: Ergonomically designed, anti-slip grip, made of plastic or rubber. Surface Finish: Rust-resistant polished finish. Weight: 268 g.		
7	Flat Punch	Material: High-quality carbon steel, hardened and tempered for durability. Length: Approx. 120 mm - 150 mm. Tip Width: 6 mm flat head. Weight: Approx. 120 g - 150 g. Surface Finish: Corrosion-resistant finish. Handle: Knurled or grooved for better grip during plumbing tasks.	2	Nos.
8	Pipe Wheel Cutter Upto 2 Inches	Material: Alloy steel body with hardened steel cutting wheels. Cutting Capacity: 1/2 inch to 2 inches (12.7 mm to 50 mm) pipe diameter. Adjustment Mechanism: Quick adjustment knob for precise cutting. Handle: Ergonomic rubber or plastic grip for comfortable use. Weight: 2.2 kg. Dimensions: Suitable for pipes within the size range of 1/2 to 2 inches. Cutting Wheels: Replaceable, high-strength steel wheels for smooth, burr-free cuts. Usage: Ideal for cutting copper, brass, aluminum, and plastic pipes.	1	Nos.
9	Double Ended / Open Spanner Set	Type: Open-ended on both sides. Finish: Nickel-chrome plated for durability and anti-rust protection. Design: Slim, ergonomically designed Weight: Approx. 1-1.5 kg for the complete set. BIS: 2028-2004 Size: 6 x 7 mm: 1 Piece 8 x 9 mm: 1 Piece 10 x 11 mm: 1 Piece 12 x 13 mm: 1 Piece 14 x 15 mm: 1 Piece 16 x 17 mm: 1 Piece 18 x 19 mm: 1 Piece 20 x 22 mm: 1 Piece	1	Set
10	Spirit Level (2 Feet)	Length: 600 mm (24 inches) Width: 57 mm Height: 22 mm	2	Nos.

		Weight: 0.24 kg Material: Aluminum frame with rubber molding Magnetic: Yes Vial Accuracy: 0.5 mm/m Type: Spirit Level with Magnet		
11	Screw Spanner (12 Inch)	Type of Product: Adjustable Wrench Size: 12 Inch Material: Chrome Vanadium Steel Weight: Approx. 125 g	2	Nos.
12	Screw Driver Set	Material: High-grade alloy steel blades with transparent green cellulose acetate handle Head Style: Phillips Handle Design: Neon bulb indicator, non-slip grip Set Includes: 6.0 x 8 mm blade 3.5 x 0.5 mm blade Phillips 0 Phillips 1 Square Poker 1 Extension Rod with handle and Neon Bulb	1	1 Set
13	Grip Plier	Material: Alloy Steel Product Dimensions: 8.5 cm (L) x 5 cm (W) Colour: Silver Handle Material: Alloy Steel Item Weight: Approx. 520 grams	2	Nos.
14	Poker	With wooden handle Size: Approx. 155 mm Dimensions LxWxH: Approx. 10x5x10 cm Weight: Approx. 55 gm	3	Nos.
15	Cutting Plier	Material: Alloy Steel Handle Material: Alloy Steel Color: Green and Silver Product Dimensions: 165 mm (L) x 50 mm (W) Item Weight: Approx. 165 grams	3	Nos.
16	Hacksaw Frame with Blade	Color: Black, Red / Any Colour Blade Material: Alloy Steel Surface Material: Aluminum Power Source: Hand-powered Special Feature: Keyed Blade Change Included Components: Case Item Weight: Approx. 450 grams	2	Nos.

		Blade Length: 12 inches		
17	Plumb Bob	Material: Brass Weight: Approx. 350 grams Cord Length: 2 to 3 meters Cord Material: Nylon Finish: Polished or Coated	1	Nos.
18	Caulking / Calking Chisel	Material: Alloy Steel Weight: Approx. 1kg Length: Approx. 25mm Hardness: 60 HRC	2	Nos.
19	Blow Lamp	Material: Metal body with heat-resistant coating Fuel Type: Liquid fuel (e.g., kerosene or diesel) Capacity: 0.5 liter Flame Control: Adjustable flame intensity Ignition: Manual or automatic igniter Dimensions: Approx. 25 cm x 15 cm x 15 cm (L x W x H) Weight: Approx. 500 grams	1	Nos.
20	Trowel Mason	Material: Metal Handle Material: Wood Type: Set of 3 Trowels: Small. Medium and Big	2	Set
21	Spade with Wooden Handle	Material: Metal Handle Material: Wood Type: Set of 3 Trowels: Small. Medium and Large	2	Nos.
22	Shovel with Wooden Handle	Material: Alloy Steel Handle: Wooden Item dimensions L x W x H: 140 x 21.1 x 4.5 Centimeters Item Weight: Approx. 1453 Grams Style: Classic Grip Type: Ergonomic	2	Nos.
23	Pick Axe	Handle Material: Wooden Hoe Material: Iron Dimensions: 12 x 12 x 12 cm Weight: 1.9 kg (Approx.) Finish: Rust Preventive Coating	2	Nos.
24	Mortar Pan (Tasla)	Type: Tub Material: Mild Steel Wall Thickness: 18 Gauge Overall Dimensions: 18 inches (L) x 18 inches (B) x 6 inches (H) Weight: 1.30 kg Capacity: 12 liters	3	Nos.

25	Hand Drilling Machine	<p>Power Source: Corded Electric Maximum Rotational Speed: 3000 RPM Voltage: 240 Volts (AC) Amperage: 14 Amps Maximum Chuck Size: 13 mm Included Components: Drill Attachment Special Feature: Variable Speed Product Dimensions: 28 cm (L) x 7.2 cm (W) x 27.5 cm (H) Material: High-Quality Metal (for drill body) Body Material: Durable Plastic and Metal</p>	2	Nos.
26	Cleaning Brush	<p>Material: Metal, Steel Bristle Type: Straight Wire Product Dimensions: 25 cm (L) x 2.5 cm (W) Weight: Approx. 225 grams Handle Material: Wood</p>	2	Nos.
27	Painting Brush	<p>Material: Synthetic or natural bristles Handle Material: Wood Size: 50 mm width Type: Flat or angled Set of 3 brush</p>	2	Nos.
28	Oil Can	<p>Material: Metal Finish Type: Powder Coated Capacity: 1/2 Ltr Handle: Metal Press Handle Construction: Full Metal Casting Spout: Fixed Spout, Length: Approx 10 cm Approx. Weight: 250 grams</p>	2	Nos.
29	Chain Wrench (12 Inch)	<p>Grip Range: 115 mm Pipe Diameter: 4 inches Length: 340 mm Handle Width: 19 mm Chain Width: 8 mm Handle Material: Chrome Vanadium Steel Handle Surface: Chrome Plated Chain Surface: Burnished</p>	2	Nos.
30	Telescopic Ladder	<p>Telescopic Ladder Thickness: 1.3-1.5 mm Open Height: 4.1 m Ladder Width: 48 cm No. of Steps: 14 Material: Aluminium Net Weight: Approx. 11 Kg Folded Height: 90 cm Step Distance: 30 cm</p>	1	Nos.

		Color: Black and Silver Size: 14 step x 13.5 Feet Maximum Load Capacity: 150 Kg Max Extended Height (ft): 13.5 Warranty Duration: 6 Month		
31	Hydraulic Pressure Test Pump	Max. Pressure: 1000 Psi Hose: R2 1/2 Inch (1.27 cm) Pump Material: Solid Steel Lever Length: 1.5 Feet (45.72 cm) Weight: 11.88 kg (Approx.)	1	Nos.
32	Mason Square	Size: 24 x 12 inches Material: Mild Steel Thickness: 6 mm Shape: L-Shape Feature: Corrosion Resistant	2	Nos.
33	Steel Scale	Stainless Steel & Round Safety Edge - Made of High-quality stainless steel for long time use, the Round Edge design is not sharp Dimensions: Approx. Length 318 mm, Width- 25 mm, Thickness- 1 mm, weight: Approx. 50 gram	3	Nos.
34	Dial Gauge	Measuring Range: 0 - 10 mm Throat Depth: 30 mm Accuracy: 0.1 mm Resolution: 0.001 mm Material: Mild Steel Display: Analog Dial Shape: Round	2	Nos.
35	G.I. Pipes	Size: 1/2 Inch Thickness: 2.6 mm Length: 7.5 Ft Material: Galvanized Iron Ends: Threaded	2	8 Nos. (2 of each Size)
		Size: 3/4 Inch Thickness: 2.6 mm Length: 7.5 Ft Material: Galvanized Iron Ends: Threaded	2	
		Size: 1 Inch Thickness: 3.2 mm Length: 7.5 Ft Material: Galvanized Iron Ends: Threaded	2	
		Size: 2 Inch Thickness: 3.6 mm Length: 7.5 Ft	2	

		Material: Galvanized Iron Ends: Threaded		
36	PVC Pipes	Size: 1/2 Inch Thickness: 1.5 mm Length: 7.5 Ft Material: PVC Ends: Plain	2	8 Nos. (2 of each Size)
		Size: 3/4 Inch Thickness: 1.8 mm Length: 7.5 Ft Material: PVC Ends: Plain	2	
		Size: 1 Inch Thickness: 2.0 mm Length: 7.5 Ft Material: PVC Ends: Plain	2	
		Size: 2 Inch Thickness: 2.5 mm Length: 7.5 Ft Material: PVC Ends: Plain	2	
37	White Wash Basin	Material: Ceramic Color: White Size: 18 x 12 x 6 inches (Approx. 32.5D x 46W x 18H cm) Shape: Oblong Style: Wall Hung Wash Basin Installation Type: Wall Mount Finish Type: Glossy Drain Type: Grid Item Weight: 8.5 kg	1	Nos.
38	White I.W.C & Cistern	Material: Ceramic Color: Ultra White Size: 500 x 405 x 255 mm (Length x Width x Height) Finish: Glossy Weight: Approx. 5 kg	1	Nos.
39	White E.W.C	Color: White Mount Type: Floor Mounted Size/Dimension: 680 x 370 x 720 mm (Length x Width x Height) Toilet Seat Type: Closed Front Material: Ceramic Shape: Round, Oval Trap Type: S Trap Finish: Glossy	1	Nos.

40	White 'P' TRAP	Thread Size: 32 mm (1-1/4") Type: Inner Length: Inner Material: ABS Color: White Finish: Glossy	1	Nos.
41	White 'S' TRAP	Thread Size: 32 mm (1-1/4") Type: Outer Material: ABS Color: White Finish: Glossy Mount Type: Floor Mounted	1	Nos.
42	White Kitchen Sink	Colour: White Material: Quartz Size: Approx. 24 x 18 Single Bowl Product Dimensions: Approx. 61D x 46W x 20H Centimeters Weight: Approx. 10 Kg	1	Nos.
43	Bibcock Tap	Material: Brass or Stainless Steel Size: 15mm (1/2") Finish: Chrome-Plated or Nickel-Plated Handle Type: Lever or Cross Handle Installation Type: Wall Mounted Inlet Connection: Threaded (BSP) Flow Type: Single Direction Flow Color: Silver Weight: Approx. 250-300 grams	2	Nos.
44	S Tap (Swan Neck Tap)	Material: Stainless Steel or Brass Size: 15mm (1/2") Finish: Chrome-Plated Handle Type: Single Lever Installation Type: Deck Mounted Spout Length: Standard 10-12 inches Flow Type: Single Direction Flow Inlet Connection: Threaded (BSP) Color: Silver Weight: Approx. 400-500 grams	2	Nos.
45	PILLAR COCK	Material: Brass or Stainless Steel Size: 15mm (1/2") Finish: Chrome-Plated Handle Type: Single Lever or Cross Handle Installation Type: Deck Mounted Spout Type: Fixed or Swivel Inlet Connection: Threaded (BSP) Height: Standard 4-6 inches Color: Silver	2	Nos.

		Weight: Approx. 300-400 grams		
46	Angle Cock Tap	Material: Brass or Stainless Steel Size: 15mm (1/2") Finish: Chrome-Plated Handle Type: Single Lever or Cross Handle Installation Type: Wall Mounted Inlet Connection: Threaded (BSP) Flow Type: 90-degree angle flow Color: Silver Weight: Approx. 250-350 grams	2	Nos.
47	Gate Valve (25 mm/1 Inch)	Material: Brass Inlet Connection Size: 1 Inch Inlet Connection Type: Flange Outlet Connection Type: Flange Number of Ports: 1 Valve Type: Ball Valve	2	Nos.
48	Globe Valve (25mm/1 Inch)	Material: Cast Iron Description: Globe Valve (Screwed) Disc: Brass Disc Stem Type: Rising Stem Operator: Hand Wheel Operated Body (MOC) Bronze / Gun Metal Body End Connection: Screwed End Size: 25mm (1 inch)	2	Nos.
49	Check Valve (25mm/1 Inch)	Material: Cast Iron, Brass, Stainless Steel Type: Swing Type or Lift Type Item dimensions L x W x H: 7 x 4 x 7 Centimeters Exterior Finish: Brass Inlet Connection Size: 1 Inch Inlet Connection Type: Solder	2	Nos.
50	NRV Valve (25mm/1 Inch)	Material: Brass Item dimensions L x W x H: 10 x 10 x 10 Centimeters Weight: Approx 225 Grams Exterior Finish: Brass Inlet Connection Size: 1 Inch Outlet Connection Type: Flange	4	Nos.
51	Foot Valve (25mm/1 Inch)	Material: Brass Item dimensions L x W x H: 21.6 x 9.9 x 9.4 Centimeters Exterior Finish: Brass Inlet Connection Size: 1 Inch Weight: Approx 180 Grams Inlet Connection Type: Flange Outlet Connection Type: Flange	4	Nos.

52	G.I. Elbow	Material: Galvanized Iron (G.I.) Type: 90-degree Elbow Threaded Ends: Yes Finish: Galvanized (Corrosion-resistant) Size: Size: 1/2 Inch Thickness: 2.6 mm Length: 50 mm (approx.) Weight: Approx 0.2 Kg	4	4 Set
		Size: 3/4 Inch Thickness: 2.6 mm Length: 60 mm (approx.) Weight: Approx 0.3 Kg		
		Size: 1 Inch Thickness: 3.2 mm Length: 70 mm (approx.) Weight: Approx 0.5Kg		
		Size: 2 Inch Thickness: 3.6 mm Length: 90 mm (approx.) Weight: 1 Kg		
53	G.I. Tee	Material: Galvanized Iron (G.I.) Type: Tee (T-shaped) Threaded Ends: Yes Finish: Galvanized (Corrosion-resistant) Size: Size: 1/2 Inch Thickness: 2.6 mm Dimensions (L x W x H): 50 mm x 50 mm x 50 mm Weight: Approx 0.3 Kg	4	4 Set
		Size: 3/4 Inch Thickness: 2.6 mm Dimensions (L x W x H): 60 mm x 60 mm x 60 mm Weight: Approx 0.5 Kg		
		Size: 1 Inch Thickness: 3.2 mm Dimensions (L x W x H): 70 mm x 70 mm x 70 mm Weight: Approx 0.8 Kg		
		Size: 2 Inch Thickness: 3.6 mm Dimensions (L x W x H): 90 mm x 90 mm x 90 mm Weight: Approx 1.5 Kg		
54	G.I. Reducer Elbow	Material: Galvanized Iron (G.I.)		4 Set

		Type: Reducer Elbow (for changing pipe sizes and direction) Threaded Ends: Yes Finish: Galvanized (Corrosion-resistant) Size:	4
		Size: 1/2 Inch Thickness: 2.6 mm Dimensions (L x W x H): 50 mm x 50 mm x 50 mm	
		Weight: Approx. 0.4 kg	
		Size: 3/4 Inch Thickness: 2.6 mm Dimensions (L x W x H): 60 mm x 60 mm x 60 mm	
55	G.I. Coupling	Weight: Approx. 0.6 kg	4
		Size: 1 Inch Thickness: 3.2 mm Dimensions (L x W x H): 70 mm x 70 mm x 70 mm	4
		Weight: Approx. 0.9 kg	
		Material: Galvanized Iron (G.I.) Type: Coupling (used for connecting two pipes of the same diameter) Threaded Ends: Yes Finish: Galvanized (Corrosion-resistant) Sizes:	
56	G.I. Straight Reducer	Size: 1/2 Inch Thickness: 2.6 mm Dimensions (L x W x H): 40 mm x 40 mm x 40 mm	4
		Weight: Approx. 0.3 kg	4 Set
		Size: 3/4 Inch Thickness: 2.6 mm Dimensions (L x W x H): 50 mm x 50 mm x 50 mm	4
		Weight: Approx. 0.5 kg	
		Size: 1 Inch Thickness: 3.2 mm Dimensions (L x W x H): 60 mm x 60 mm x 60 mm	4
		Weight: Approx. 0.7 kg	
		Material: Galvanized Iron (G.I.) Type: Straight Reducer (used for connecting pipes of different diameters) Threaded Ends: Yes Finish: Galvanized (Corrosion-resistant) Sizes:	
		Size: 1/2 Inch	4

57	G.I. Bend	Thickness: 2.6 mm Dimensions (L x W x H): 45 mm x 45 mm x 45 mm Weight: Approx. 0.35 kg	4	4 Set
		Size: 3/4 Inch Thickness: 2.6 mm (for 3/4") and 3.2 mm (for 1") Dimensions (L x W x H): 55 mm x 55 mm x 55 mm Weight: Approx. 0.55 kg		
		Size: 1 Inch Thickness: 3.2 mm (for 1") and 3.6 mm (for 2") Dimensions (L x W x H): 70 mm x 70 mm x 70 mm Weight: Approx. 0.9 kg		
		Material: Galvanized Iron (G.I.) Type: 90-Degree Bend (for changing the direction of pipe runs) Threaded Ends: Yes (Both ends threaded) Finish: Galvanized (Corrosion-resistant) Sizes:		
58	G.I. Union	Size: 1/2 Inch Thickness: 2.6 mm Dimensions (L x W): 35 mm x 35 mm Weight: Approx. 0.25 kg	4	
		Size: 3/4 Inch Thickness: 2.6 mm Dimensions (L x W): 45 mm x 45 mm Weight: Approx. 0.35 kg	4	
		Size: 1 Inch Thickness: 3.2 mm Dimensions (L x W): 60 mm x 60 mm Weight: Approx. 0.55 kg	4	
		Material: Galvanized Iron (G.I.) Type: Threaded Union (used to connect two pipes for easy installation/removal) Threaded Ends: Yes (Both ends threaded) Finish: Galvanized (Corrosion-resistant) Sizes:		
59	G.I. Tee	Size: 1/2 Inch Thickness: 2.6 mm Dimensions (L x W): 45 mm x 40 mm Weight: Approx. 0.35 kg	4	4 Set
		Size: 3/4 Inch Thickness: 2.6 mm	4	

		Dimensions (L x W): 55 mm x 50 mm Weight: Approx. 0.45 kg	4	4
		Size: 1 Inch Thickness: 3.2 mm Dimensions (L x W): 70 mm x 65 mm Weight: Approx. 0.75 kg		
		Size: 2 Inch Thickness: 3.6 mm Dimensions (L x W): 110 mm x 100 mm Weight: Approx. 1.6 kg		
59	G.I. Nipple	Material: Galvanized Iron (G.I.) Type: Threaded Nipple (Both ends male-threaded for connecting pipes or fittings) Finish: Galvanized (Corrosion-resistant) Sizes:	4	4 Set
		Size: 1/2 Inch Length: 50 mm, 75 mm, 100 mm (varied lengths available) Thickness: 2.6 mm Weight (for 100 mm length): Approx. 0.15 kg		
		Size: 3/4 Inch Length: 50 mm, 75 mm, 100 mm (varied lengths available) Thickness: 2.6 mm Weight (for 100 mm length): Approx. 0.22 kg		
		Size: 1 Inch Length: 50 mm, 75 mm, 100 mm (varied lengths available) Thickness: 3.2 mm Weight (for 100 mm length): Approx. 0.35 kg		
60	P.V.C Elbow (45 Degree)	Material: Polyvinyl Chloride (PVC) Type: 45° Elbow Size: 1 inch (25 mm) Wall Thickness: 2.1 mm Weight: Approx. 50 grams Color: White/Gray Pressure Rating: PN 10	4	Nos.
61	Tube Level (1/4 Inch)	Material: Flexible PVC or Polyurethane Hose Diameter: 1/4 inch (6.35 mm) Color: White Length: 10 meters Transparency: Semi-transparent for visibility of liquid flow Temperature Range: -10°C to 60°C	15	Nos.

		Weight: Approx. 200-250 grams (depending on length)		
62	Measuring Tape	Measuring tape of 100 meter of industrial type, Body Material: made of ABS plastic, Thickness: 1 mm, length: 100 meters. (IS1269-1997 Part 1)	4	Nos.
63	Spun Yarn	Material: Spun Yarn Size: Approx. 14-20 MM Shape: Round No. Of Ply: MULTY PLY Usage/Application: CI PIPE SEALANT	4	Kg
64	Safety Helmet	Material: High-Density Polyethylene (HDPE) or ABS Plastic Colour: any Features: Impact-resistant Adjustable chin strap Ventilation holes for breathability Adjustable headband Item Weight: Approx. 300 grams Item Dimensions (L x W x H): 28.2 x 22 x 17 cm BIS: 2925-1984	4	Nos.
65	Safety Shoes	Material: Upper: Leather or synthetic leather Sole: Rubber, PU (Polyurethane), or PVC (Polyvinyl Chloride) Toe Protection: Steel or composite toe cap Sole Protection: Anti-puncture midsole Features: Slip-resistant Oil-resistant Shock-absorbent Breathable lining Waterproof or water-resistant Sizes: Available in standard sizes (usually from 6 to 12) Item Weight: approx. 800 grams to 1 kg per pair	4	Nos.
66	Cotton Hand Gloves	Material: 100% Cotton Type: Knit or woven Features: Good dexterity Light-duty protection Color: Typically, white or natural	4	Pairs

		Sizes: Available in standard sizes (e.g., Small, Medium, Large) Item Weight: Approximately 50 to 100 grams per pair		
67	File Drill Bit Set	Material: High Speed Steel Finish Type: Black Oxide Shank Type: Straight Cutting Angle String: 135 Degrees Item dimensions L x W x H: 18.6 x 58.2 x 21.5 Centimeters Tool Flute Type: Spiral Surface Recommendation: Metal Number of Pieces in a pack: 10 Dimensions: Approx. 18.6 x 58.2 x 21.5 cm; Weight: Approx. 160 g	2	Set
68	Lead Wool	Type: Lead Wool Material: Soft lead wire formed into a wool-like texture Thickness: 0.2 mm Purity: 99.97 % Color: Silver Application: Used to seal Around Connections and Pipes	2	Kg
69	Thread Sealant	Type: PTFE Thread Sealant Material: PTFE Color: White Application: Seals threaded connections Size: 12mm Tensile Strength: 50 Pounds Set of 5	2	Set
70	Solvent Cement	Type: PVC Solvent Cement Color: Clear Application: Bonding PVC pipes and fittings Capacity: 500 ml Drying Time: 15 minutes Curing Time: 24 hours	2	Nos.
71	Thread Ball	Material: Cotton Color: White Pattern: Plain Ply: 2 ply Pack Contain 10 balls in a set	5	Set
72	Gasket	Material: Rubber, Silicone, or Fiberglass Type: Flat, O-ring, or Custom-cut Size: Varies by application; standard sizes include 1/2", 3/4", 1", and 2" Thickness: Typically, 1 mm to 5 mm	5	Set

		Application: Sealing joints, flanges, and fittings		
73	SAFETY JACKET	Material: High-Visibility Polyester or Nylon Color: Neon Orange, Yellow, or Green Reflective Stripes: Yes, usually reflective tape or fabric Size: S, M, L, XL, XXL Features: Front zipper closure, adjustable straps, multiple pockets Weight: Approximately 300-500 grams	5	Nos.
74	First Aid Kit	Transparent Plastic Kit box with First Aid Logo Capacity: 3 liters Size LWH: Approx: 23x14x14 Opening: Lid Type Material: Plastic Plaster 19 X 72 Mm Plaster 25 X 72 Mm Antiseptic Wipes Sterile Gauze Swab 10 Cm Sterile Adhesive Plaster 6x10cm Elastic Gauze Bandage 6x1m Sterile Wound Dressing No 1 Clinical Thermometer (IS3055 Part 1/Part2:2004) Antiseptic Cream 10g Tincture Iodine 20ml Microporous Tape 1.25x5mt Sterile Gauze Swab 7.5cm Gauze Bandage 7.5x3mt Face Mask with Ear Loop 16289:2014 Gloves Scissor Absorbent Cotton 15gms Burn Cream Antiseptic Liquid 50 MI Drug License	1	Set
		SECTOR 8- RETAIL TOOLS & EQUIPMENT LIST		

Sr No.	Name of the Equipment	Specification of Equipment	Quantity	Unit Type
1	Display Racks- Different Types	5 Self slotted angle rack, Height 72-inch length 24 inch deep 12 inches, Nut bolt folding system, Heavy metal use	2	Nos.
2	Display/Boards/ Standees- Different Types	3' X 3' ; 2' X 6'	2	Nos.
3	Shopping Cart	Portable Aluminium folding grocery shopping basket trolley cart of approx. 93*42*42cm (unfolded) Material: Iron With 3"-inch wheels Capacity: 60 liters	2	Nos.
4	Tables	Metal Frame table with Wooden Top (Mica Fitted) 48x32x24 inches, wooden, dark brown color	1	Nos.
5	Stools	Wooden Stool (Mica Fitted) 1' X 1' X 1.5'	4	Nos.
6	Calculator	Calculator with 12-digit display & 150 Steps Check Item Weight: 100-200 grams Item Dimensions LxWxH: 14.5 x 10.3 x 3.2 Centimeters	1	Nos.
7	Gondolas (3 or 4 types)	Usage/Application: Supermarket Material: Mild Steel Rack Type: Free-Standing Unit Load Capacity per layer: 50-100 kg Weight Tolerance Capacity: 100 Kg Finishing Type: Paint Coated No. Of Shelves: 5 Shelves Height: 5- 6 Feet Dimensions: 3' X 1.5' X 5 Warranty: 4-5 Years	1	Nos.
8	CC TV Camera	Indoor CCTV Security Smart Camera, AI-Powered Motion Detection, IP66 All Weather, Night Vision,	1	Nos.

		2-Way Audio, With SD Storage		
9	Demo Counter	Counter Shape: Rectangular Usage/Application: Shops, supermarket store Material: Mild Steel / Wood Dimension: 3' X 2' X 3' Ft. Design Type: Standard	1	Nos.
10	Bar Code scanner	Laser Linear Barcode Scanner Wired Barcode Scanner: BIS Approved with stand Connector Type: USB Cable Maximum Storage Temperature: 60 Degrees Celsius Operating Voltage: 5 Volts (DC) Supported Barcode Type: 1D & 2D QR Code Device Supported: Computer Auto Sensing Scanning Support: With automatic scanning. Scanning Technology: CMOS 640 pixels(H)*480 pixels(v) Item Weight: 40-70 Grams	3	Nos.
11	Billing Dummy Software	Standard Dummy Software to practice	1	Nos.
12	Dummy Products with Barcode	Different types of printed bar code on different sheet of paper	40	Nos.
13	Peg hooks	Material: Metal Length: 4-12 inches Diameter: 3-6 mm Design: Fits standard pegboards Features: Rust-resistant, durable 1 Set of 50 Peg hooks	1	Set
14	Ladders	3 step Aluminium folding ladder Material: Aluminium Height: 5 feet, Capacity: 150 kg, Weight: 4 kg Steps Count: 3 Dimensions: Closed Size: 9 cm (L) x 45 cm (W) x 160 cm (H) Opening Size: 52 cm (L) x 45 cm (W) x 150 cm (H) Top Platform Height: 115 cm from the ground Steps Size: 20 cm x 37 cm Platform Size: 25 cm x 37 cm	1	Nos.
15	Loading Trolleys	Dimensions: Length: 900 mm, Width: 860 mm	1	Nos.

		Height: 590 mm Capacity: 300 kg Material: Steel or heavy-duty metal Type: Heavy-duty with robust construction Wheels: Typically rubber or polyurethane, suitable for rough surfaces Handle: Ergonomic for ease of maneuvering Surface: Flat and sturdy for stable load distribution		
16	Pallets	Pallet Type: 4 Way Entry Non-Reversible Leg Type: 3 longitudinal legs Racking: Suitable for Horizontal & Drive-in rack Fork Lift Handling: Suitable Stacker: Suitable for handling from width side Hand Pallet Truck: Suitable for handling from width side Pallet Top: Perforated	4	Nos.
17	Mannequins (Set of 3)	Male Mannequin: Material: Fiberglass or plastic Height: 5'8" to 6' (175-183 cm) Features: Detachable extremities, static or adjustable pose, stand with base Female Mannequin: Material: Fiberglass or plastic Height: 5'6" to 5'8" (167-175 cm) Features: Detachable extremities, static or adjustable pose, stand with base Child Mannequin: Material: Fiberglass or plastic Height: 3'6" to 4' (107-122 cm) Features: Detachable extremities, static or adjustable pose, stand with base	1	Nos.
18	Barcode Printer	Resolution: 203 DPI (8 dots/mm) Printing Method: Direct Thermal & Thermal Transfer Dimensions: Width: 232 mm (9.13"), Height: 156 mm (6.14"), Depth: 288 mm (11.34") Weight: 2.5 kg (5.51 lbs.) Ribbon Capacity: 300 m long, max. OD 67 mm, 1" core (ink coated outside) Ribbon Width: 40 mm ~ 110 mm (1.6" ~ 4.3")	1	Nos.
19	Display kit	Wall Mounted Display Kit For - Kurkure/Breads/Chips/snack items Etc. for Supermarket	2	Nos.

		Usage/Application: Supermarket Material: Metal Rack Type: Wall Mounted Color: Ivory No. Of Shelves: 4 Shelves		
20	Store Directory / Directional signages	Material: Aluminum Composite Panels Size: 30 cm x 60 cm x 0.3 cm (12" x 24" x 0.12") 45 cm x 75 cm x 0.3 cm (18" x 30" x 0.12") Finish: Smooth surface with high-quality vinyl or laminate printing Durability: Weather-resistant, scratch-resistant, and fade-resistant Mounting: Wall-mounted with suitable hardware	2	Nos.
21	Gun-tags with Tagging Gun	1 Tag Gun + Needle, 5000 Barbs (size 65mm) Fabric Piercing Diameter: - 2.0mm Maximum Thickness Of Fabric: - 10.0mm	2	Nos.
22	Security Tags - Hard / Small	200pcs Anti-Theft Retail EAS 8.2MHz Security Hard Tags Material: Acrylonitrile Butadiene Styrene Number of Pieces: 200 Shape: Square Locking: standard lock / Technology/ RF Frequency: RF8.2Mhz Tag Size: 42mmx 48mm(1.65inx1.89in); Pin Size: 16mm(0.63in) Color: Black Durable and security reusable tag Pack of 50	1	Nos.
23	POS Machine	Dual core touch screen system with 320 GBB HDD Connector Type: Bluetooth Printing Technology: Thermal Special Feature: Portable, Wireless Colour: Black Printer Output: Monochrome Operating System Windows, iOS, Android Item Weight: 200-300 Grams Supported Apps: Vyappar, Mybillbook, RDSP, Khatabook, Zomato, Swiggy, PayTM, PhonePay, Gpay	1	Nos.
24	Software to run DSR on palmtop - demo version	Software created and licensed through standard vendors- demo version	1	Nos.
25	Shopping Basket	Multipurpose Shopping Basket Without Lid	4	Nos.

		<p>Material: Plastic (HDPE/PP)</p> <p>Dimensions: 320 mm (W) x 260 mm (H) x 320 mm (D)</p> <p>Weight: Approx. 298 grams</p> <p>Capacity: 15-20 liters</p> <p>Handle: Ergonomic, reinforced</p> <p>Design: Durable, mesh for ventilation</p> <p>Color: Various options</p> <p>Features: Stackable, easy to clean</p>		
26	Cash Drawer	<p>Cash Drawer at cashier's counter Metal, for Point of Sale (POS) System</p> <ul style="list-style-type: none"> - Heavy duty metal frame, Drawer Made From Robust Steel * 5 Bills And 5 Coins with removable coin tray * Come With RJ11 Cable, Plug For Connection To Receipt Printers * Standard-Duty, Speedy & Reliable Cash Drawer * Cash register drawer size: Approx. 16.5" x 16"x 4.3"/42 x 40.5 x 11 cm 	1	Nos.
27	Card Swap Machine	<p>Digital RFID CARD Reader</p> <p>Type: Mobile POS (mPOS) Card Swipe Machine</p> <p>Connectivity: Bluetooth, USB, or 3.5mm audio jack</p> <p>Card Compatibility: Magnetic stripe, EMV chip, contactless (NFC)</p> <p>Power: Rechargeable battery or USB-powered</p> <p>Display: LCD or LED</p> <p>Dimensions: ~8 cm x 5 cm x 2 cm</p> <p>Weight: 100-150 grams</p> <p>Features: Secure transactions, compatible with payment apps, optional receipt printing</p> <p>Warranty: 1-year</p>	1	Nos.
28	Sample statutory compliance documents	Sample statutory compliance documents such as shops & establishments certificate	2	Nos.
29	Clipper Hangers	<p>Material: Metal</p> <p>Type: Clip-style</p> <p>Width: 30-40 cm</p> <p>Features: Adjustable clamps, durable</p> <p>Usage: Hanging clothes and documents</p> <p>pack of 50</p>	1	Nos.
30	Hanger Stands	<p>Material: Metal</p> <p>Dimensions:</p> <p>Height: 4 feet</p>	2	Nos.

		Width: 3 feet Depth: 2 feet Features: Design: Stable base, sturdy construction Usage: Ideal for hanging clothes and garments																																										
31	Tag Holders	Material: Plastic Dimensions: Standard sizes (e.g., 60 x 42 mm) Design: Type: Vertical or horizontal Attachment: Clip or adhesive backing Features: Clear display, durable Usage: For displaying price tags and information in retail stores Pack of 50 -	4	Nos.																																								
32	First Aid Kit	Transparent Plastic Kit box with First Aid Logo Capacity: 3 liters Size LWH: Approx: 23x14x14 Opening: Lid Type Material: Plastic <table border="1"> <tr><td>Plaster 19 X 72 Mm</td><td>5 pc</td></tr> <tr><td>Plaster 25 X 72 Mm</td><td>3 pc</td></tr> <tr><td>Antiseptic Wipes</td><td>2 pc</td></tr> <tr><td>Sterile Gauze Swab 10 Cm</td><td>1 pc</td></tr> <tr><td>Sterile Gauze Swab 7.5cm</td><td>1 pc</td></tr> <tr><td>Sterile Adhesive Plaster 6x10cm</td><td>1 pc</td></tr> <tr><td>Elastic Gauze Bandage 6x1m</td><td>1 pc</td></tr> <tr><td>Sterile Wound Dressing No 1</td><td>1 pc</td></tr> <tr><td>Clinical Thermometer (IS3055 Part1/Part2:2004)</td><td>1 pc</td></tr> <tr><td>Antiseptic Cream 10g</td><td>1 pc</td></tr> <tr><td>Tincture Iodine 20ml</td><td>1 pc</td></tr> <tr><td>Microporous Tape 1.25x5mt</td><td>1 pc</td></tr> <tr><td>Gauze Bandage 7.5x3mt</td><td>1 pc</td></tr> <tr><td>Face Mask with Ear Loop 16289:2014</td><td>1 pc</td></tr> <tr><td>Gloves</td><td>2 pc</td></tr> <tr><td>Scissor</td><td>1 pc</td></tr> <tr><td>Absorbent Cotton 15gms</td><td>1 pc</td></tr> <tr><td>Burn Cream</td><td>1 pc</td></tr> <tr><td>Antiseptic Liquid 50 MI</td><td>1 pc</td></tr> <tr><td>Drug License</td><td>Yes</td></tr> </table>	Plaster 19 X 72 Mm	5 pc	Plaster 25 X 72 Mm	3 pc	Antiseptic Wipes	2 pc	Sterile Gauze Swab 10 Cm	1 pc	Sterile Gauze Swab 7.5cm	1 pc	Sterile Adhesive Plaster 6x10cm	1 pc	Elastic Gauze Bandage 6x1m	1 pc	Sterile Wound Dressing No 1	1 pc	Clinical Thermometer (IS3055 Part1/Part2:2004)	1 pc	Antiseptic Cream 10g	1 pc	Tincture Iodine 20ml	1 pc	Microporous Tape 1.25x5mt	1 pc	Gauze Bandage 7.5x3mt	1 pc	Face Mask with Ear Loop 16289:2014	1 pc	Gloves	2 pc	Scissor	1 pc	Absorbent Cotton 15gms	1 pc	Burn Cream	1 pc	Antiseptic Liquid 50 MI	1 pc	Drug License	Yes	1	
Plaster 19 X 72 Mm	5 pc																																											
Plaster 25 X 72 Mm	3 pc																																											
Antiseptic Wipes	2 pc																																											
Sterile Gauze Swab 10 Cm	1 pc																																											
Sterile Gauze Swab 7.5cm	1 pc																																											
Sterile Adhesive Plaster 6x10cm	1 pc																																											
Elastic Gauze Bandage 6x1m	1 pc																																											
Sterile Wound Dressing No 1	1 pc																																											
Clinical Thermometer (IS3055 Part1/Part2:2004)	1 pc																																											
Antiseptic Cream 10g	1 pc																																											
Tincture Iodine 20ml	1 pc																																											
Microporous Tape 1.25x5mt	1 pc																																											
Gauze Bandage 7.5x3mt	1 pc																																											
Face Mask with Ear Loop 16289:2014	1 pc																																											
Gloves	2 pc																																											
Scissor	1 pc																																											
Absorbent Cotton 15gms	1 pc																																											
Burn Cream	1 pc																																											
Antiseptic Liquid 50 MI	1 pc																																											
Drug License	Yes																																											

SECTOR- 9 TOURISM & HOSPITALITY TOOLS & EQUIPMENT LIST

Sr No.	Name of the Equipment	Specification of Equipment	Quantity	Unit Type
1	Tables	Tables with Wood plank laminated table top and base of steel		Set
		a. 2 feet 6 inches x 2 feet 6 inches square for 2 covers sitting capacity	1	
		a. 3ft x 3ft Square for 4 covers sitting capacity	1	
		b. 3 to 4 ft round table for 4-6 covers sitting capacity	1	
2	Dining Chairs	Type of seat- wood, Material of frame: MS Powder Coated, Seat Finish: Mica/upholstered, Height from the ground to the top back rest: 3' Chair Seat: 18" from ground Depth from the front edge to the back: 18" Note: Design and material matching with the table	As per the no. of covers per table (12 Nos.)	Set
3	Side Station	Wooden cabinet with shelves and cupboard, spacious enough to hold all linen, cutlery, crockery etc. for service with a flat dispalt surface for keeping food platter and lightning devices. Approx dimension: 42" height, 48" width, 24" deep	1	Nos.
4	Storage Cabinet	Stainless steel cupboard used for storage in pantry. Material: Stainless Steel Height: 4.5 Feet Doors: 2 Lock: Yes	1	Nos.
5	Dinner Plate also called Large Plate/Joint Plate	Material: Ceramic / Porcelain / Vitrified/ Melamine Color: White	2 (Set of 6)	Set

		Dimension: 10"-12"dia Shape: Round Design: Plane/Harmony Thickness and Weight: vary depending on material Dishwasher Safe: Yes Microwave Safe: Yes Freezer Safe: Yes Chip Resistance: Yes Package Contents: 6 nos.		
6	Dessert Plate / Half Plate	Material: Ceramic / Porcelain / Vitrified/ Melamine Color: White Dimension: 8"-10"dia Shape: Round Design: Plane/Harmony Thickness and Weight: vary depending on material Dishwasher Safe: Yes Microwave Safe: Yes Freezer Safe: Yes Chip Resistance: Yes Package Contents: 6 nos.	3 (Set of 6)	Set
7	B&B Plate / Quarter Plate	Material: Ceramic / Porcelain / Vitrified/ Melamine Color: White Dimension: 6"-7"dia Shape: Round Design: Plane/Harmony Thickness and Weight: vary depending on material Dishwasher Safe: Yes Microwave Safe: Yes Freezer Safe: Yes Chip Resistance: Yes Package Contents: 6 nos.	3 (Set of 6)	Set
8	Pasta & Soup Plate	Material: Ceramic / Porcelain / Vitrified/ Melamine Size: 10"-12"	2 (6 pieces in a set)	Set
9	Soup Bowl with underline plate (as per the size)	Material: Ceramic / Porcelain / Vitrified/ Melamine Color: White Capacity: 320 to 350 ml	2 (Set of 6)	Set
10	Finger Bowl with underliers	Material: Metal Preferred Stainless Steel Capacity: 250 ml Dimension (L x B x H): 5.5cm x 5.5cm x 8.5 cm	2 (Pack of 6)	Set

11	Curry Bowls/ Katori for Dal/ Curry items / Raita etc.	Material: Ceramic / Porcelain / Vitrified/ Melamine Color: White	2 (Pack of 6)	Set
12	Cereal Bowl	Capacity: 350-450 ml Colour: Basic	2 (6 pieces in a set)	Set
13	Chutney Bowl	Material: Ceramic / Porcelain / Vitrified/ Melamine Color: Yellow Dimensions: L x B x H: 70 x 30 x 30 mm Capacity: 2 oz	3	Nos.
14	Tea / Coffee Cup & Saucer	Material- Ceramic, Artistic design, Pattern- Machine Crafted, Dimension: 250 ml Usage: Serving tea / coffee	2 (6 pieces in a set)	Set
15	Demitasse Cup with saucer	Material: Ceramic / Porcelain / Vitrified/ Melamine Color: White Capacity: 2 to 3 oz	1 (6 pieces in a set)	Set
16	Tea Pot	Stainless Steel or Ceramic Capacity - 540 to 980 ml.	1	Nos.
17	Coffee Pot	Stainless Steel or Ceramic Pot for 4 or 6	1	Nos.
18	Creamer	Stainless Steel or Ceramic Capacity - 200 ml approx.	1	Nos.
19	Sugar Sachet Holder	Material: Stainless Steel or Ceramic Dimension: 5.1" x 2.4" x 1.5" Shape: Square Colour: Silver	1	Nos.
20	Tea Strainer with drip bowl	Material of Strainer- Stainless Steel Size: 2 Inches approx.	1	Nos.
21	Soup Spoon Chinese	Material: Ceramic / Porcelain / Vitrified/ Melamine Colour: White Spoon with short, thick handle extending directly from a deep, flat bowl.	1 (6 pieces in a set)	Set
22	Tea Spoon	Material: Stainless Steel Capacity: 5 ml	2 (Pack of 6)	Set
23	Dessert Spoon (A.P)	Material: Stainless Steel Capacity: 5 ml Colour: Silver	4 (Pack of 6)	Set
24	Desert Fork (A.P)	Material: Stainless Steel Colour: Silver	4 (Pack of 6)	Set
25	Desert Knife (A.P)	Material: Stainless Steel Colour: Silver	2 (Pack of 6)	Set
26	Fish Knife / Appetizer / Small Knife	Material: Stainless Steel Colour: Silver	2 (Pack of 6)	Set

27	Fish fork / Appetizer / Small fork	Material: Stainless Steel Colour: Silver	2 (Pack of 6)	Set
28	Soup Spoon	Material: Stainless Steel Colour: Silver	1 (Pack of 6)	Set
29	Table Service Spoon	Material: Stainless Steel Colour: Silver	1 (Pack of 6)	Set
30	Table Service Fork	Material: Stainless Steel Colour: Silver	1 (Pack of 6)	Set
31	Serving Bowl for 4 Portions	Material: Ceramic / Porcelain / Vitrified/ Melamine Microwave safe plastic Capacity: 850 ml approx.	1 (Pack of 6)	Set
32	Serving Bowl for 2 Portions	Material: Ceramic / Porcelain / Vitrified/ Melamine Microwave safe plastic Capacity: 650 ml approx.	1 (Pack of 6)	Set
33	Serving Bowl for 1 Portion	Material: Ceramic / Porcelain / Vitrified/ Melamine Microwave safe plastic Capacity: 450 ml approx.	1 (Pack of 6)	Set
34	Service Platter 10 "	Material: Ceramic / Porcelain / Vitrified/ Melamine Edge type: Rolled edge Microwave friendly Colour-White	2	Nos.
35	Service Platter 12 "	Material: Ceramic / Porcelain / Vitrified/ Melamine Edge type: Rolled edge Microwave friendly Colour-White	2	Nos.
36	Entrée Dish With Lid (2 Portion)	Shape: Round Capacity: 500 ml Finishing: Chrome	2	Nos.
37	Oval Platter	Material: Ceramic / Porcelain / Vitrified/ Melamine Depth: 24" Width: 16" Height: 1.50"	2	Nos.
38	Round Service Tray / Salver	Material- Fiber Properties: Non-Breakable, Anti-Skid Use: Tray for ideal use for Services Size: 16" Colour: Black / Dark Brown Matt Finish	4	Nos.
39	Rectangular Service Tray	Material- Fiber Properties: Non-Breakable, Anti-Skid Use: Tray for ideal use for Services Size: 16"	2	Nos.

		Colour: Black / Dark Brown Depth: 2.5 cm Size: 18" Weight: 200-250 gm Surface finish: Matt		
40	Water Jug with lid	Material: Stainless Steel Capacity: 2-3 Ltr Shape: Cylindrical,	3	Nos.
41	Cruet Set (Set of 2 for Salt and Pepper)	Material: Stainless steel / Ceramic Height: 5-8" Cruet Set to match with the table set up	3	Set
42	Chinese Cruet Set	Material: Ceramic Round Note - Small tray with 3 small bowls with lid and small spoons to keep condiments required with Chinese food	1	Set
43	Tooth Pick Holder	Material: Stainless steel Height: 4, 5"	3	Nos.
44	Tom Collins (Glass)	Capacity: 12 oz Material: Glass Microwave Safe Thickness: 2-7 mm	1 (Pack of 6)	Set
45	Hi Ball Glass	Material: Polycarbonate Capacity: 9-10 oz Colour: Clear	2 (Pack of 6)	Set
46	Pilsner Glass	Material: Glass Capacity: 10-12 oz Thickness: 4-10 mm	1 (Pack of 6)	Set
47	Decanter Small	Material: Glass Capacity: 200 ml Transparent	1	Set
48	Decanter Large	Material: Glass Capacity: 500 ml Transparent	1	Nos.
49	Wine Glass	Material: Glass Capacity: 8-10 oz Transparent	1 (Pack of 6)	Set
50	Table Cloth	Material: Polycot / Damask / Cotton Colour: Basic Colours Style: White / Self Weave Size: 48"x 48" for 2 Covers table 54" x 54" for 4 Covers table 54" Dia for round 6-8 covers table	2 per table of each size	Nos.
51	Table Napkins	Material: damask / cotton 18" x 18" or 20" x 20"	12	Set
52	Nephron / Slip Cloth	Material: Polycot		Nos.

	Drug License	Yes
SECTOR-10 BANKING, FINANCE & INSURANCE SERVICES		

Sr No.	Name of the Equipment	Specification of Equipment	Quantity	Unit Type
1	Plastic Coins	Plastic Coin: One rupee coin, Two rupees coin, Five rupees coin QUANTITY: 100 pc each Material: plastic Size: 35 mm dia x 1.5mm Colour: Grey color.	5	No.
2	Plastic Token	Plastic Token: MULTIPURPOSE TOKENS	5	No.
		QUANTITY: 100 COINS (1 to 100 no. series)		
		Material: Plastic		
		Size: 2 inch dia x 2 mm		
		Colour: white/blue/red		
3	Currency Notes	currency: 10 20 50 100 200 500 portrait: mahatma gandhi seal: reseve bank Use: Children Activity Play Size: 7x15 cm (Approx) Package: Each 100 Fake Notes of 10 20 50 100 200 500	5	No.
4	Cash Locker	Digital Cash locker: Digital Capacity: 15 litres Material: Alloy Steel Special Feature: Waterproof Mounting Type: Floor Mount Control Type: Push Button Control Access Mode: digit Pin and Emergency Key	1	No.

5	Fire Extinguishers	Fire Extinguisher Type: A B C Dry Powder Type Usage/Application: Fire Extinguishing Material: Mild Steel Capacity: 4 Kg ISI Marked: Yes (IS 15683 : 2018)	1	No.
6	Set of Dummy Bank Forms/Slips	Set Contents: Dummy Forms: (1 Pad - 50 Slips): FDR, RD, Account Opening (10 Pads Each) Customer Request Form: (1 Pad - 50 Slips): Mobile No Update, KYC, Address Change etc. (10 Pads) Dummy Slip (1 Pad - 50 Slips): Deposit, Withdrawal, NEFT and RTGS Slips (10 Pads Each) Dummy Cheque Book (10 pages): 10 Books Dummy Passbook (10 pages): 10 Books	2	Set
7	Calculator	Display - Digits: 10 Operation: Battery / Solar Material: Plastic Keys - nos: 14 Type: Heavy Duty	4	PC
8	Cleaning Duster	Size Width x Length: 22 x 22 Inch Shape: Square Material of the cloth: Cotton (130 GSM) Pack: Pack of 5 Color: Yellow/ Orange	2	PC
9	Educational charts	Education Chart: Laminated Wall Chart Size: 100 X 75 CM Feature: Perfect for Classroom, Student, School, BFSI Student	20	PC
10	Bank Stationary Kit	Bank Stationary kit items packed in Box Ball Pen Blue: 24 pc Ball Pen Black: 24 pc Ball Pen Red: 24 pc Highligter fluorescent (Multicolor) Set of 5 Gel Pen: 10 pc Steel Scale (30 cm): 1pc Plastic Scale (30 cm): 2pc Plastic Scale (15 cm): 2pc Ink White Fluid: 2pc Pencil (Extra Dark): 2 Pkt Eraser: 3pc Sharpner: 3pc Metal Binder Clips (each 6pc): 15, 19, 25, 32mm: 05 set All Pin/Paper Pins 50gms Transparent Tape 1 inch: 5pc	2	Kit

		Transparent Tape 2 inch: 2pc Stapler (No.10): 03pc Stapler Pin (No. 10-1M) pack 20: 1pc Brown Tape (2inch): 1pc Gum Stick: 15g Paper Cutter (medium): 1pc Paper Cutter (Small): 2pc Scissor (Small): 2pc		
11	White Board with marker	White board: White board light weight aluminum frame Material: Non-magnetic Colour: White Usable Sides: Single Side Sizes: 6 x 4 ft Board Type: Marker Board, Dry-Erase Board, Dry-Wipe Board, Pen-Board Marker type: White board marker with water based ink 2 mm thick bullet type	1	No.
12	Two Door Steel Almirah, Small size	Standard small steel almirah (half size) for storage purpose	1	No.
13	Web Camera	Interface: USB 2.0/3.0 Resolution: Minimum 720p HD (1280×720) Frame Rate: 30 fps or higher Sensor Type: CMOS or equivalent Lens: Fixed focus with wide-angle ($\geq 65^\circ$) Microphone: Built-in noise-cancelling microphone Mounting: Adjustable clip or tripod thread Compatibility: Windows 10/11, macOS, Linux Plug & Play: No additional drivers required Warranty: Minimum 1 year	4	No.
14	Antivirus	License Version (for 3 Systems) for 3 years	2	No.
15	Office Chair	Office Revolving Chair: Revolving Chair Back Style: Medium Back Material: Alloy Steel Seat Material: Type Foam Dimensions: 49D x 48W x 96H Centimeters Feature: Adjustable Height, Ergonomic, Arm Rest, 360 degree rotation, Pneumatic Hydraulic with 3 inch seat height adjustment	1	No.

16	Teachers table	Teachers table Size: L 3 x W 2.5 x H 3 feet material: Iron frame with wooden top of 2" thickness Drawer: 2 Sider Drawer with Lock	1	No.
17	Computer Set	Processor: Intel i3, 10th Gen or higher Generation OS: Genuine Windows 11 or above Memory: 8 GB DDR4 3200MHz or higher with 32 GB Expandability Storage: Minimum 512 GB SSD Ports: Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone Display: Minimum 18.5 inch or higher, Resolution 1600x900 or higher Display Keyboard and optical Mouse: 1 Set Network Interface: Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher Form Factor: SFF/MT	4	No.
18	UPS 1 KVA	UPS Capacity 1 KVA Mode Line interactive Protection Full Protection voltage 230V / 50 Hz Range 170V- 270V Power factor 0.6 or higher Back up time 168 VAH for 20 Minutes back upon 1 PC (In built Batteries) Indicator Mains On/ On Battery/ Low Battery/ Fault/ Overload Plug and cable As per standard Battery Type Sealed Lead Acid Valve Regulated Alarm ON Battery/ Fault Over Load, Low Battery	4	No.
19	First Aid Kit	Paper Tape: 2pc Alcohol swabs/Antiseptic wipes: 10pc Examination Gloves: 4pairs Scissors 6 inch: 1pc Thermometer (ISI Marked -IS 3055 (Part 2) : 2004): 1pc Crepe Bandage 10cm x 4mtrs (ISI marked- IS 4605:2020): 1pc Gauze Swab Sterile 10cm 1pc pak: 4 Gauze swab Sterile 7.5cm 1pc pak: 4 Cotton 100 gm: 1 Gauze bandage 10cm: 2 Gauze bandage 7.5cm: 2	1	No.

	Plaster 19*72: 10 Face Mask (ISI Marked -IS 16289:2014): 10 Antiseptic Liquid 100ml: 1 Pain killer gel: 1 ORS sache: 5 Povidone iodine ointment 15gm: 1 Burn cream 15gm: 1 Tweezers: 1 Wall mounted metal first Aid Kit box with first Aid kit logo transparent door: 30 x 25 x 8 cm approx Drug Licence: Yes (The bidder must possess a valid drug license)	
--	---	--

SECTOR-11 MEDIA AND ENTERTAINMENT

Sr No.	Name of the Equipment	Specification of Equipment	Quantity	Unit Type
1	Cleaning Duster	Size Width x Length: 22 x 22 Inch Shape: Square Material of the cloth: Cotton (130 GSM) Pack: Pack of 5 Color: Yellow/ Orange	2	PC
2	Educational charts	Education Chart: Laminated Wall Chart Size: 100 X 75 CM Feature: Perfect for Classroom, Student, School, BFSI Student	20	PC
3	Wireless Microphone	Wireless Microphone for Channel Video Recording: Wireless Microphone System with ANC Noise Reduction Specification: Camcorder, Headphone, Smartphone, Tablet 360° Sound Capture, 50M Range, Upto 12 Hrs Working Time	1	PC

		Compatible Devices: DSLR Camera, Android & iOS Smartphones, Seamless Audio Recording		
4	Speaker	Portable Bluetooth Speaker Specification Speaker with 1 Wireless Mic Floor Standing, 100 Watts Speaker with Wireless Mic, 3 hrs Playtime, Karaoke & Recording Function, Type-C Charging, Bluetooth, USB, AUX, mSD, RGB Modes, Remote Control	1	PC
5	Camera Tripod	Specification: Aluminum Tripod Monopod with 360 Degree Ball Head, 2 Center Axis and 12 Kilograms Load Portable & Lightweight Flexible Tripod with Heavy Duty Mobile Holder Tripod 60 inch Compatible: Camera, Smartphone	1	Pc
6	Digital camera	Specification Digital Camera for Photography, 4K, 64MP Vlogging Camera, 3" 180° Flip Screen 16X Digital Zoom Compact Vlog Travel Camera with 4K WiFi, 32GB TF Card & 1 Batteries, Black	1	Pc
7	Fire Extinguishers	Fire Extinguisher Type: A B C Dry Powder Type Usage/Application: Fire Extinguishing Material: Mild Steel Capacity: 4 Kg ISI Marked: Yes (IS 15683 : 2018)	1	No.
8	Stationary Kit	Stationary kit items packed in Box Ball Pen Blue: 24 pc Ball Pen Black: 24 pc Ball Pen Red: 24 pc Highlighter fluorescent (Multicolor) Set of 5 Gel Pen: 10 pc Steel Scale (30 cm): 1pc Plastic Scale (30 cm): 2pc Plastic Scale (15 cm): 2pc Ink White Fluid: 2pc Pencil (Extra Dark): 2 Pkt Eraser: 3pc Sharpner: 3pc Metal Binder Clips (each 6pc): 15, 19, 25, 32mm: 05 set All Pin/Paper Pins 50gms Transparent Tape 1 inch: 5pc Transparent Tape 2 inch: 2pc Stapler (No.10): 03pc	1	Kit

		Stapler Pin (No. 10-1M) pack 20: 1pc Brown Tape (2inch): 1pc Gum Stick: 15g Paper Cutter (medium): 1pc Paper Cutter (Small): 2pc Scissor (Small): 2pc		
9	White Board with marker	White board: White board light weight aluminum frame Material: Non-magnetic Colour: White Usable Sides: Single Side Sizes: 6 x 4 ft Board Type: Marker Board, Dry-Erase Board, Dry-Wipe Board, Pen-Board Marker type: White board marker with water based ink 2 mm thick bullet type	1	No.
10	Two Door Steel Almirah, Small size	Standard small steel almirah (half size) for storage purpose	1	No.
11	Office Chair	Office Revolving Chair: Revolving Chair Back Style: Medium Back Material: Alloy Steel Seat Material: Type Foam Dimensions: 49D x 48W x 96H Centimeters Feature: Adjustable Height, Ergonomic, Arm Rest, 360 degree rotation, Pneumatic Hydraulic with 3 inch seat height adjustment	1	No.
12	Teachers table	Teachers table Size: L 3 x W 2.5 x H 3 feet material: Iron frame with wooden top of 2" thickness Drawer: 2 Sider Drawer with Lock	1	No.
13	Antivirus	License Version (for 3 Systems) for 3 years	1	No.
14	All in One Colour Printer	All in One Colour Printer: All in One Inkjet Colour Printer (Print, Scan, copy) Scanner Type: Flatbed Dual-sided printing: No Printing Technology: Inkjet Printer Output: Black/Colour Print Speed (Colour): Maximum 6 ppm, 11 ppm Max Print speed Connectivity: Wi-Fi, AirPrint, Direct Wireless, USB 2.0 Duplex: No Included Components: USB Cable, Power Cable, Ink Bottles (Cyan, Magenta, Yellow, Black)	1	No.
15	Computer Set	Computer with LED Monitor Processor: Intel i5, 13th Gen or higher Generation OS: Genuine Windows 11 or above	3	No.

		Memory: 8 GB DDR4 3200MHz or higher with 32 GB Expandability Storage: Minimum 512 GB SSD Ports: Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone Display: Minimum 18.5 inch or higher, Resolution 1600x900 or higher Display Keyboard and optical Mouse: 1 Set Network Interface: Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher Form Factor: SFF/MT		
16	UPS 1 KVA	UPS Capacity 1 KVA Mode Line interactive Protection Full Protection voltage 230V / 50 Hz Range 170V- 270V Power factor 0.6 or higher Back up time 168 VAH for 20 Minutes back upon 1 PC (In built Batteries) Indicator Mains On/ On Battery/ Low Battery/ Fault/ Overload Plug and cable As per standard Battery Type Sealed Lead Acid Valve Regulated Alarm ON Battery/ Fault Over Load, Low Battery	3	No.
17	First Aid Kit	Paper Tape: 2pc Alcohol swabs/Antiseptic wipes: 10pc Examination Gloves: 4pairs Scissors 6 inch: 1pc Thermometer (ISI Marked -IS 3055 (Part 2) : 2004): 1pc Crepe Bandage 10cm x 4mtrs (ISI marked- IS 4605:2020): 1pc Gauze Swab Sterile 10cm 1pc pak: 4 Gauze swab Sterile 7.5cm 1pc pak: 4 Cotton 100 gm: 1 Gauze bandage 10cm: 2 Gauz bandage 7.5cm: 2 Plaster 19*72: 10 Face Mask (ISI Marked -IS 16289:2014): 10 Antiseptic Liquid 100ml: 1 Pain killer gel: 1 ORS sache: 5 Povidone iodine ointment 15gm: 1 Burn cream 15gm: 1 Tweezers: 1 Wall mounted metal first Aid Kit box with first Aid kit logo transparent door: 30 x 25 x 8 cm approx Drug Licence: Yes (The bidder must possess a valid drug license)	1	No.

SECTOR-12 INFORMATION TECHNOLOGY

Sr No.	Name of the Equipment	Specification of Equipment	Quantity	Unit Type
1	Digital Multimeter	DC Voltage Accuracy: 600v Digit Display: 4 Digit Features: Display Light, Diode- 2.7V, Hfe-1- 1000, Data Hold Usage/Application: Electrical Repair, Appliance Repair AC Voltage: AC 600V	4	No.
2	Nose Plier	Usage: Industrial, Garage/Workshop Material: Alloy Steel Colour: Red Length: 6 inch Handle Material: Plastic, Steel Type: Long Nose Plier Specific Uses For Product: Hold, Holding, Twisting, Cutting, Electrical, Bending	4	No.
3	Web Camera	Interface: USB 2.0/3.0 Resolution: Minimum 720p HD (1280×720) Frame Rate: 30 fps or higher Sensor Type: CMOS or equivalent Lens: Fixed focus with wide-angle ($\geq 65^\circ$) Microphone: Built-in noise-cancelling microphone Mounting: Adjustable clip or tripod thread Compatibility: Windows 10/11, macOS, Linux Plug & Play: No additional drivers required Warranty: Minimum 1 year	5	No.
4	Tool Kit	Screw driver Kit: 8 Blades of Screwdriver Kit With Tester Material: Alloy Steel, Plastic dimensions L x W x H: 6 x 6 x 12 Centimeters 8-IN-1 PIECE SCREWDRIVER KIT: 3 flat blades of 3mm, 5mm and 6mm, 3 phillips head, round poker bar, extension road.	4	No.
5	Combination Plier	Material: Metal Colour: Red/ blue Size: 8 inch Handle Material: Rubber ISI Mark: Yes (IS 3650)	2	No.

6	Crimping Tool	Type of Insulation: Plastic Material: Alloy Steel Usage: Suitable For Network Cable With Rj45 Connector and ADSL Cable With Rj11 Connect.	2	No.
7	Lan Cable Tester	Power Source: 9v Battery Powered dimensions L x W x H: 12 x 12 x 10 Centimeters Min. Operating Voltage: 9 Volts Usage: Cable tester for RJ11, RJ45, Cat 5, Cat 6 Tester Type: 9 LED lights to indicated wiring connection on both remote and master unit Grounding Test	4	No.
8	Wire Cutter	Material: Alloy Steel Colour: Green and Black Handle Material: Plastic Overall Length: 10"	4	No.
9	Soldering Iron	Electric Soldering Iron: Soldering Iron with attachable element Wattage: 25 Watts Handle Material: Plastic (Heat Resistance Handles) Power Source : AC, Corded Electric	4	No.
10	Soldiring Wire	Type: Soldiring Wire with Soldering paste Grade: 60-40 SWG: 18 Color: Silver Weight/ Quantity: 50 grams	4	No.
11	Cleaning Duster	Size Width x Length: 22 x 22 Inch Shape: Square Material of the cloth: Cotton (130 GSM) Pack: Pack of 5 Color: Yellow/ Orange	4	No.
12	Pen Drive	Memory Storage Capacity: 64GB Interface: USB 2.0 Special Feature: Shockproof, Compact, Portable, Encrypted Write Speed: 20 MB/s	4	No.
13	Portable Hard Drive	Portable Hard Drive: 1 TB Hi-Speed Digital Storage Capacity: 1 TB Hard Disk Interface: USB 2.0/3.0 Connectivity Technology: USB Hard Disk Rotational Speed: 5400 RPM Compatible: Windows/Mac Included Components: portable hard drive, USB Cable	1	No.

14	HDMI Cables	Connector Type: HDMI 2.0 Connector Gender: Male-to-Male Special Feature : 3D/4K@60hZ UHD resolution Data Transfer Rate: Powerful & High-speed Size: 5 Mtr Colour : Black Compatible with: all HDMI Devices Laptop, Desktop, TV Set-top Box, Gaming Console	2	No.
15	VGA Cable	VGA Cable: VGA Cable 1080p High Resolution Connector Gender: Male to Male Colour: Black Size: 3 Meter Long Compatible Devices: Laptop, Monitor, Personal Computer	2	No.
16	LAN Cable	Lab Cable: Cat 6 Cable Type: Ethernet Colour: Multi color Core: 4 Pair (8 Wire Multi-Color) Length: 50 Meter	2	No.
17	RJ45 Connectors	Connector Type: RJ45 Cable Type: Ethernet Compatible Devices: CAT5, CAT5E, CAT6 Outer Material: Polycarbonate 8 pin: gold-plated Packing: Pack of 100 pcs	10	No.
18	Lan switch	Network Switch: ethernet switch Number of Ports : 8 data transmission speed 10/100mb/s	1	No.
19	Wireless Router	Wireless Cable Router: Dual Band Connectivity Type: Wi-Fi Wireless Type: 802.11ac Antenna: Minimum two antennas Compatible: IPv4, IPv6 Ports: 4 port RJ45 Ethernet Working Modes: Router Mode/ Access Point Mode/ Range Extender Mode/WISP Mode	1	No.
20	Paper (A4)	Pack of Sheets: 500 Sheets GSM of Paper (A4): 75 GSM Sheet Size: Plain copier paper A4 size Color: White	1	No.
21	White Board with marker	White board: White board light weight aluminum frame	1	No.
		Material: Non-magnetic		

		Colour: White Usable Sides: Single Side Sizes: 6 x 4 ft Board Type: Marker Board, Dry-Erase Board, Dry-Wipe Board, Pen-Board Marker type: White board marker with water based ink 2 mm thick bullet type		
22	Educational charts on IT	Education Chart: Laminated Wall Chart Size: 100 X 75 CM Feature: Perfect for Classroom, Student, School, BFSI Student	20	No.
23	Fire Extinguishers	Fire Extinguisher Type: A B C Dry Powder Type Usage/Application: Fire Extinguishing Material: Mild Steel Capacity: 4 Kg ISI Marked: Yes (IS 15683 : 2018)	1	No.
24	Measuring Tape	Case Material: ABS Blade Material: Carbon Steel Size: 5 Meter Lock Button: Yes Case shape: Round ISI marked: IS 1269 Part 2	5	No.
25	Multimedia Speakers - 2.1	Power Source: AC 220 V-240V Power Output: 40 watts Frequency Response: 35Hz-20KHz Impedance: Speakers with Boofer	1	No.
26	Two Door Steel Almirah, Small size	Standard small steel almirah (half size) for storage purpose	1	No.
27	Teachers table	Teachers table Size: L 3 x W 2.5 x H 3 feet material: Iron frame with wooden top of 2" thickness Drawer: 2 Sider Drawer with Lock	1	No.
28	Office Chair	Office Revolving Chair: Revolving Chair Back Style: Medium Back Material: Alloy Steel Seat Material: Type Foam Dimensions: 49D x 48W x 96H Centimeters Feature: Adjustable Height, Ergonomic, Arm Rest, 360 degree rotation, Pneumatic Hydraulic with 3 inch seat height adjustment	1	No.
29	16 Port Switches	1 unit of 16-port switches, 1 gigabit Speed	1	No.
30	Antivirus	License Version (for 3 Systems) for 3 years	2	No.

		Specification		
31	Multifunction Printer	<p>Functions Print, Scan, Copy Printing Technology Laser Print Speed (Minimum) 18 PPM (Mono) or higher Paper Size A4 or above Print Resolution 600 x 600 dpi or higher Duplex Manual Memory 64 MB or higher Display Yes Connectivity USB/ Ethernet, Wi-Fi Duty Cycle (Monthly) 5000 pages or higher Copy Speed 10 PPM or higher Copy Resolution 600 x 600 dpi or higher Scan File Format PDF, JPEG etc. Scan Resolution 600 x 600 dpi or higher Scan Type FLATBED Input paper tray capacity 150 pages or higher Compatible OS Windows and Linux Cables/ Accessories All the required cables, accessories Software Media Driver & Utility software</p>	1	No.
32	Computer Set	<p>Computer with LED Monitor</p> <p>Processor: Intel i3, 10th Gen or higher Generation OS: Genuine Windows 11 or above Memory: 8 GB DDR4 3200MHz or higher with 32 GB Expandability Storage: Minimum 512 GB SSD Ports: Minimum 5 USB ports with at least 2 USB 3.0 or higher ports, HDMI, Display port, Audio jack for headphone & microphone Display: Minimum 18.5 inch or higher, Resolution 1600x900 or higher Display Keyboard and optical Mouse: 1 Set Network Interface: Integrated 10/100/1000 GB Ethernet, Integrated 802.11ac Wi-Fi and Bluetooth 4.0 or higher Form Factor: SFF/MT</p>	5	No.

33	UPS 1 KVA	UPS Capacity 1 KVA Mode Line interactive Protection Full Protection voltage 230V / 50 Hz Range 170V- 270V Power factor 0.6 or higher Back up time 168 VAH for 20 Minutes back upon 1 PC (In built Batteries) Indicator Mains On/ On Battery/ Low Battery/ Fault/ Overload Plug and cable As per standard Battery Type Sealed Lead Acid Valve Regulated Alarm ON Battery/ Fault Over Load, Low Battery	5	No.
34	Stationary Kit	Stationary kit items packed in Box Ball Pen Blue: 24 pc Ball Pen Black: 24 pc Ball Pen Red: 24 pc Highlighter fluorescent (Multicolor) Set of 5 Gel Pen: 10 pc Steel Scale (30 cm): 1pc Plastic Scale (30 cm): 2pc Plastic Scale (15 cm): 2pc Ink White Fluid: 2pc Pencil (Extra Dark): 2 Pkt Eraser: 3pc Sharpner: 3pc Metal Binder Clips (each 6pc): 15, 19, 25, 32mm: 05 set All Pin/Paper Pins 50gms Transparent Tape 1 inch: 5pc Transparent Tape 2 inch: 2pc Stapler (No.10): 03pc Stapler Pin (No. 10-1M) pack 20: 1pc Brown Tape (2inch): 1pc Gum Stick: 15g Paper Cutter (medium): 1pc Paper Cutter (Small): 2pc Scissor (Small): 2pc	1	Kit
35	First Aid Kit	Paper Tape: 2pc Alcohol swabs/Antiseptic wipes: 10pc Examination Gloves: 4pairs	1	No.

Scissors 6 inch: 1pc	
Thermometer (ISI Marked -IS 3055 (Part 2) : 2004): 1pc	
Crepe Bandage 10cm x 4mtrs (ISI marked- IS 4605:2020): 1pc	
Gauze Swab Sterile 10cm 1pc pak: 4	
Gauze swab Sterile 7.5cm 1pc pak: 4	
Cotton 100 gm: 1	
Gauze bandage 10cm: 2	
Gauz bandage 7.5cm: 2	
Plaster 19*72: 10	
Face Mask (ISI Marked -IS 16289:2014): 10	
Antiseptic Liquid 100ml: 1	
Pain killer gel: 1	
ORS sache: 5	
Povidone iodine ointment 15gm: 1	
Burn cream 15gm: 1	
Tweezers: 1	
Wall mounted metal first Aid Kit box with first Aid kit logo transparent door: 30 x 25 x 8 cm approx	
Drug Licence: Yes (The bidder must possess a valid drug license)	

6.1 Milestones/Schedule:

In the event of failure of supply of the items/ goods within the stipulated delivery schedule/Milestones, the consignee has all the right to foreclose/terminate the contract by reserving right to encash the Performance Bank Guarantee. The milestone for the Delivery and installation is as follows:

Activity	Days
1. Completion of delivery of Lab Material at Project Site at Centralised Location for example at district headquarter or respective schools;	
- Completion of delivery of Lab Material at the school level / centralized location	D+60
➤ D- Denotes the date of issue of Purchase Order to the successful Bidder.	

Note:

1. The agency has to visit the site and update itself to site requirements. EdCIL reserves its right to modify the supply period as per the project requirement.
2. The successful bidder has to depute their full-time supervisor during execution till handing over for successful completion of the work.

6.2 Payment Terms:

- i) **95%** payment shall be made against delivery of all the BOQ items as per PO (or part thereof in terms of number of schools) delivered and submission of delivery cum handing over certificate by the authorities as per the given format at Form-13.
- ii) **Balance 5%** payment after 30 days after completion & handing over of the complete items to the authorities, and completion of warranty period;

Payment will be processed after proper quality checks and submission of signed delivery cum handing over certificates by concerned authorities.

Note:

- a) The ownership of supply shall be with CLIENT and as such EdCIL will process the Invoice of the Supplier and forward the bill to CLIENT with EdCIL's recommendation. Thereafter, the payment shall be released to the supplier by EDCIL on transfer of funds by CLIENT to EDCIL as per the recommendation of successful completion of supply, installation, commissioning and handing over.
- b) Valid GST invoice should be prepared as Bill to EDCIL India Limited quoting EDCIL's GST NUMBER and Ship to various Locations of Client.
- c) The payment to the successful bidder will be made on back-to-back basis. The bidder should keep its financials intact as per the requirements of the project.

SECTION-7

FORMS AND TEMPLATE FOR BID RESPONSE

(A) TECHNICAL PROPOSAL FORMS

- FORM1: LETTER OF BID SUBMISSION
- FORM2: DECLARATION SHEET
- FORM3: LETTER OF UNDERTAKING
- FORM4: UNDERTAKING FOR BLACKLISTING
- FORM5: BIDDER'S AVERAGE ANNUAL TURN OVER
- FORM6: BIDDER'S NET WORTH CERTIFICATE
- FORM7: DETAILS OF RELEVANT PROJECTS COMPLETED BY BIDDER
- FORM8: POWER OF ATTORNEY FOR AUTHORISED SIGNATORY
- FORM9: BANK GUARANTEE FORMAT
- FORM10: FORMAT OF CONTRACT AGREEMENT
- FORM 11: LIST OF AUTHORIZED BANKS FOR BG
- FORM 12: MANUFACTURE AUTHORIZATION CERTIFICATE FORMAT
- FORM13: DELIVERY CUM HANDING-OVER CERTIFICATE
- FORM 14: COMPLIANCE CERTIFICATE FOR MAKE IN INDIA
- FORM 15: SOLVENCY CERTIFICATE

(B) FINANCIAL PROPOSAL FORMS

- FORM 16: FINANCIAL COVERING LETTER
- FORM17: PRICE BID FORMAT (PRICES TO BE FILLED IN EXCEL SHEET)

FORM1: LETTER OF BID SUBMISSION

To,

**Chief General Manager,
EIS & EPS
EdCIL (India) Limited,
EdCIL House, 18A, Sector- 16A,
NOIDA- 201 301 (U.P)**

SUBJECT-“Open Two packet e-tender for Engagement of Agencies for the Implementation of Vocational Labs Set-up Initiatives in Government Schools Across States on Rate Contract basis”

-Submission of Bid -

Sir,

Having examined the details given in Press Notice, Notice Inviting Bid & Bid Document for the above work, I/we hereby submit the relevant information.

1. I/We hereby certify that all the statements made and information supplied in the enclosed form _____ and accompanying statements are true and correct.
2. I/We have furnished all information and details necessary for eligibility and have no further pertinent information to supply.
3. I/We submit the following **certificates** in support of our suitability, technical knowledge and capability for having successfully completed the following works:

S. No.	Name of Work	Certificate From

4. Earnest Money Deposit amounting to Rs. ----- in the form of No. ----- dated ----- issued by ----- Bank is submitted.

Enclosures:

Date of Submission :

FORM2:DECLARATION SHEET
<< Bidder's Organization Letter Head >>

We, _____ hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification. We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document.

The rates quoted in the financial bids are subsidized due to academic discount given to EdCIL INDIA LTD.

We, further specifically certify that our organization has not been Blacklisted/ De Listed or put to any Holiday by any Institutional Agency/ Govt. Department/ Public Sector Undertaking in the last three years.		NAME & ADDRESS OF THE Vendor/ Manufacturer/ Agent
1 Phone		
2 Fax		
3 E-mail		
4 Contact Person Name		
5 Mobile Number		
6 TIN Number		
7 PAN Number		
(In case of on-line payment of EMD) 9 UTR No. (For EMD)		
10 MSME Details		
i.Registration No.		
ii.Gender		
ii.SC/ST		
11 Kindly provide bank details of the bidder in the following format: a) Name of the Bank		
b) Account Number		
c) Kindly attach scanned copy of one Cheque book page to enable us to return the EMD to unsuccessful bidder		

(Signature of the Bidder)

Name: _____

Seal of the Company _____

**FORM3: LETTER OF UNDERTAKING
(ON THE LETTER HEAD OF THE BIDDER)**

To
Chief General Manager (EIS & EPS)
EdCIL (India) Limited (EdCIL)
EdCIL House, 18 A, Sector-16 A,
NOIDA – 201301 (U.P.), India

Sir,

SUBJECT- “Open Two packet e-tender for Engagement of Agencies for the Implementation of Vocational Labs Set-up Initiatives in Government Schools Across States on Rate Contract basis”

This bears reference to EdCIL NIT No. **EdCIL/EIS&EPS/2025-26/Voc/01 Dt.....** We, hereby, accept all the terms and conditions for submitting bid as mentioned in this Bid Document.

We hereby certify that no terms and conditions have been stipulated by us in the technical and financial Bid.

We warrant that the services do not violate or infringe upon any patent, copyright, trade secret or other property right of any other person or other entity. We agree that we shall not prevent EdCIL from any claim or demand, action or proceeding, directly or indirectly resulting from or arising out of any breach or alleged breach of any of the terms & conditions of bid document and contract.

The above document is executed on ____/____/____ at (place) _____ and we accept that if anything out of the information provided by us is found wrong, our bid/ work order shall be liable for rejection.

Thanking you,

Yours faithfully,

Name of the Bidder _____

Authorized Signatory _____

Seal of the Organization _____

Date:

Place:

FORM4: UNDERTAKING FOR BLACKLISTING

This is to confirm that we M/s _____ (give full address) have not been declared **blacklisted/debarred** neither **failed to perform on any Agreement, nor have been expelled from any project /Agreement nor any Agreement terminated** for breach by the us (Agency) in any of the any Central Govt. Department, Ministry, Central PSUs, State PSUs, Autonomous bodies of the Central/ State Govt. etc.

Further, it is to confirm that we M/s _____ does not have any legal dispute raised by any of the Govt. department or under enquiry setup by any of the Govt. department against our firm, on the date of bid submission.

If the above information found false at any stage after the placement of Work Order / Agreement, EdCIL (India) Limited (EdCIL), 18-A, Sector 16-A, Noida will have full right to cancel the Contact and forfeit the EMD or any Guarantee. All the direct and indirect cost related to the cancellation of the order will be borne by us besides any legal action by EdCIL which shall be deemed fit at that point of time.

Authorized Signatory

Note: *The undertaking regarding the non-blacklisting of firm is to be submitted on a non-judicial stamp paper of Rs. 100/- (Rupees Hundred only).*

FORM5: BIDDER'S AVERAGE ANNUAL TURN OVER

Sl. No.	Financial Year	Annual Turn over
1.	2022-23	
2.	2023-24	
3.	2024-25	
	<u>Average of past three F.Y.</u>	

Note: Certificate from Statutory Auditor/ Charted Accountant certifying balance sheet for all three years to be attached.

Signature of Bidder

Name: _____

Designation: _____

Organization Name: _____

Contact No. : _____

FORM6: BIDDER'S NET WORTH CERTIFICATE

Sl. No.	Financial Year	NET WORTH
1	2022-23	
2	2023-24	
3	2024-25	

Note: Certificate from Statutory Auditor/ Charted Accountant certifying positive Net worth.

Signature of Bidder

Name: _____

Designation: _____

Organization Name: _____

Contact No. : _____

FORM 7: DETAILS OF RELEVANT PROJECTS COMPLETED BY BIDDER

Project	Name of the Client	Year of Completion	Total Value	Name of Client's Contact Person and other details

Signature of Bidder

Name: _____

Designation: _____

Organization Name: _____

Contact No. : _____

FORM 8: POWER OF ATTORNEY FOR AUTHORISED SIGNATORY

Know all men by these presents, we..... (name of firm and address of the registered office) do hereby constitute, nominate appoint and authorize Mr./Ms.....son/daughter/wife of and presently residing at....., who is presently employed with /retained by us and holding position of.....as our true and lawful attorney (hereinafter referred to as the "Authorized Representative") to do in our name and on our behalf, all such acts, deeds and things are as necessary or required in connection with or incidental to submission of our proposal for and selection as the <project title> for the <name of the client>.....project, proposed to be developed by the (the "client") including but not limited to signing and submission of all applications, proposals and other documents and writings, participating in pre bid and other conferences and providing information /responses to the client, representing us in all matters before the Client, signing and execution of all contracts and undertakings consequent to acceptance of our proposal and generally dealing with the client in all matter in connection with or relating to or arising out of our Proposal for the said project /or upon award thereof to us till the entering into of the Agreement with the client.

AND, we do hereby agree to ratify and confirm all acts, deeds and things lawful done or caused to be done by our said Authorized Representative pursuant to and in exercise of the powers conferred by this power and Attorney and that all acts, and things done by our said Authorized Representative in exercise of the powers hereby conferred shall and shall always be deemed to have been done by us.

[IN WITNESS WHEREOF WE.....THE ABOVE NAMED PRINCIPAL HAVE EXECUTED THIS POWER OF ATTORNEY ON THIS DAY OF 202_.

For (Name and registered address of client)
(Signature, name, designation, and address)

Witness:

1. (Signature, name and address)
2. (Signature, name and address)

Notarized

Accepted

.....
(Signature, name, designation, and address of the attorney)

Notes:

1. The mode of the execution of the power of Attorney shall be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executants (s) and when it is so required the same should be under seal affixed in accordance with the required procedure.
2. Wherever required, the applicant should submit for verification the extract of the charter documents and other documents such as a resolution/Power of Attorney in favor of the person executing this Power of Attorney for delegation of power hereunder on behalf of the applicant.
3. For a Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power and Attorney is being issued. However, the Power of Attorney provided by the applicants from countries that have signed The Hague Legislation Convention, 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Apostille certificate.

FORM-9: BANK GUARANTEE FORMAT

Name of the Bank: _____

To

EdCIL (India) Limited, Noida

In consideration of the Chairman and Managing Director, EdCIL acting through _____ (Designation & address of Contract Signing Authority), (hereinafter called "EdCIL (India) Limited" having agreed under the terms and conditions of agreement/ Contract Acceptance letter No. _____ dt _____ Made between _____ (Designation & address of contract signing Authority) and _____ (here in after called "the said Agency" for the work _____ (here in after called "the said agreement") having agreed for submission of a irrevocable Bank Guarantee Bond for ₹ _____ (₹ _____ only) as a security Guarantee from the Agency for compliance of his obligations in accordance with the terms & conditions in the said agreement.

1. We _____ (Indicate the name of the Bank) hereinafter referred to as the Bank, undertake to pay to the EdCIL (India) Limited an amount not exceeding ₹ _____ (₹ _____ only) on demand by the EdCIL (India) Limited.

2. We _____ (Indicate the name of the bank, further agree that (and promise) to pay the amounts due and payable under this guarantee without any demur merely on a demand from the EdCIL (India) Limited through the CGM, EdCIL (India) Limited or _____ (Designation & Address of contract signing authority), stating that the amount claimed is due by way of loss or damage caused to or would be caused or suffered by the EdCIL (India) Limited by reason of any breach by the said Agency of any of the terms of conditions contained in the said agreement or by reason of the Agency failure to perform the said agreement. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding ₹ _____ (₹ _____ Only).

3. (A) We _____ (indicate the name of Bank) further undertake to pay to the EdCIL (India) Limited any money so demanded notwithstanding any dispute or dispute raised by the Agency in any suite or proceeding pending before any court or Tribunal relating to liability under this present being absolute and unequivocal.

a. The payment so made by us under this Bank Guarantee shall be a valid discharge of our liability for payment there under and the Agency shall have no claim against us for making such payment.

4. We _____ (Indicate the name of bank) to further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the

period of the said agreement and that it shall continue to be enforceable till all the dues of the EdCIL (India) Limited under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged by _____

(Designation & Address of contract signing authority) on behalf of the EdCIL (India) Limited certify that the terms and conditions of the said agreement have been fully and properly carried out by the said Agency and accordingly discharges this guarantee.

5. (a) Notwithstanding anything to the contrary contained herein the liability of the bank under this guarantee will remain in force and effect until such time as this guarantee is discharged in writing by the EdCIL (India) Limited or until (date of validity/ extended validity) whichever is earlier and no claim shall be valid under this guarantee unless notice in writing thereof is given by the EdCIL (India) Limited within validity/ extended period of validity of guarantee from the date aforesaid.

(b) Provided always that we _____ (indicate the name of the Bank) unconditionally undertakes to renew this guarantee or to extend the period of guarantee from year to year before the expiry of the period or the extended period of the guarantee, as the case shall be on being called upon to do so by the EdCIL (India) Limited. If the guarantee is not renewed or the period extended on demand, we _____ (indicate the name of the Bank) shall pay the EdCIL (India) Limited the full amount of guarantee on demand and without demur.

6. We _____ (indicate the name of Bank) further agree with the EdCIL (India) Limited that the EdCIL (India) Limited shall have the fullest liberty without our consent and without effecting in any manner out of obligations hereunder to vary any of the terms and conditions of the said contract from time to time or to postpone for any time or from time to time any to the powers exercisable by the EdCIL against the said Agency and to forbear or enforce any of the terms and conditions of the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Agency for any bearing act or omission on the part of the EdCIL (India) Limited or any indulgence by the EdCIL (India) Limited to the said Agency for by any such matter or thing whatsoever under the law relating to sureties for the said reservation would relieve us from the liability.

7. This guarantee will not be discharged by any change in the constitution of the Bank or the Agency.

8. We, _____ (indicate the name of the Bank) lastly undertake not to revoke this guarantee except with the previous consent of the EdCIL (India) Limited in writing.

9. This guarantee shall be valid up to (Date of Completion plus Handholding Period). Unless extended on demand by EdCIL (India) Limited Notwithstanding anything to the contrary contained hereinbefore, our liability under this guarantee is restricted to Rs..... (Rs.....only) unless a demand under this guarantee is made on us in writing on or before..... we shall be discharged from our liabilities under this guarantee thereafter.

Dated: the Day of For

(indicate the name of bank)

Signature of Banks Authorized official

Witness (Name) _____

Designation with Code No. -----

1 Full Address-----

2.

FORM-10: FORMAT OF CONTRACT AGREEMENT

THIS AGREEMENT made the day of 2026 between (Name of Procurement Consultant (hereinafter "the Procurement Consultant") on behalf of **EDCIL's Client** of the one part and (Name & address of Supplier) (Hereinafter called "the Supplier") of the other part:

WHEREAS the Purchase is desirous that certain Goods and ancillary services viz. (Brief Description of Goods and Services) and has accepted a bid by the Supplier for the supply of those goods and services in the sum of (Contract Prize in words and Figures) (Hereinafter called "the Contract Rate")

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.,,
 - [a] The Rate Schedule submitted by the Bidder;
 - [b] The Schedule of Requirements;
 - [c] The Terms & Conditions
 - [d] The Consignee's Notification of Award/ Purchase Order
3. In consideration of the payments to be made by the Consignee to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Consignee to provide the goods and services and to remedy defects herein in conformity in all respects with the provisions of the Contract.
4. The Consignee hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contact rates or such other sum as shall become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

Brief particulars of the goods and services, which shall be supplied/ provided by the Supplier, are as under:

S. No.	Brief Description of Goods & Services	Quantity to be supplied	Unit Rate	Total Rate	Deliv ery Term s

TOTAL VALUE:

DELIVERY SCHEDULE:

IN WITNESS where of the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, Sealed and Delivered by the

said (For the EdCIL)

in the presence of

Signed, Sealed and Delivered by the

said (For the Successful Bidder)

in the presence of

FORM11: LIST OF AUTHORIZED BANKS FOR BG

Following banks are permissible for accepting Bank Guarantees:

I- SCHEDULED PUBLIC SECTOR BANKS

Sr. No	Name of the Bank
1	Bank of Baroda
2	Bank of India
3	Bank of Maharashtra
4	Canara Bank
5	Central Bank of India
6	Indian Bank
7	Indian Overseas Bank
8	Punjab & Sind Bank
9	Punjab National Bank
10	State Bank of India
11	UCO Bank
12	Union Bank of India

II- SCHEDULED PRIVATE SECTOR BANKS

Sr. No	Name of the Bank
1	HDFC Bank Ltd
2	ICICI Bank Ltd
3	Axis Bank Ltd
4	Kotak Mahindra Bank Ltd
5	IndusInd Bank Ltd

FORM 12: MANUFACTURER AUTHORIZATION FORM

No. _____ dated _____

To,

Dear Sir/Madam:

Bid No. _____

We _____ who are established and reputed manufacturer of _____ (name and description of goods offered) having factories at _____ (address of factory) with factory registration no. _____ do hereby authorize M/s _____ (Name and address of Agent) to submit a bid, and sign the contract with you for the goods manufactured by us against the above bid.

We hereby extend our full warranty as per the required conditions of Contracts, for the goods and services offered for supply by the above firm against this Invitation for Bid. We further certify that we shall support vendor with all related spares and maintenance during the entire contract period including the period of warranty and AMC (if applicable); as per tender and we also declare that the product proposed in this contract will not be end of support till the contract period.

We also certify that the proposed products meet the technical & functional requirements & also products quoted are of latest version (the release date should not be more than one year).

Yours faithfully,

(Name):_____

(Name of manufacturers):_____

Note: This letter of authority should be on the letterhead of the manufacturer or OEM and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.

FORM 13: DELIVERY CUM HANDING OVER CERTIFICATE

(to be completed by the Consignee)

1. The items mentioned as per details given below, have been physically verified by way of opening the cartons/packing and verifying the items/ goods supplied and model of the items/ goods. It is certified and acknowledged that the same have been received at this Institution in good condition.

Sl. No.	Sl. No. (As per Work Order)	Description of items	Origin	Model & Make	Quantity

Please make appropriate column, as per requirement.

2. The items as per details given below was/were received in damaged conditions and therefore are not acceptable. These damaged goods/ items have been returned to the supplier and supplier is required to supply the new item in lieu of damaged one.

Details of the Goods/ items received in objectionable condition

Sl. No.	Sl. No. (As per Work Order)	Description of items	Origin	Model & Make	Quantity

Date: _____

(Signature of the issuing official)
(Authorized Official, Client)

Name _____
Designation _____

Rubber Seal of the Institution

Received the Acknowledgement Certificate

Date: _____

Signature of Supplier or his Authorized Representative
Name: _____

FINANCIAL BID

Instructions to Bidders

1. Financial Bid shall be submitted with full price details.
2. Financial Bid shall contain only the prices duly filled in as per the format given in Schedule of Rates provided in the tender document.
3. The Bidder should quote for all the items listed in this document. In case, the Bidder/s does not quote for all the items, the Bid shall be treated as incomplete and shall be rejected summarily.
4. The rate shall be inclusive of all charges including transportation (as per the location), lodging, travel, manpower, insurance or any other taxes etc. and nothing shall be paid extra.
5. The bid shall be evaluated on total value of all items as shown in Excel sheet and the rate must be valid for any location in India.
6. Price bid has to be filled online on EdCIL's E-tendering Portal. In case, the financial bid documents are not complete in all respect the same should be treated as incomplete at financial bid stage and shall be considered non-responsive.

FORM 14: FINANCIAL BID COVERING LETTER

[Location, Date]

To:

The Chief General Manager
EdCIL India Ltd.
EdCIL House, 18 A, Sector 16 A,
NOIDA 201301
Uttar Pradesh

SUBJECT-“Open Two packet e-tender for Engagement of Agencies for the Implementation of Vocational Labs Set-up Initiatives in Government Schools Across States on Rate Contract basis”

Sir/Madam,

We, the undersigned, offer to provide the subject services in accordance with your detailed terms of reference dated _____ subsequent corrigendum (if any). Our attached financial proposal is uploaded online. This amount is excluding of GST.

Our firm/organization M/s_____ will charge_____ (quote in INR) for the defined Scope of work in this RFP.

1. PRICE AND VALIDITY

- a) All the rates mentioned in our bid are in accordance with the terms as specified in the detailed terms of reference documents. All the rates and other terms and conditions of this Bid are valid for the entire duration of the contract.

- b) We hereby confirm that we understand that all the applicable taxes shall be including in the prices mentioned in the Financial Bid.

2. QUALIFYING DATA

We confirm having submitted the information as required by the detailed terms of reference document. We are not submitting any assumptions or conditions with our financial proposal as it is all inclusive proposal. EdCIL reserves the right to reject our proposal in case of any discrepancy or conditions found with our proposal.

3. BID PRICE

We declare that our Bid Price is for the entire scope of the work as specified in the detailed terms of reference document. Our bid prices are mentioned in the submitted Financial Bid.

Our Financial Bid shall be binding upon us subject up to expiration of the validity period of the Proposal.

We understand you are not bound to accept any proposal you receive. We hereby declare that our bid is made in good faith, without collusion or fraud and the information contained in the bid is true and correct to the best of our knowledge and belief.

Thanking you,

(Authorized Signatory of Bidder)

Signature:

Name:

Designation:

Address:

Seal:

Date:

FORM 15: PRICE BID FORMAT
(PRICES TO BE FILLED IN EXCEL SHEET)

Summary Sheet

Name of Work		Engagement of Agency on Rate Contract for the Implementation of Vocational Labs Set-up Initiatives in Government Schools Across States			
NIT No		EdCIL/EIS&EPS/2025-26/Voc/01 Dated: 23/01/2026			
Name of bidder					
Sl.	Lab	Qty	Rate per Lab excluding GST (Rs.)	GST in Percentage (%)	Rate per Lab including GST (Rs.)
1.	Agriculture	1			
2.	Apparel Made-up & Home Furnishings	1			
3.	Automotive	1			
4.	Beauty and Wellness	1		FORMAT	
5.	Electronics and Hardware	1		ONLY	
6.	Food Processing	1			
7.	Plumbing	1			
8.	Retail	1			
9.	Tourism & Hospitality	1			
10.	IT	1			
11.	Multi media/media and entertainment	1			
12.	Banking, finance, services & insurance (BFSI)	1			
	Total Cost (In digits)				
	Total Cost (In Words)				

I. Unit price should include the cost of warranty for one year and freight and other charges such as loading/unloading, storage etc.

- II. *Discount or any other offers affecting the package price must be mentioned here only and shall not be considered if mentioned at any other place of the bid.*
- III. *In case of discrepancy between unit price and total amount, the unit price shall prevail.*
- IV. *Bids shall be evaluated based on total amount with taxes.*
- V. *The bidder quoting for the above items then the bidder has to comply with all the specifications as prescribed in the RFP.*